Environmental Impact Assessment (Final)

PUBLIC

December 2023

India: Delhi–Meerut Regional Rapid Transit System Investment Project

Addendum to Environment Impact Assessment Report–Stabling Yard at Jangpura and Connecting Line from Sarai Kale Khan RRTS station to Stabling yard

Main Report

This Final EIA has been disclosed for the relevant stakeholders. There are ongoing consultations under the ADB Accountability Mechanism, 2012 with some community people who are not in the Corridor of Direct Impact, however, this EIA addresses the impacts associated with sensitive receptors falling within the Corridor of Indirect Impact and has also considered the mitigation measures accordingly in the design.

Prepared by the National Capital Region Transport Corporation for the Asian Development Bank (ADB).

Currency Equivalents

(as of 26 December)

Currency unit Indian rupees (₹)

> ₹1.00 \$0.012 \$1.00 ₹83.11

ABBREVIATIONS

ADB Asian Development Bank Archaeological Survey of India ASI ATO automatic train operation ATP automatic train protection ATS automatic train supervision Bureau of Indian Standards BIS

CATC continuous automatic train control system

CBTC communication based train control compliance, effectiveness, and integrity CEI

CPCB Central Pollution Control Board

CPI consumer price index CWC **Central Water Commission** CWR continuous welded rails Delhi Development Authority DDA DMRC Delhi Metro Rail Corporation DPCC Delhi Pollution Control Committee

DPR detailed project report electrical and mechanical E&M E&S environmental and social

EΑ executing agency

EIA environment impact assessment economic internal rate of return EIRR environmental management plan EMP EPBM earth pressure balance machine engineering procurement construction EPC

financial internal rate of return FIRR GDP gross domestic product guidelines for procurement GfP Government of Delhi GoD

Government of India GOI GRC grievance redressal committee

gross state domestic product implementation agency IΑ

GSDP

International Finance Corporation IFC Indian Meteorological Department IMD Land and Development Office LDO Municipal Corporation Delhi MCD

MoEFCC Ministry of Environment, Forest, and Climate Change

MRT mass rapid transit

NCRTC National Capital Region Transport Corporation

NGO non-governmental organization occupational, health and safety OHS PHPDT peak hour peak direction traffic PIU project implementation unit PMO project management office resettlement action plan RAP

REA rapid environmental assessment RPF resettlement policy framework RRTS regional rapid transit system SDG sustainable development goals

SEJ switch expansion joint

SEMU social and environmental management unit

social impact assessment SIA SMF social management framework SPS safeguard policy statement of ADB

special purpose vehicle SPV

to be confirmed TBC TOR terms of reference

WEIGHTS AND MEASURES

 ^{0}C degree Celsius dB(A) decibel acoustic

ha hectare

in/sec inch per second

kilometer km

km/h kilometer per hour kWe kilowatt-electric Kilo volt(s) kV kVA kilo Volt-Amps

kW kilowatt m meter millimeter mm

MVA Megavolt Ampere

MW Megawatt m^3 cubic meter

m³/hr cubic meters per hour milligrams per liter mg/l meters per second m/s MTPA - me MW - megawatt metric tons per annum

parts per million ppm parts per thousand ppt rpm -µg/m³ revolutions per minute

microgram per cubic meter

NOTES

The fiscal year (FY) of the Government of India ends on 31 March. FY before a calendar year denotes the year in which the fiscal year ends, e.g., FY2020 ends on 31 March 2020.

In this report, "\$" refers to US dollars

This environmental impact assessment is a document of the borrower. The views expressed herein do not necessarily represent those of ADB's Board of Directors, Management, or Staff, and may be preliminary in nature. Your attention is directed to the "terms of use" section of ADB's website.
In preparing any country program or strategy, financing any project, or by making any designation of or reference to a particular territory or geographic area in this document, ADB does not intend to make any judgments as to the legal or other status of any territory or area.

TABLE OF CONTENTS

		Page
EXI	ECUTIVE SUMMARY	I
I.	INTRODUCTION	1
A.	BACKGROUND	1
B.	NATURE, SIZE AND LOCATION OF THE PROJECT	2
C.	ENVIRONMENTAL CATEGORIZATION	7
D.	EIA PREPARATION AND OBJECTIVES OF THE EIA	8
E.	SCOPE AND METHODOLOGY OF THE EIA STUDY	8
F.	EXTENT OF EIA	9
G.	STRUCTURE OF THE EIA REPORT	9
II.	POLICY, LEGAL AND ADMINISTRATIVE FRAMEWORK	10
A.	THE NATIONAL (INDIA) ENVIRONMENTAL LAWS AND REGULATIONS	10
B.	ADB'S SAFEGUARD POLICY STATEMENT AND REQUIREMENTS	15
C.	APPLIED STANDARDS	15
D.	INTERNATIONAL AND REGIONAL AGREEMENTS AND CONVENTIONS	15
III.	DESCRIPTION OF THE PROJECT	16
A.	DESCRIPTION OF THE PROJECT CORRIDOR	16
B.	PLANNING AND DESIGN CRITERIA FOR THE CONNECTING LINE VIADUCT	22
C.	CONSTRUCTION METHODOLOGY	27
D.	WATER FOR CONSTRUCTION	28
E.	CONSTRUCTION CAMPS	28
F.	LAND REQUIREMENT	28
G.	IMPLEMENTATION PLAN AND SCHEDULE	29
Н.	ASSOCIATED WORKS	29
IV.	DESCRIPTION OF THE ENVIRONMENT	29
A.	PHYSICAL ENVIRONMENT	33
B.	ECOLOGICAL ENVIRONMENT	45
C.	SOCIO-ECONOMIC ENVIRONMENT	46
V.	ANTICIPATED IMPACTS AND MITIGATION MEASURES	50
A.	METHODOLOGY	50
B.	INDUCED AND CUMULATIVE IMPACTS	110
C.	EXPECTED BENEFITS FROM THE PROJECT	112
VI.	ANALYSIS OF ALTERNATIVES	113
A.	INTRODUCTION	113
B.	"WITH" AND "WITHOUT" PROJECT SCENARIO	113
C.	ALTERNATIVES OF RRTS ALIGNMENT AND FACILITIES	113
D.	CONCLUSION	123

VII.	CONSULTATIONS, PARTICIPATION AND INFORMATION DISCLOSURE	124
A.	CONSULTATIONS	124
В.	INFORMATION DISCLOSURE	139
VIII	GRIEVANCE REDRESS MECHANISM	140
	ENVIRONMENTAL MANAGEMENT PLAN	140
ıх. А.		140
	INTRODUCTION	
B.	MITIGATION MEASURES	141
C.	ENVIRONMENTAL MONITORING AND REPORTING PROGRAM	149
D.	ENVIRONMENTAL MANAGEMENT BUDGET AND RESOURCES	172
Χ.	CONCLUSION AND RECOMMONDATION	173
APF	PENDICES	175
	LIST OF TABLES	
Tab	le 1: Structural Description of proposed RRTS	7
	le 2: Summary of Relevant Environmental Legislation	
Tab	le 3: Applicable Permits and Clearances Required for the Project and Status (on	
Tob	November 2022)le 4: Ground Coverage of Operational Buildings and Facility at Stabling Yard	
	le 5: Water Demand during construction stage of Connecting Line	
	le 6: Details of land requirement for RRTS line from Sarai Kale Khan to stabling ya	
iub	Jangpura	
Tab	le 7: Environmental Attributes and Frequency of Monitoring	
Tab	le 8: Details of Sampling / Monitoring Locations	30
	le 9: List of water bodies being crossed by the Stabling Yard RRTS line	
	le 10: Surface Water Quality (Open wastewater drain)	
Tab	le 11: Physico-chemical Characteristics of Ground Water along the Proposed Alignr	
Tab	le 42. Field Air Quelity Menitoring Leasting	
	le 12: Field Air Quality Monitoring Locationsle 13: Air Quality Monitoring results (January 2021)	
	le 14: Noise Monitoring locations	
	le 15: Hourly equivalent Noise levels, dB(A) (January 2021)	
	le 16: Summary of socio-economic impacts	
	le 17: Details of Sensitive Receptors with in 150m from RRTS alignment	
Tab	le 18: Activity-Impact Interaction Matrix for Design, Construction and Operation Ph	
	le 19: Identified interactions that are likely to result in significant impacts	
	le 20: Impact Characteristic Terminology	
	le 21: Impact Type Definitions	
	le 22: Definitions for Likelihood Designations	
	le 23: Sensitivity Assessment Criteriale 24: Nature of Impact	
	le 25: Duration of Impactle	
	le 26: Extent of Impact	
	le 27: Significance of Impact	
	le 28: Impact on Air Quality during construction stage	
	le 29: Impact on Surface water quality and quantity during design and pre-constru	ction
T - '	stage	
	le 30: Impact on Surface Water Quality and Quantity during construction stage	
าสม	ie o i, impaci dii duhace walei Quality and Quahtity duhid Obelatidh Stàde	ບວ

Table 32: Impact on Ground water quality and quantity during design and pre-constr	
stage	
Table 33: Impact on Ground Water Quality and Quantity during Construction stage	
Table 34: Impact on Ground Water Quality and Quantity during Operation stage	
Table 35: Impact on Land during design and pre-construction stage	
Table 36: Impact on land during construction stage	
Table 37: Impact on land during operation stage	
Table 38: Impact on trees and vegetation during design and pre-construction stage	74
Table 39: Impact on trees and vegetation during construction stage	76
Table 40: Impact on trees and vegetation during operation stage	76
Table 41: Impact on terrestrial fauna during design and pre-construction stage	77
Table 42: Impact on terrestrial fauna during construction stage	
Table 43: Land Acquisition Requirements under the Project	
Table 44: Impact on Govt. Land and private buildings/flats during design and pre-constr	uction
stage	79
Table 45: Impact on Govt. Land and private buildings/flats during construction stage	
Table 46: Impact on Public infrastructure and utility structures during design and	
construction stage	
Table 47: Impact on Public infrastructure and utility structures during construction stage	
Table 48: Impact of Noise during design and pre-construction stage	
Table 49: Noise Levels Generated by the Operation of Various Construction Equipment	
Table 50: Increase in Noise Levels Due to Increased Vehicular Movement	
Table 51: Impact of Noise impacts during construction	
Table 52: Impact of Noise during operation stage	
Table 53: Details of Noise receptor's locations (During Operation Phase)	
Table 54: Impact of vibration during design and pre-construction stage	
Table 55: Construction Vibration Damage Criteria as per FTA guidelines	
Table 56: Vibration Impacted Receptors During Construction	
Table 57: Impact of vibration during construction stage	
Table 58: Vibration Sensitive Receptors along the alignment	
Table 59: Vibration Impacted Receptors due to Operation of RRTS	
Table 60: Impact of vibration during operation stage	
Table 61: Impact on OHS during design and pre-construction stage	
Table 62: Location of Casting Yard	
Table 63: Impact on OHS during construction stage	
Table 64: Impact on OHS during operation stage	103
Table 65: Impact on CHS during design and pre-construction stage	104
Table 66: Impact on CHS during construction stage	107
Table 67: Impact on CHS during operation stage	108
Table 68: Impact on PCR during pre-construction and construction stage	109
Table 69: Details of socio-economic features in Option 1 alignment	115
Table 70: Rapid Environmental analysis of Option 1	
Table 71: Noise Analysis along option 1	
Table 72: Summary of Stakeholder Consultation	
Table 73: Interaction with SCWF and RWA	
Table 74: Summary of Public Consultation	
Table 75: Consultation With Siddhartha Extension Residents	131
Table 76: Discussion/Suggestion of community	134
Table 77: Details of grievances through CPGRAM/ and RTI	
Table 78: Contractors' Subplans and Approval Party	
Table 79: Environmental Management Plan Matrix	
Table 80: Environmental Monitoring Plan	
Table 81: Cost of EMP Implementation.	
TUDIO O I, OOOL OI LIVII TITIDIOTTIOTIUUUTTI	

LIST OF FIGURES

Figure 1: Proposed alignment from Sarai Kale Khan station to Stabling Yard, Jangpura
Figure 5: General Arrangement of Obligatory Crossings over Underpass and Mathura Road Near Hindustan Prefab Limited (HPL) at Jangpura24
Figure 6: General Arrangement of Obligatory Crossings over Barapulla Flyover (Stabling Yard
alignment)
Figure 8: Ambient Air, Noise and Water Sampling Locations
Figure 9: Wind Rose Diagrams in the Project Area39
Figure 10: Status of Air Quality along the Proposed Alignment (January 2021)4
Figure 11: Hourly Measured Noise Level along the Proposed Alignment (January 2021) 44
Figure 12: Noise levels at monitoring locations
Figure 13: Impact Assessment Process
Figure 14: Impact Significance
APPENDIXES
Appendix 1: Rapid Environmnental Assessment (REA) Checklist & Climate Screening Checklist
Appendix 2: Detail Environmental Monitoring
Appendix 3: Noise Monitoring and Modeling
Appendix 4: CRRI Study on Noise and Vibration
Appendix 5: Vibration Analysis
Appendix 6: DMRC & NCRTC Policy
Appendix 7: Details of Public Consultation along the RRTS Corridor Appendix 8: Consultation with Siddhartha on 23.05.2022 (photographs and list of participants)
Appendix 9: Copy of Letters dated 05.07.2021 and 17.08.2021 from NCRTC to Sr. Citizer Welfare Forum (Sidharth Extension)
Appendix 10: Alternate Alignment Option Study Connecting Line from Sarai Kale Khan RRTS Station to Stabling Yard at Jangpura
Appendix 11: Minutes of Meeting on 06.01.2022 with ADB, NCRTC and Siddhartha Extension
Appendix 12: Community Interaction Programme on 05.07.2022 and 23.07.2022

Appendix 13: Shadow & Wind Analysis Report
Appendix 14: Attendance Sheet for meeting with flat owners

Appendix 15: List of Correspondence and response

EXECUTIVE SUMMARY

A. Introduction and Rational

- 1. This document is for the connecting line from Sarai Kale Khan RRTS station to Stabling Yard at Jangpura and is to be treated as an addendum to the main Delhi-Ghaziabad-Meerut¹
- 2. The Sarai Kale Khan station is the originating point of Delhi-Ghaziabad-Meerut RRTS corridor (82.15 km) and other two RRTS corridors i.e Delhi Gurgugram Rewari Alwar and Delhi Sonipat Panipat. A stabling yard for the stabling of trains and for minor maintenance facilities has been planned at Jangpura. This stabling yard will be connected with Sarai Kale Khan- RRTS station with an elevated viaduct called as connecting line for the stabling yard to be developed at Jangpura. The total length of this connecting line alignment from Sarai Kale Khan RRTS station to stabling yard at Jangpura is approximately 1.35 km. The facilities at stabling yard include RRTS operational buildings and train parking area to create buffer time during starting hours of day operations. The stabling yard and the connecting line from Sarai Kale Khan RRTS station to stabling yard was under finalization at the time of finalization of Delhi -Ghaziabad-Meerut Environment Impact Assessment (EIA) and hence not included in the main EIA report. On finalization of alignment of this connecting line, Environment Impact Assessment of this project component was carried out and addendum to the main EIA was made.
- 3. The alignment is located within 2 km distance of Main line, hence, to avoid duplication of information on environment baseline, identification of impacts and mitigation measures are referred to EIA report for Delhi -Ghaziabad-Meerut corridor. The impacts and mitigation measures during construction and operational phase relevant to Sarai Kale Khan RRTS station to Stabling Yard at Jangpura are mentioned in this report.
- 4. Delhi Ghaziabad Meerut RRTS corridor is being co-financed by Asian Development Bank (ADB), Asia Infrastructure Investment Bank (AIIB) and New Development Bank (NDB). The Environment Impact Assessment (EIA) Report for this RRTS corridor as per ADB's policy for Environmental Safeguard was carried out by NCRTC in 2018-19 and approved by ADB in May 2020. EIA report for Delhi Ghaziabad Meerut RRTS corridor complies with the applicable State Government, Government of India legal framework and ADB Safeguard Policy Statement (2009). On account of significant occupational health and safety (OHS) risks, deterioration of ambient air quality mostly during the construction stage and noise vibration impacts, community health &safety from the Delhi-Ghaziabad-Meerut RRTS corridor Project was categorized as Category 'A'2 project. This addendum covers the Environment Impact Assessment for connecting line from Sarai Kale Khan RRTS station to Stabling yard at Jangpura (hereinafter termed as "Project"). Since, this addendum is an extended part of original EIA report for Delhi-Ghaziabad-Meerut RRTS corridor, the Category of the project as per ADB's SPS will remain the same.

B. Policy, Legal, and Administrative Framework

5. An assessment of the policies and administrative framework has been carried out. This includes (i) applicable national legislation for components of environment viz. air, water, soil, terrestrial and aquatic flora and fauna, natural resources, and sensitive habitats, (ii) International and regional Environmental agreements, conventions and protocols signed by India (iii) ADB's Environmental and Social Safeguard policy requirements, (iv) Permissions and clearances required for the project. This assessment is about the applicability of laws and regulations, conventions, protocols, and safeguards. The EIA has been carried out in compliance with Government of India and ADB safeguards policies and requirements.

¹ https://www.adb.org/sites/default/files/linked-documents/51073-002-eiaab.pdf

² According to ADB Safeguard Policy Statement (SPS-2009), a proposed project is classified as category A if it is likely to have significant adverse environmental impacts that are irreversible, diverse, or unprecedented. These impacts may affect an area larger than the sites or facilities subject to physical works. An environmental impact assessment is required.

- 6. **Government of India Policy and Regulatory Requirements:** As per national policy and regulatory framework requirements as stipulated in EIA Notification 2006 by MOEF&CC, all railways projects in India are exempted from requirements of prior environmental clearance and preparation of the EIA. Therefore, environmental clearance from MOEF&CC for connecting line from Sarai Kale Khan RRTS station to Stabling Yard at Jangpura and associated facilities at Jangpura project is not required.
- 7. Category of the Project as per ADB's SPS 2009: The environmental screening has been carried out for the proposed project as per ADB Safeguard Policy Statement (SPS) 2009 using the Rapid Environmental Assessment (REA) checklist. The methodology of assessing environmental impacts from the project identifies the environmental components that will be impacted, the type of impacts, the assessment area where the impacts will be felt and define the criteria for assessing the significance of each type of impact. After defining these aspects, a screening of project impacts during the design and pre-construction, construction, and operation stages of the project is carried out to identify the minor, moderate, and major impacts to guide in the development of mitigation measures and ensure that there are no or minimal residual impacts. Though the proposed RRTS corridor (Sarai Kale Khan - Jangpura) does not pass through any environmentally sensitive areas, the civil works for proposed connecting line for stabling yard involve the transport and use of large quantities of construction material and heavy machinery in the middle of populated urban areas of Delhi requiring large number of workers. Since, this addendum is an extended part of original EIA report for Delhi-Ghaziabad-Meerut RRTS corridor, the Category of the project as per ADB's SPS will remain the same. Category-A project means; a full-scale Environmental Impact Assessment (EIA) study including mitigation measures is required for the project. Accordingly, this Addendum to environmental impact assessment report (EIA) has been prepared for connecting line from Sarai Kale Khan RRTS station to Stabling Yard at Jangpura to fulfill ADB's SPS 2009 requirements for environment Category 'A' project.

C. Description of the Project

8. The proposed Project includes the stabling yard complex including various structures such as staff quarters, Operation Control Center(OCC) and Back-up Control Centre (BCC), a passenger station at Jangpura and the connecting line from Sarai Kale Khan RRTS Station to Stabling Yard at Jangpura (1.35 km) on elevated viaduct. This connecting line is an extended part of Delhi-Ghaziabad-Meerut RRTS corridor. The Stabling Yard at Jangpura will serve as a yard for stabling of RRTS trains and routine inspection of Rapid Rail Transit System. As per the LAP prepared for proposed Project and R&R survey conducted, 18.9621 hectare of land needs to be acquired under this project. Out of the above land requirement, 17.21 ha of land will be required for Stabling Yard at Jangpura and 1.7089 ha of land is required for the connecting line component. For this stabling yard, Ministry of Housing & Urban Affairs have already allotted 17.21 Ha. of land to NCRTC. Other departments have also agreed to transfer the balance land The total length of this viaduct from Sarai Kale Khan RRTS station to stabling yard at Jangpura is approximately 1.35 km.

D. Description of the Environment

- 9. **Physical Environment:** The topography of project area is plain and about 33 % in built up area. The RRTS elevation varies between 676 ft to 734 ft above mean sea level. There is no presence of Aravalli ridges in project corridor and surroundings although these are prominent in other parts of NCR region.
- 10. The project region falls in seismic zone IV, a region of high seismic hazard zone. Earthquakes in this region are mainly shallow focus and lie within the alluvium covered northern part in co linearity with the Mahendragarh Dehradun fault.

- 11. The climate of the project region is subtropical. In summer, the heat wave is immense, and the minimum and maximum temperature variation is 27°C to 45°C and in winter temperature variation is 3°C to 22°C. Storms are common during summer in May and June when day temperature exceeds 40°C. As per IMD long term data, average annual rainfall in the project region is 797.3 mm. The maximum rainfall occurs during the monsoon months. Humidity range is between 43-89%, monsoon season experience the higher humidity as compared to summer and winter seasons.
- 12. Results of the ambient air monitoring show that PM_{10} and $PM_{2.5}$ values in all the monitored locations are much higher than the permissible level of NAAQS ($100\mu g/m^3$ for PM_{10} and $60\mu g/m^3$ for $PM_{2.5}$) as well as IFC standards ($50~\mu g/m^3$ guideline for PM_{10} and $25~\mu g/m^3$ guideline for $PM_{2.5}$). A maximum value of $152.67\mu g/m^3$ and a minimum value of $139.97~\mu g/m^3$ was observed for $PM_{2.5}$ in the study area while for PM_{10} , a maximum value of $263.15\mu g/m^3$ and a minimum value of $244.98~\mu g/m^3$ was observed. The SOx and NOx values recorded at the study areas are lower than the permissible limit. The range of SOx varied from $27.56~\mu g/m^3$ to $30.51~\mu g/m^3$ while NOx varied from $38.08~\mu g/m^3$ to $41.81~\mu g/m^3$. The CO is within permissible limit while Hydrocarbon (as HC), Arsenic (as As) and Hydrogen Fluoride (as HF) were below the detectable limits. The noise levels monitored at four locations along the alignment were above the CPCB (national) and IFC/World Bank (international) permissible limits. Noise levels at all but one of the monitored locations are higher than the permissible limits for all zones for both GOI NAAQS limits as well as WB EHS guideline limits. Baseline vibration levels have not been established for this EIA addendum, these will be collected prior to the start of the construction.
- 13. **Biological Environment:** The connecting line is located within urban populated areas and do not have any significant ecological values. The stabling yard is located in the premises of an abandoned factory. Hence, the habitat type in the project area is modified habitat. There are no environmentally sensitive zones as prescribed by the Environment Protection Act of 1986 or protected areas within direct impact zone of the proposed connecting line. The proposed project area is located neither within an existing nor any proposed ecological sensitive zone known for providing habitat and movement corridor for any kind of wildlife. No rare or endangered species of flora and fauna are reported along the corridor of impact of the project. About 1272 trees are likely to be affected due to construction of this RRTS alignment.
- 14. **Socio-economic Environment:** There are no ancient monuments of archaeological importance declared to be of State or National importance are present throughout the alignment.

E. Anticipated Environmental Impacts and Mitigation Measures

- 15. Based on analysis of project activities and environmental baseline conditions 16 valued environmental components (VECs) under physical, biological and social environment were identified. Impacts on each of these VECs during pre-construction and design stage, construction stage and operation stage was been carried out. Impacts were determined to be minor, moderate or major based on a rating criterion of sensitivity of the VEC, duration of impact, area of impact and severity of impact.
- 16. The key positive environmental impacts of the project include reduced use of private vehicle leading to reduction in pollutants and greenhouse gases (GHG); road safety improvements; and increased accessibility and mobility.
- 17. Minor and moderate impacts are expected on all VECs. Environmental impacts of the project include: (i) project will require acquisition of about 18.9621 Ha. of Govt. land for the proposed Sarai Kale Khan Jangpura Stabling Yard RRTS line. All government land required for the project is available/approved in principle; (ii) 08 individual flats owned by 08 households

in an apartment/building /flats are coming within the shadow of the viaduct and therefore require relocation/temporary shifting. (iii) transplantation/ cutting down of about 1272 trees; (iv) finite use of scarce, sometimes carbon intensive, materials, such as cement; (v) noise, vibration and visual intrusion for properties adjacent to the alignment; and (vi) traffic inconveniences during construction stage. The project does not impact any nature conservation areas or urban parks or sites of historical/archeological importance.

- 18. Mitigation measures proposed include: (i) compensatory afforestation in line with forest department guideline; (ii)use of rotatory piling rigs having low noise and vibration during construction; (iii) design embedded measures such as ballast less track, bogie design, signaling system, dampers and shock observers, will reduce noise and vibration impact; (iv)during operation, in addition to embedded measure in design, 125 m long noise barriers as recommend by CRRI to maintain noise levels within the existing ambient noise levels are proposed to be installed along the viaduct in the Siddhartha Extension; (v) reuse of excavated material where feasible and disposal of construction waste in a regulated manner.
- 19. Minor negative impacts are expected during all three project stages in relation to noise, vibration and community health and safety. Analysis of noise impacts show that 6 locations of receptor during construction stage and one sensitive receptors during operation stage are at risk of experiencing an increase in noise levels greater than 3 dBA. The proposed measures incorporation of noise reducing design features in the railway tracks and rolling stock, adjusting timing of use of noisy equipment, use of mufflers on noisy equipment and installation of acoustic screens have been proposed to minimize construction related noise. During operation, in addition to embedded measure in design, 125 m long noise barriers as recommend by CRRI to maintain noise levels within the existing ambient noise levels are proposed to be installed along the viaduct in the Siddhartha Extension. Further in operational stage impacts will be addressed by the regular noise monitoring, inspections, proper maintenance and reconditioning of trains and tracks, maintenance or replacement of suspension system, brakes and wheels etc.
- 20. The Proposed viaduct height in the 110 m section of the Siddhartha extension is greater than the standard height of the remaining part of the alignment to ensure connectivity remains within the area. Siddhartha extension also has a substantial number of senior citizens residing across the blocks, hence to ensure residents who may be more vulnerable are not affected, special consideration has been made to provide high quality structural noise barriers embedded in the design together with the ballast less tracks that already exists.
- 21. About 5 location of receptors are at risk of experiencing physical vibration levels above the threshold for causing damage during construction stage due to Pile Driver (impact). To mitigate this risk only bored piling (not impact piling) will be carried out for boring works. A preconstruction survey will be conducted to identify sensitive buildings at risk of being damaged. During construction monitoring of vibration levels will be conducted.

F. Analysis of Alternatives

22. Various alternatives meeting technical requirements such as radius of curve, alignment, design, optimal cost, technical feasibility in crossing existing railway line etc. have been considered and analyzed for its likely impacts on various environmental and social parameters. Additionally, an evaluation of potential environmental impacts in terms of 'with' and 'without' project situation has been considered for the justification of the project. The alignment of the connecting line was finalized after considering merits and demerits of various alignment options. Due to the short distance between Sarai Kale Khan station and Stabling Yard at Jangpura, the alignment options are very limited and the final alignment passing through Siddhartha extension is the best possible option, considering that any other alignment route would have resulted in significant resettlement issues elsewhere. The columns of the elevated viaducts will be placed in such a way that in operational phase traffic will not be

impacted and free movement from one side of the viaduct to the other is secured. 08 individual flats owned by 08 households in an apartment/building /flats are coming within the shadow of the viaduct. To avoid inconvenience to the residents of these flats, these 08 individual flats need to be acquired or relocated or temporarily shifted as per the discussion and mutual agreement with the flat owners. Although the acquisition or shifting of these households is not a prerequisite for taking up the construction of the viaduct, a proposal for purchase/temporary shifting is envisaged to avoid discomfort to the residents during the construction period. This option is technically viable, besides this alignment has the least environmental and resettlement impact as compared to Option-I and Option-II. The comparison of plans showing all options is given in **Figure- 1**. Plan showing final alignment is given in **Figure- 3** in **Appendix-10**.

G. Consultations and GRM

23. Meaningful consultations have been conducted with stakeholders, local communities, shopkeepers and affected people during preparation of Environment and Social Impact Assessment study. Consultations will be continued during project implementation. 2 public consultation sessions were carried out at Siddhartha Ext, Pkt-C, Ward: Bhogal, District: South East Delhi on 4/12/2020 and 6/12/2020. Issues associated with the environment, health and safety were also discussed during the consultation meetings as part of study. Besides this, there are several informal consultation sessions and focused group discussions were organized as part of the project. Details of the above public consultation meetings, list of participants, photographs and records are enclosed as Appendix 7. NCRTC is regularly interacting with residents of Siddhartha Extension, Senior Citizen Welfare Forum and RWA and keeping them well informed about the details of RRTS construction. Details of such meetings in chronological order are as under:

Date	Meeting Hold with	Remarks
27.08.2020	Flat Owners-24 Nos	Concerns from RWA of
10.09.2020 Flat Owners-24 Nos		Siddhartha Extension were
30.09.2020	SERWA	addressed and formally communicated through letter
21.10.2020	Sr. Citizen Welfare Forum	dated 05.07.2021 and
07.11.2020	Flat Owners-24 Nos	17.08.2021 from NCRTC to Sr.
10.11.2020	Sr. Citizen Welfare Forum	Citizen Welfare Forum.
10.11.2020	SERWA	
09.01.2021	Flat Owners-24 Nos	
12.06.2021	Flat Owners-24 Nos	
13.07.2021	Sr. Citizen Welfare Forum	
24.07.2021	Flat Owners-8Nos.	
14.08.2021	Flat Owners-8Nos	
06.01.2022	Sr. Citizen Welfare Forum along with ADB	
23.05.2022	Siddhartha Extension Sr.Citizen's Welfare Forum and SERWA along with ADB, External Monitor Consultant- Social, & Environment, General Consultant-Social Expert	Focused Group Discussion
05.07.2022	Residents of Siddhartha Extension along with ADB environment and social safeguards specialists, NCRTC, External Monitor Consultant-Social, & Environment, General Consultant-Social Expert	Community Interaction Programme- DDA Community Hall, Pocket-C, Siddhartha Extension

Date	Meeting Hold with	Remarks
23.07.2022	Residents of Siddhartha Extension along with ADB environment and social safeguards specialists, NCRTC, & General Consultant-Social Expert	Community Interaction Programme- DDA Community Hall, Pocket-C, Siddhartha Extension
29.10.2022	Meeting held with resident of Block no. 195 & 196.	Grievance Redressal Committee- Meeting on 29.10.2022 regarding objection received on draft EIA and RP letter 27.06.2022.

- 24. Majority of concerns voiced by affected persons and stakeholders were related to compensation for land acquisition (LA). All LA related concerns have been addressed in the addendum to the Resettlement Plan prepared for the project. During Community Interaction Programme residents have raised their concerns relating to traffic problems and stormwater drainage issues. NCRTC has addressed the issues raised by public and ensured people that adequate measures are incorporated in the design to minimize adverse environmental and social impacts.
- 25. NCRTC has established a well structured Grievance redress mechanism (GRM), as detailed in the EIA for Delhi-Ghaziabad-Meerut RRTS corridor and the same will be followed for this extension part as well.

I. Environmental Management Plan

An Environmental Management Plan (EMP) with budgetary provisions has been prepared. The EMP consists of a set of mitigation, monitoring and institutional measures to be taken for the project to avoid, minimize and mitigate adverse environmental and social impacts and enhance positive impacts. The EMP included appropriate mitigation measures and monitoring requirements to address all construction- and operation-related impacts. The EMP has been developed in conjunction with general safety, health and environment provisions (which are included in the standard bidding document) and it forms part of the contract document of the contractors. Contractors will prepare project specific SHE Manual and Plan as well as contract specific Construction EMPs. Construction EMPs will include specific sub plans for key activities require specific management. Monthly environmental monitoring reports will be submitted by the Contractor and NCRTC will submit environmental monitoring report on semiannual basis, the same will be submitted to ADB and will be disclosed publicly at the ADB website. An external monitor consultant already engaged by NCRTC will monitor and report the implementation of environmental safeguards aspects of the project independently and submit reports to NCRTC and ADB. The preliminary estimated cost of the environmental management plan for this RRTS alignment including implementation and monitoring is US\$ 0.51 million (INR 41.22 million). This cost estimate is exclusive of land acquisition and resettlement & resettlement cost.

J. Conclusion and Recommendation

27. The alignment of Sarai Kale Khan RRTS station to the proposed stabling yard at Jangpura and the stabling yard are is not located in any environmentally sensitive or protected areas. The alignment does not lie within 100m from the sites of historical significance. No impact on wildlife is envisaged. Without mitigation, the project could have significant adverse environmental impacts, however with implementation of all mitigation measures described in the EIA Addendum, minimal environmental impacts during construction are anticipated. With the embedded measures in the design of the stabling yard and connecting line and the mitigation measures described in the EMP, the residual environmental impacts during operational phase will not be significant.

28. The construction of connecting line viaduct is included in already awarded contract package no.6 for the elevated section in Delhi area which includes NCRTC's SHE manual and requires the contractor to prepare contract specific EMP. The same is the case with the already awarded contract package for the construction of multi-story staff quarters. In future bidding packages, NCRTC shall ensure that the SHE manual and requirement to prepare a contract specific EMP is included in the bidding documents.

I. INTRODUCTION

A. Background

- 1. The National Capital Region (NCR) is a multi-state region with Delhi as its center. It covers an area of 58,332 sq. km spreading over four states of Haryana, Rajasthan, Uttar Pradesh and the National Capital Territory (NCT) of Delhi. The total population of NCR region is 460.69 lakhs (as per Census 2011) and is projected to be 641.38 lakhs by 2021. It is also a high growth, large investment region, consisting of several large and small cities with high movement of people and goods within the region.
- 2. Efficient movement of people and goods within the NCR is a primary concern for the planned development of the NCR. The existing transport system within the region, consisting of a variety of modes like private and public road transport, and suburban rail system, is inadequate and there is urgent need to enhance the regional transport system. Development of an efficient regional transport system is also necessary to avoid migration of people to Delhi, by offering them the alternative of settling in surrounding cities and being able to commute to Delhi through a fast public transport system. The various roads from Delhi to cities in the nearby States are used as link and carries most of the road traffic between NCT and surrounding. The average journey time from Delhi to nearby state is about 3-4 hours by road.
- 3. Thus, to promote the development of the NCR in a balanced manner, the Functional Plan on Transport for NCR prepared by National Capital Region Planning Board (NCRPB) recommended a rail based sub urban transport system i.e., Regional Rapid Transit System (RRTS) for NCR. A total of 8 RRTS corridors linking Delhi to various nodal towns in NCR were proposed. The Planning Commission appointed Task Force prioritized three RRTS corridors namely Delhi-Ghaziabad-Meerut, Delhi Gurugram Rewari Alwar and Delhi Sonipat-Panipat for implementation in the first phase.
- 4. Delhi Ghaziabad Meerut RRTS corridor is identified as one of the prioritized corridor to be taken up in first phase of RRTS project. The Detailed Project Report (DPR) for this corridor has been prepared by Delhi Integrated Multi Modal Transit Systems (DIMTS), a joint venture of Govt. of Delhi and IDFC (a financial institution promoted by Government of India) in 2016. The Executing Agency (EA) for the project is Ministry of Housing and Urban Affairs (MoHUA) and National Capital Region Transport Corporation (NCRTC), New Delhi is the implementing agency (IA) with its head quarter at New Delhi.
- 5. Delhi Ghaziabad Meerut RRTS corridor is being co-financed by Asian Development Bank (ADB), Asia Infrastructure Investment Bank (AIIB) and New Development Bank (NDB). The Environment Impact Assessment (EIA) Report for Delhi Ghaziabad Meerut RRTS corridor as per ADB's policy for Environmental Safeguard was carried out by NCRTC in 2018-19 and approved by ADB in May 2020. EIA report for Delhi Ghaziabad Meerut RRTS corridor complies with the applicable State Government, Government of India legal framework and ADB Safeguard Policy Statement (2019). On account of significant occupational health and safety (OHS) risks, deterioration of ambient air quality mostly during the construction stage and noise vibration impacts, community health &safety from the Delhi-Ghaziabad-Meerut RRTS corridor Project was categorized as Category 'A'³ project.
- 6. Sarai Kale Khan RRTS station is the originating point of Delhi-Ghaziabad-Meerut RRTS corridor and also originating point for other two prioritized corridors namely Delhi-

³ According to ADB Safeguard Policy Statement (SPS-2009), a proposed project is classified as category A if it is likely to have significant adverse environmental impacts that are irreversible, diverse, or unprecedented. These impacts may affect an area larger than the sites or facilities subject to physical works. An environmental impact assessment is required.

Gurugram-Rewari-Alwar and Delhi- Sonipat -Panipat. For the stabling of trains for the morning operation and for minor maintenance of RRTS trains, a stabling yard near Sarai Kale Khan RRTS station has been planned. The estimated land requirement for this stabling yard including other facilities is 18.9621 Ha. 17.21 ha of land will be required for stabling yard and 1.7089 ha of land is required for the connecting line component. For this stabling yard, Ministry of Housing & Urban Affairs have already allotted 17.21 Ha. of land to NCRTC. Other departments have also agreed to transfer the balance land. The total length of this viaduct from Sarai Kale Khan RRTS station to stabling yard at Jangpura is approximately 1.35 km. Additional connectivity of the stabling yard complex to Ring road and Mathura road has been planned by providing underpass/flyover.

- 7. The stabling yard and the connecting line from Sarai Kale Khan RRTS station to Stabling Yard at Jangpura was under finalization at the time of finalization of Delhi Ghaziabad-Meerut RRTS Environment Impact Assessment (EIA) report and hence not included in the main EIA report. On finalization of alignment of this connecting line, Environment Impact Assessment of this project component was carried out and addendum to the main EIA was made.
- 8. This addendum covers the Environment Impact Assessment for this stabling yard at Jangpura and connecting line from Sarai Kale Khan RRTS station to stabling yard (hereinafter termed as "Project"). Since, this addendum is an extended part of original EIA report for Delhi-Ghaziabad-Meerut RRTS corridor, the Category of the project as per ADB's SPS will remain the same.
- 9. This addendum should be read in reference with EIA report for the main corridor of Delhi-Ghaziabad-Meerut RRTS as regards the institutional set-up, grievance redress mechanism etc. which shall be the same as provided in the EIA repot for the main line.

B. Nature, Size and Location of the Project

10. Construction of stabling yard, connecting line from SKK RRTS station to Jangpura stabling yard etc at Jangpura is part of Delhi-Meerut RRTS Corridor. The connecting line from Sarai Kale Khan RRTS station to stabling yard at Jangpura(approx. length 1.35 km), originates from Sarai Kale Khan RRTS station and ends at stabling yard at Jangpura in South East Delhi. As per the present planning the stabling yard complex at Jangpura comprises of (i) Stabling yard for stabling of trains with with routine inspection (ii) A commuter station (iii) Operation Control Centre (OCC) and Backup Control Centre (BCC) and (iv) Multi-story Quarters for the operational staff with associated facilities. The entire "Project:" is located within the boundary of the State of National Capital Territory of Delhi. The location map of the project corridor including stabling yard is given in **Figure-1**.






Figure 1: Proposed alignment from Sarai Kale Khan station to Stabling Yard, Jangpura








Table 1: Structural Description of proposed RRTS

Name of	Stations			Length in km			
	Elevated	Underground	At Grade	Total	Elevated	Underground	Total
Sarai Kale Khan - Jangpura Stabling Yard	0	0	1	0	1.35	0	1.35

Source: Detailed Project Report and Addendum to DPR.

11. The connecting line from Sarai Kale Khan RRTS station to Stabling Yard at Jangpura (Stabling Yard alignment) project is included in already awarded construction contract Package No.6 for the elevated section in Delhi and is proposed for financial assistance from ADB. The works in stabling yard are proposed to be financed by New Development Bank.

C. Environmental Categorization

- 12. The proposed project has been screened for environmental impacts based on Government of India as well as ADB's SPS 2009 requirements.
- 13. Category of the Project as per ADB's SPS 2009. The environmental screening has been carried out for the proposed project as per ADB SPS 2009 requirements. The Rapid Environmental Assessment (REA) checklist has screened the project considering the aspects of project siting, design, and potential environmental impacts including climate change risk. Although, the proposed project will bring in many benefits to the area, there is potential for environmental impacts on physical and biological environment including built-up area with old structures due to construction and future operation of RRTS. The project will require transportation and use of large quantities of construction material and deployment of heavy machinery and large numbers of workers. Accordingly, an EIA study was conducted. The major/minor adverse impacts would be manageable to an acceptable level by implementing mitigation measures identified in the EMP.
- 14. Since, this addendum is an extended part of original EIA report for Delhi-Ghaziabad-Meerut RRTS corridor, the Category of the project as per ADB's SPS will remain the same. So the project has been classified as environment **Category 'A'** in accordance with ADB's Safeguard Policy Statement 2009, and therefore requires an Environmental Impact Assessment (EIA) Report. The classification in based on following aspects.
 - (i) The proposed project requiring construction of a new 1.35 km rail line between Sarai Kale Khan RRTS Station and Stabling Yard at Jangpura
 - (ii) The Stabling Yard at Jangpura will serve as a yard for stabling of RRTS trains and routine inspection r Rapid Rail Transit System. The Stabling Yard at Jangpura will also have an at grade RRTS station and various structures such as staff quarters, Operation Control Center(OCC) and Back-up Control Centre (BCC).
 - (iii) Significant safety risks for road users and local people living in and near the project area during construction. All impacts will be mitigated by the adopting highest international standards.
 - (iv) Safety risks, inconvenience, noisy conditions etc. will also be created from using construction equipment, plying of large number of heavy duty trucks transporting construction material, equipment and machinery in and around the project area. Such impacts are limited to construction phase, accordingly mitigation measures are proposed.
 - (v) Significant Occupational health and safety risks for the construction workers given the large scale of works requiring use of heavy machinery and hazardous

- working conditions. Such impacts are limited to construction phase, accordingly mitigation measures are proposed.
- (vi) Risks for noise and disturbances to residents and sensitive receptors during construction of the RRTS; accordingly mitigation measures are designed to mitigate or bring the level of impact to an acceptable level by implementing mitigation measures identified in the EMP.
- 15. ADB's Rapid Environmental Assessment (REA) Checklist has been used for screening and categorization of the project for ADB requirements. The REA Checklist is attached as **Appendix 1**.
- 16. **Government of India Policy and Regulatory Requirements:** The EIA Notification 2006 (and its amendments) under the Environment (Protection) Act, 1986 provides for requirement of prior environmental clearance to the projects/activities listed in the schedule to the EIA Notification from concerned regulatory authority. Since rail based system is not listed in the said schedule of the EIA Notification, environmental clearance (in the form of approved EIA) from MOEF&CC for proposed Sarai Kale Khan RRTS Station Stabling Yard at Jangpura is not required. Therefore, as per national policies and regulatory framework, there is no need to prepare an EIA for the project.

D. EIA Preparation and Objectives of the EIA

- 17. This EIA has been prepared to fulfill ADB's SPS 2009 requirements, in the months of December 2020 to March 2021. It also complies with environmental safeguards requirements of India. The EIA aims to ensure good environmental practices. The specific objectives of the EIA study are to:
 - (i) Provide an environmental baseline description of the Project;
 - (ii) Identify and describe the potential environmental impacts of the Project;
 - (iii) Design mitigation measures to minimize adverse environmental impacts;
 - (iv) Describe the public consultation process and grievance redress mechanism;
 - (v) Provide an environmental and social management and monitoring plan for the project (including defining institutional responsibilities, capacity building and training, and the required budget); and
 - (vi) Provide due diligence on ongoing works.

E. Scope and Methodology of the EIA Study

- 18. The scope of this EIA is based on ADB's SPS 2009 requirements. The EIA includes an Environmental Management Plan (EMP) for project implementation and monitoring, consistent with the requirements of the ADB. The purpose of this EIA is to assess potential environmental, health, safety and social risks and impacts of the proposed intervention in Delhi and NCR region of India and propose suitable mitigation measures where required.
- 19. The EIA followed a number of steps:
 - (i) Review of available baseline reports, and technical reports/studies related to proposed Project;
 - (ii) Conduct field visits to collect primary or secondary data relevant to the project areas to establish the baseline environmental conditions;
 - (iii) Assess the potential impacts on environmental and social attributes due to the location, design, installation and operation of the Project through field investigations and data analysis;
 - (iv) Explore opportunities for environmental enhancement and identify measures;
 - (v) Prepare an environment management plan (EMP) outlining the measures for mitigating the impacts identified including the institutional arrangements;

- (vi) Identify critical environmental and social parameters required to be monitored subsequent to the implementation of the project and prepare an environmental monitoring plan;
- (vii) Carry out consultation with key stakeholders and administrative authorities to identify their perception on the project, introduce project components and anticipated impacts; and,
- (viii) Disclose the draft EIA on ADB website and prepare project brief and/or FAQs in local language to be made publicly available at the offices of CPM/Delhi.
- 20. This EIA study has been conducted based on review of detailed project report, primary data collected from site visits (including consultations) and secondary information collected from various sources. During site visit the specialists have conducted consultations with key stakeholders and local executive authorities for their opinions on the Project. The planned public consultations at key locations along the proposed alignment of the connecting line have also been conducted as part of impact assessment study. The results of the consultations as well as an evaluation of the institutional framework have been incorporated into this assessment.

F. Extent of EIA

21. The scope of this EIA is limited to the areas where project facilities will be installed i.e. alignment through which RRTS line will pass, and area where stabling yard facility will be located. This EIA has been prepared based on the proposed alignment, stabling yard facility and the nature of construction. It covers all activities viz. site clearance (tree cutting, shifting of utilities etc.), construction activities and operation (traffic movement). Based on the technical review of pillar construction methods and assessment of minimum operational requirements, 10.50 meters wide corridor i.e shadow of viaduct as operational area and 5 m either side from the edge of the viaduct has been kept from a safety point of view for NCRTC structures. The corridor of 25m(10m on the left+5m pier width+10m on the right) i.e., 12.5 m on either side of the alignment has been kept to study the impact of the environmental feature and designing & recommending mitigation measures accordingly. In addition, an area of indirect impact of up to 2 km on either side of the project alignment and 100m surrounding the station area and stabling yard site has been considered to assess the broader environmental features in the project area such as terrestrial and aquatic ecology, soil, water, air, noise, and socio-economic aspects.

G. Structure of the EIA Report

22. In line with the requirements of the ADB's SPS 2009, this addendum to main EIA Report has been organized into sections on similar lines as that of main report which covers (i) project description; (ii) description of the baseline environment; and (iii) impact assessment and mitigation measures. A summary of key findings of the EIA is also presented in the Executive Summary. The EIA report has following contents:

Chapter I - Introduction

Chapter II - Policy, Legal, and Administrative Framework

Chapter III - Description of the Project

Chapter IV - Description of the Environmental Features

Chapter V - Anticipated Environmental Impacts and Mitigation Measures

Chapter VI - Analysis of Alternatives

Chapter VII- Consultations, Participation and Information Disclosure

Chapter VIII-Grievance Redress Mechanism

Chapter IX- Environmental Management Plan,

Chapter X- Conclusion and Recommendation.

23. Additional analysis and monitoring reports along with supporting documents are provided in Appendices compiled in a separate volume (Volume II – Appendices).

II. POLICY, LEGAL AND ADMINISTRATIVE FRAMEWORK

- 24. India has well defined institutional and legislative framework. The legislation covers all components of environment viz. air, water, soil, terrestrial and aquatic flora and fauna, natural resources, and sensitive habitats. India has also signed various international conventions and protocols. The environmental legislations in India are framed to protect the valued environmental components and comply with its commitment to international community under above conventions and protocols. ADB has also defined its Environmental and Social Safeguard policy requirements. This assessment is about the applicability of above laws and regulations, conventions, protocols, and safeguards.
- 25. The laws, regulations, policies and guidelines applicable to this project based on the location, design, construction and operation are summarized in the subsequent sections in following order.
 - (i) National (India) Environmental Legislation and Legal Administrative Framework,
 - (ii) ADB Safeguard Policy Statement (SPS) 2009 Requirements, and
 - (iii) Summary of international treaties and applicability to the project.

A. The National (India) Environmental Laws and Regulations

26. The Government of India's environmental legal framework comprises a set of comprehensive acts and regulations aimed at conserving various components of the biological and physical environment including environmental assessment procedures and requirements for public consultation. The policies and requirements, which are most relevant in context of this project, are provided in Table 2 below:

Table 2: Summary of Relevant Environmental Legislation

Act	Objective	Responsible Institution
Environment (Protection) Act (1986) and Rules (1986)	To protect and improve the overall environment	MoEFCC
The Noise Pollution (Regulation and Control) Rules, 2000 (Amended 2002)	To provide for the prevention, control and abatement of noise pollution, and for the establishment of Boards to carry out these purposes.	СРСВ
The Wildlife Protection Act (1972 and amended in 1993)	To protect wild animals and birds through the creation of National Parks and Sanctuaries	MoEFCC
The Water (Prevention and Control of Pollution) Act 1972 (Amended 1988) and Rules 1974	To provide for the prevention and control of water pollution and the maintaining or restoring of wholesomeness of water.	СРСВ
The Air (Prevention and Control of Pollution) Act, 1981(Amended 1987) and Rules 1982	To provide for the prevention, control and abatement of air pollution, and for the establishment of Boards to carry out these purposes.	CPCB and State Transport Department/ Authorities
Solid Waste Management Rules, 2016	Provisions for collection, storage segregation, transportation, processing and disposal of municipal solid wastes.	State Pollution Control Board

Act	Objective	Responsible Institution
Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules 2008 (Amended 2009),	To protection the general public against improper handling, storage and disposal of hazardous wastes	State Pollution Control Board
The Forest (Conservation) Act 1980 (Amended 1988) and Rules 1981 (Amended 2003)	To protect and manage forests	MoEFCC
Central Motor Vehicle Act (1988) and Rules (1988)	To control vehicular air and noise pollution. To regulate development of the transport sector, check and control vehicular air and noise pollution.	State Transport Department
Ancient Monuments and Archaeological Sites and Remains Act (1958)	Conservation of Cultural and historical remains found in India.	Archaeological Dept. GOI
Building and Other construction workers (Regulation and the Employment and conditions of service) Act, 1996	To regulate the employment and conditions of service of building and other construction workers and to provide for their safety, health and welfare measures	Ministry of Labour and Employment
Child labour (Prohibition and Regulation) Act, 1986	To regulate the employment of children including age limits, type of employment, timing of work, information disclosure and health and safety.	Ministry of Labour and Employment
The Right to Fair Compensation and Transparency in Land Acquisition, Rehabilitation and Resettlement Act, 2013	The act states that the basic compensation for the Project Affected Persons (PAPs) should be provided according to the market value of the land as at the date of its acquisition. It also entitles PAPs to a hearing before acquisition.	Ministry of Rural Development / Department of Land Resources
The Delhi Preservation of Trees Act, 1994 (Delhi Act 11 of 1994)	Establishment of Tree authority was taken place in this act to check further deforestation and conserve trees in urban areas.	Department of Environment and Forest, Government of National Capital Territory of Delhi
Antiquities and Art Treasures Act (No. 52),1972	Control of moveable cultural property consists of antiquities and art treasures. Regulate the export and trade of antiquities and art.	Archaeologic al Dept. GOI
Construction and Demolition Waste Management Rules, 2016 The Delhi Ancient and	Large generators (who generate more than 20 tons or more in one day or 300 tons per project in a month) shall submit waste management plan and get appropriate approvals from the local authority before starting construction or demolition or remodelling work, Preservation of Ancient and	State Pollution Control Board

Act	Objective	Responsible Institution
Historical Monuments and Archaeological Sites and Remains Act, 2004	Historical Monuments and Archaeological Sites and Remains other than those declared to be of national importance and for the regulation of excavation of archaeological sites other than those declared to be of national importance in the National Capital Territory of Delhi.	of Archaeology, National Capital Territory of Delhi.
The Delhi Municipal Corporation Act, 1957	Sanitation and public health, including construction of latrines and urinals for labours, public safety and suppression of nuisances and also power, procedure, offences and penalties in case of non-compliance.	Municipal Corporation of Delhi
The Delhi Water Board Act, 1998	Water supply, sewerage and its disposal and drainage and other matters related to them, within the NCT of Delhi.	Delhi Water Board
The Delhi Development Act, 1957	To promote and secure the development of Delhi.	Delhi Development Authority

1.1 Relevant Policies

- (i) National Conservation Strategy and Policy Statement on Environment and Development of 1992
- (ii) National Environment Policy of 2006
- (iii) Policy Statement for Abatement of Pollution of 1992
- (iv) National Forest Policy of 1998
- (v) National Policy of Right to Fair Compensation and Transparency in Land Acquisition, Rehabilitation and Resettlement Act, 2013

1.2 Required Clearances/Permissions

27. For implementation of the "Project" required clearances/ permissions related to environment, social and forests have been summarized in Table 3.

Table 3: Applicable Permits and Clearances Required for the Project and Status (on 30th November 2022)

S. No.	Permissions/ Clearances	Acts/Rules/Notifications/ Guidelines	Concerned Agency	Responsibility / Status			
A. F	A. Pre-construction Stage						
1.	Permission for felling of trees	Forest Conservation Act, 1980. Delhi Preservation of Trees Act, 1994.	District Forest Office/States: Forest Department for trees felling in forest areas and District Authorities in non- forests Areas (MCD/	Obtained.			

S. No.	Permissions/ Clearances	Acts/Rules/Notifications/ Guidelines	Concerned Agency	Responsibility / Status
			NDMC/DDA in case of NCT of Delhi	
B. Ir	mplementation S	tage		•
1.	Consent to Establish & Operate for Ready Mix Concrete plant & casting yard, setting of labor camps	Air (Prevention and Control of Pollution) Act 1981	DPCC for NCT of Delhi.	Contractor engaged by NCRTC/ Not yet due.
2.	Permission for withdrawal / dewatering of groundwater	Environment (Protection) Act, 1986	CGWA	Contractor engaged by NCRTC / Not yet due.
3.	Permission for sand mining from river bed	Environment (Protection) Act, 1986	Mining Department/ MoEFCC	Contractor engaged by NCRTC / Not yet due.
4.	Authorization for Disposal of Hazardous Waste	Hazardous Waste (Management and Handling) Rules 1989	DPCC for NCT of Delhi.	Contractor engaged by NCRTC / Not yet due.
5.	Disposal of bituminous and other wastes	Hazardous Waste (Management and Handling) Rules 1989	DPCC for NCT of Delhi.	Contractor engaged by NCRTC / Not yet due.
6.	Consent for disposal of sewage from labour camps.	Water (Prevention and Control of Pollution) Act 1974	DPCC for NCT of Delhi.	Contractor engaged by NCRTC / Not yet due.
7.	Pollution Under Control Certificate for various vehicles use for project	Central Motor and Vehicle Act, 1988	Department of Transport, State govt. authorised testing centres	Contractor engaged by NCRTC / Not yet due.
8.	Employing Labour/ workers	The Building and Other Construction Workers (Regulation of Employment and Conditions of Service) Act, 1996	District Labour Commissioner	Contractor engaged by NCRTC / Not yet due.
9.	Roof Top Rain Water Harvesting (RWH)	Central Groundwater Authority (CGWA) Guidelines	Central Ground Water Authority	Contractor engaged by NCRTC / Not yet due.
10.	Permission for use of fresh water for construction	Environment (Protection) Act, 1986	MCD/ NDMC/DDA in case of NCT of Delhi,.	Contractor engaged by NCRTC / Not yet due.

S. No.	Permissions/ Clearances	Acts/Rules/Notifications/ Guidelines	Concerned Agency	Responsibility / Status
	and drinking			
	purpose.			
11.	Quarry Operation	The Mines and Minerals (Development and Regulation) Act, 1957	State Department of Mines and Geology	Contractor engaged by NCRTC / Not yet due.

- 28. As per Gol EIA Notification 2006, all railways projects in India are exempted from requirements of preparing EIA, therefore environmental clearance for this "Project" is not required.
- 29. Before the start of civil works in any section of the project the project proponent (NCRTC) is required to obtain necessary clearances / permits from statutory authorities for that particular section.

1.3 Institutional Administrative Framework

- 30. The administrative framework for implementation and monitoring of proposed stabling yard and connecting line viaduct from Sarai Kale Khan RRTS station to Stabling Yard at Jangpura involves various agencies. Brief note on role of the agencies involved for this connecting line and stabling yard project is mentioned in this addendum; for details on role kindly refer to EIA report of main line.
 - i. **Ministry of Environment, Forests and Climate Change (MoEFCC):** MoEFCC is apex body in India responsible for protection and enforcement of laws and regulations on environmental protection. RRTS being a rail based project, clearance/approval from MoEFCC is not required for the same.
 - ii. **Delhi Pollution Control Committee (DPCC):** The DPCC is the Delhi state government agency responsible to ensure the compliance to relevant standards related to discharges to the environment in the National Capital Territory of Delhi.
 - iii. **Central Ground Water Board (CGWB):** The CGWB is responsible for the development, dissemination of technologies, and monitoring of India's groundwater resources, including their exploration, assessment, conservation, augmentation, protection from pollution and distribution.
 - iv. **National Capital Region Transport Corporation (NCRTC):** National Capital Region Transport Corporation (NCRTC) is the implementing agency of the project.
 - v. **Central Water Commission:** Central Water Commission (CWC), an apex organization in the country in the field of Water Resources with its mission to promote integrated and sustainable development and management of India's Water Resources by using state-of-art technology and competency and coordinating all stake holders.
 - vi. **Delhi Development Authority (DDA):** The Delhi Development Authority (DDA), established in 1957 by the Government of India, is charged with developing the city to provide housing, commercial and recreational space, and infrastructure for Delhi's residents. The Authority's mandate is broad—"to promote and secure the development of Delhi" and it is involved in almost every activity related to land, housing, and infrastructure in Delhi.

vii. **Municipal Corporation of Delhi (MCD):** The Municipal Corporation of Delhi is an autonomous body that governed 8 of the 11 Districts of Delhi, in the state of Delhi, India.

B. ADB's Safeguard Policy Statement and Requirements

- 31. The Asian Development Bank has defined its Safeguard requirements under its 'Safeguard Policy Statement 2009 (SPS 2009). The prime objectives of safeguard policy are to: (i) avoid adverse impacts of projects on the environment and affected people, where possible; and (ii) minimize, mitigate, and/or compensate for adverse project impacts on the environment and affected people when avoidance is not possible. This policy requires assessment, mitigation and commitment towards environmental protection. The extent of assessment depends on the category of the project. ADB's SPS 2009 classify an infrastructure investment project depending on following three categories.
 - (i) Category A: A proposed project is classified as category A if it is likely to have significant adverse environmental impacts that are irreversible, diverse, or unprecedented. These impacts may affect an area larger than the sites or facilities subject to physical works. An environmental impact assessment is required.
 - (ii) **Category B:** A proposed project is classified as category B if its potential adverse environmental impacts are less adverse than those of category A projects. These impacts are site-specific, none or very few of them are irreversible, and in most cases mitigation measures can be designed more readily than for category A projects. An initial environmental examination is required.
 - (iii) **Category C:** A proposed project is classified as category C if it is likely to have minimal or no adverse environmental impacts. No environmental assessment is required although environmental implications need to be reviewed.

C. Applied Standards

32. The project will follow national or international environment, health and safety standards whichever is more strict. International standards will include the IFC Environmental, Health, and Safety (EHS) General Guidelines (30 April 2007).

D. International and Regional Agreements and Conventions

- 33. India is a party and signatory to several international and regional environmental agreements to which the MOEFCC is the National Focal Point. Key international agreements that India is signatory to and relevant for the project are provided below:
 - (i) Convention Relative to the conservation of Flora and Fauna in their Natural State (1933)
 - (ii) International Plant Protection Convention (1951)
 - (iii) Convention on Wetlands of International Importance, Especially as Waterfowl Habitat (Ramsar, 1971)
 - (iv) Convention concerning the Protection of the World Cultural and Natural Heritage (Paris, 1972)
 - (v) Convention in International Trade in Endangered Species of Wild Fauna and Flora (Washington, 1973)
 - (vi) Convention on Migratory Species of Wild Animals (Bonn, 1979)
 - (vii) Convention on the Prior Informed Procedure for Certain Hazardous Chemicals and Pesticides in International Trade (PIC or Rotterdam, 1990)
 - (viii) United Nations Framework Convention on Climate Change (Rio De Janeiro, 1992)

- (ix) Convention on Biological Diversity (Rio De Janeiro, 1992)
- (x) Protocol to the United Nations Convention on Climate Change (Kyoto, 1997)
- 34. The interventions proposed under the Project shall be implemented in compliance with applicable international/regional conventions and declarations to which India is a party.

III. DESCRIPTION OF THE PROJECT

A. Description of the Project Corridor

- 35. The Project involves construction of an elevated viaduct of 1.35 km from Sarai Kale Khan RRTS Station to stabling yard at Jangpura (connecting line) and the Stabling Yard at Jangpura. It is an extended part of Delhi-Ghaziabad-Meerut RRTS corridor. The connecting line alignment will originate from Sarai Kale Khan RRTS station and terminate at Stabling Yard at Jangpura. The Yard will be instrumental in essential operational and maintenance facilities including Operational Control Centre (OCC) and Back Up Control Centre (BCC), a commuter station, housing for operation staff and associated facilities.
- 36. Figure 2 shows the alignment of the connecting line from Sarai Kale Khan RRTS station to the Stabling Yard at Jangpura.




Figure 2: Alignment of Sarai Kale Khan - Jangpura RRTS (Stabling Yard alignment)

37. The proposed connecting line and the at grade commuter station in Stabling Yard at Jangpura is to access the operational and administrative facilities proposed at stabling yard. The estimated land requirement for this Stabling Yard at Jangpura including other facilities is 18.9621 Ha. 17.21 ha of land will be required for stabling yard and 1.7089 ha of land is required for the connecting line component. For this Stabling Yard at Jangpura, the Ministry of Housing & Urban Affairs has already allotted 17.21 Ha. of land to NCRTC. Other departments have also agreed to transfer the balance land. In stabling yard complex, facility buildings are proposed for operational and administrative set up for RRTS operations. The RRTS operational facility will include stabling yard, one RRTS station, and three operational buildings with associated facilities. The area details of various operational buildings are given in Table-4 and the layout is given in Figure 3.

Table 4: Ground Coverage of Operational Buildings and Facility at Stabling Yard

Building/Facility	Ground Coverage Area (Sq.m.)	Ground Coverage Area (Ha.)
Tower A	8350.01	0.8350
Tower B	8077.88	0.8077
Tower C	2734.67	0.2734
Club	1170.94	0.1170
Operational Facilities (Stabling Yard)	30000	3.0000
Total	50333.5	5.0333






Figure 3: Facilities proposed at Stabling Yard





B. Planning and Design Criteria for the connecting line viaduct

38. The entire connecting line is on an elevated viaduct which crosses obligatory locations such Barapullah Flyover and other existing structures . Figure 4 to Figure 7 show the general arrangement of obligatory crossings over different civil structures.





Figure 4: General Arrangement of Obligatory Crossings over DMRC Tunnel (Stabling Yard alignment)

Figure 5: General Arrangement of Obligatory Crossings over Underpass and Mathura Road Near Hindustan Prefab Limited (HPL) at Jangpura






Figure 6: General Arrangement of Obligatory Crossings over Barapulla Flyover (Stabling Yard alignment)

HP21 E OF BIPANSIN JOINT 089.722 HUTMENTS Area << TO SARAIKALE KHAN STATION</p> 089.722 PART PLAN (SCALE 1:500) PLE CAP UN. 203.724 GROUND <<< TO SARAI KALE KHAN STATION

Figure 7: General Arrangement of Obligatory Crossings over Siddhartha Extension (Stabling Yard Alignment)

39. No station is proposed between Sarai Kale Khan RRTS station and Jangpura Stabling Yard as the prime objective of this line is to connect Sarai Kale Khan RRTS station to Stabling Yard at Jangpura. Stabling yard at Jangpura will act as buffer for main depots to provide stabling of trains for the morning operation and for routine inspection of RRTS trains. At grade commuter station is also planned at stabling yard so as to pass on the benefits of RRTS to the people in nearby localities and also for the use by RRTS operation/maintenance crew.

4.1 Power Requirements and Sources of Power

- 40. Electricity is required for operation of RRTS system for running of trains, station services (e.g. lighting, lifts, escalators, signaling & telecom, firefighting etc.) and workshops, depots & other maintenance infrastructure within premises of RRTS system. The power requirements of a RRTS system are determined by peak-hour demands of power for traction and auxiliary applications. Following is the requirement of Power Demand for Stabling Yard line:
 - (i) The power required for the stabling yard shall be drawn from the Receiving Substation located near Sarai Kale Khan which is the power supply source for the main line also.
 - (ii) For power demand of the RRTS line, there would be two trains (01 in UP line and 01 in DN line) as per data taken from operation wing. The load of 01 train (6 coach) will be 7720kVA as per data taken from Rolling Stock.
 - (iii) Hence, tentative Power demand envisaged for trains on Stabling Yard line comes out to 15440kVA (Approx. 15.4MVA) as on date 09.02.2021.
- 41. The power supply permission is already in place as a part of Delhi-Meerut RRTS main line. Power demand for Stabling Yard is already considered during planning stage as part of main RRTS corridor.

C. Construction Methodology

- 42. The project involves construction of an elevated viaduct. Construction of the viaduct is proposed to be done by precast girder using tandem lifting method. In this type of construction, the precast girder will be lifted using a set of cranes and will be placed over the piers. The spans will be in the range of 19 to 72m. The viaduct superstructure will be supported on single cast-in-place RC pier. The shape of the pier follows the flow of forces. For the standard spans, the pier gradually widens at the top to support the bearing under the box webs. At this preliminary design stage, the size of pier is found to be 2.0 m diameter of circular shape for most of its height so that it occupies the minimum space at ground level. The orientation and dimensions of the piers for the continuous units or steel girder (simply supported span) have to be carefully selected to ensure minimum occupation at ground level traffic. Since the vertical and horizontal loads will vary from pier to pier, this will be catered to by selecting the appropriate structural dimensions. At some locations, the superstructure shall be provided with steel girders.
- 43. The project is in pre-construction stage and details of construction vehicles and equipment for Stabling Yard activities will be provided once finalized. The tentative list equipment/construction vehicles to be used for Package 9A (Multistoried Residential Towers at Jangpura) include:
 - Batching plant (30 cum/hr): 1 no.
 - TM: 5 no.
 - Boom placer: 1 no.Concrete pump: 2no.
 - Backhoe: 1 no.Tractor: 3 no.

- Anti smog gun: 2 no.
- DG set⁴ of capacity 50 to 75 kva.

D. Water for Construction

44. Water demand during construction stage for Sarai Kale Khan RRTS station to Stabling Yard at Jangpura is calculated based on the estimated labours and works involved; as given in Table -5.

Table 5: Water Demand during construction stage of Connecting Line

Demand	Approx. number (labour)	Liter/person/day	Water requirement Kilo Litre per Day (KLD)
Domestic	200	135	27
Construction	-	-	60
Works			
Total	200		87

45. Wherever available, water requirement for construction and operation of RRTS rail will be met through the municipal water supply. In case use of ground water required, necessary permits will be obtained from CGWA and water will be treated to meet the standards.

E. Construction Camps

46. The Contractors engaged by NCRTC will establish construction camps as per terms and conditions of contract for the project. Locations of the camps will be finalized after mobilization of contractor and in consultation with NCRTC and the civic bodies. The construction camps shall be set up by the respective contractors for which land will also be arranged by themselves outside the RRTS alignment. The contractor will not be permitted to set up camp for his workmen etc. in the area provided by NCRTC for casting yard/batching plant. However, the contractors are required to follow all the prevailing regulation including requirements of the ADB's SPS 2009 in setting up/maintenance of their construction camp, preparation of labor management plan, and it shall be done as per the approval of the concerned authorities. The contractor will also be required to consider the existence of environmentally and socially sensitive receptors like water reservoir, residential, institutional and hospital area when selecting the location of the camp to avoid impacts on these.

F. Land Requirement

47. As per the land acquisition proposal prepared by NCRTC, the estimated land requirement for this stabling yard including other facilities is 18.9621 Ha which will be developed in phases. Out of 18.9621 Ha, 17.21 Ha pertains to MoHUA, balance pertains to DDA, DJB, SDMC and DUSIB. NCRTC identified the abandoned factory premises of M/s Hindustan Prefab Limited (HPL) at Jangpura as stabling yard site and approached the Ministry of Housing and Urban Affairs (MoHUA), Govt. of India, for the allotment of land for setting up of stabling yard including operation building, offices and residential buildings etc. Ministry of Housing & Urban Affairs have already allotted land to NCRTC. Other departments have also agreed to transfer the balance land. Table 6 presents the details of tentative land acquisition for the connecting line. It is pertinent to mention that no declination of property value is expected due to RRTS construction rather an increase in property value is expected due to RRTS due to planned integration of Delhi-Ghaziabad-Meerut, Delhi-Gurugram-Rewari-Alwar, Delhi-Sonipat-Panipat RRTS corridors at Sarai Kale Khan and also the provision of an RRTS station at Jangpura stabling yard which will enhance the connectivity of the area with other

⁴ Installation of DG set of capacity 50 to 75 kva has also been provisioned similar ongoing work of RRTS. Therefore, similar provision shall also be required for this section.

places. In addition commercial development associated with this Multi Model Integration (MMI) will enhance economic potential of nearby area including Siddhartha Extension.

Table 6: Details of land requirement for RRTS line from Sarai Kale Khan to stabling vard at Jangpura

	y and at our igpaira								
SI. No.	Land Ownership	Area (Hectare)							
1	Government Land with Occupancy Tenants*	0.0432							
2	2 Government Land								
3	Government Land for Stabling Yard and Staff								
3	Quarter	17.21							
	Total	18.9621							

Note:- All the approvals are in place for above land

G. Implementation Plan and Schedule

48. The construction of connecting line viaduct is included in the already awarded contract for the construction of elevated viaduct in Delhi. The construction of stabling yard complex will be implemented by dividing it in 2-3 item rate contract package. The exact modality will be decided on finalization of designs/plans for the entire stabling yard complex. The detailed design of facilities at stabling yard will comply with applicable national standards and international guidelines on emergency response planning (fire, flood, earthquake etc), solid and liquid waste management, storm water drainage, traffic management, parking plan, structural safety and associated utilities implementation. The connecting line and stabling yard complex is expected to be commissioned in June 2025 along with the commissioning of the entire RRTS corridor.

H. Associated Works

- 49. For facilitating the construction of the connecting line many associated activities/works such as relocation of transmission lines, electrical installations, water/sewer/drainage lines etc. are required. This are included in the project design as part of the project. The development of Stabling Yard at Jangpura and connecting line will involve shifting of following utilities identified within the alignment:
 - 2 nos. poles of 220 kv transmission line
 - 4 nos. of 33 kv transmission line.

IV. DESCRIPTION OF THE ENVIRONMENT

- 50. The collection of current baseline information on biophysical, social, and economic aspects of the project area provides an important reference for conducting an EIA. The description of environmental settings includes the characteristic of area in which the project activities would occur and likely to be affected by project related impacts. Compiled existing baseline conditions include primary data on air quality, water quality, noise, soil, ecology and biodiversity, and socio-economic aspects. Secondary data were also collected from published source and various government agencies.
- 51. The data on water, air, noise quality and biodiversity were collected through field monitoring. Locations of the sampling were selected with due consideration to environmental sensitivity along the project line alignment and as agreed upon with the client. The sampling was carried out at multiple locations representing different land uses i.e. institutional, residential and silent zone. The environmental monitoring was carried out by NABL accredited laboratory "Ultra Testing & Research Laboratory", Delhi in the month of January 2021 for

^{*} Regarding ownership of land, confirmation is being obtained from Govt agencies and land is lying as barren land without any physical presence of any occupant. The <u>addendum</u> resettlement plan (Appendix 2) provide information on the affected occupancy tenants)

baseline air, water and Noise parameters. Climatological data was collected from site and secondary data from India Meteorological Department. Efforts have been made to compile the available data from literature, books, maps and reports. The methodology adopted for data collection is highlighted wherever necessary. Environmental attributes and frequency of baseline surveys are presented in Table 7 and environment parameters monitoring locations are presented in Table 8 and shown in Figure 8. The baseline parameters are selected as specified by regulatory agencies in India and number and locations of the sampling are selected with due consideration to environmental sensitivity along the project line alignment and as agreed upon with the client. The detailed analysis reports received from the monitoring laboratory are provided in **Appendix 2**, whereas summary findings from the reports are discussed in respective sections.

Table 7: Environmental Attributes and Frequency of Monitoring


	Table 7: Environmental Attributes and Frequency of Monitoring									
S. No	Attribute	Parameter	No. of	Source						
			Samples							
LAND E	ENVIRONMENT									
1	Geology	Geological Status		Literature review						
2	Seismology	Seismic Hazard		Literature review						
WATER	RENVIRONMENT									
3	Ground Water	Physical, Chemical	One	Onsite Sampling/						
		and Biological		Monitoring						
		parameters								
4	Surface Water	Physical, Chemical	One	Onsite Sampling/						
		and Biological		Monitoring						
		parameters								
AIR, NO	DISE AND METEOR	ROLOGY								
5	Ambient Air	PM 2.5, PM10, SO _{2,}	Two	Onsite Sampling/						
	Quality	NO _x , CO, HC, NMHC		Monitoring						
6	Noise	Noise levels in dB (A)	Four	Onsite Sampling/						
		Leq, Lmax, Lmin, L ₁₀ ,		Monitoring						
		L ₅₀ , L ₉₀								
SOCIO	-ECONOMIC									
7	Socio-economic	Socio-economic	Once	Field Studies,						
	aspects	profile		Literature review.						
ECOLO	GY	•	•							
8	Trees	Number	Once	Field Studies and						
				submitted tree						
				cutting application						
	GY	Number	Once	Field Studies and						

Source: EIA consultant field survey.

Table 8: Details of Sampling / Monitoring Locations

S. No	Monitoring Requirement	No of samples/Locations	Location	Distance & Direction (w.r.t project site)
1.	AAQ Monitoring – PM10, PM2.5, SO ₂ , NOx, CO, HC, NMHC	02	1. AQ1 – Jangpura Stabling Yard2. AQ2 – Near Sarai Kale Khan	AQ1-Within Stabling Yard campus on RHS of alignment AQ2-Within RoW on RHS of alignment
2.	Ground Water Sampling for Analysis – General Chemical	01	1.GW1 – Sarai Kale Khan	From borewell at NCRTC site office for Delhi-Meerut RRTS line

S. No	Monitoring Requirement	No of samples/Locations	Location	Distance & Direction (w.r.t project site)
	& Micro Parameters			
3	Surface Water Sampling for Analysis - General Chemical & Micro Parameters	01	1.SW1 – Sarai Kale Khan	Downstream of alignment crossing from drain approx. 15m on LHS of proposed alignment
4.	Noise Level Monitoring – 24 Hourly	04	1. N1 – Sarai Kale Khan 2. N2 – Siddhartha Nagar (At Rooftop of building) 3. N3 – Siddhartha Extension Park 4. N4 – Jangpura	N1-Within RoW on RHS of alignment N2- 10m from proposed RoW on LHS of alignment N3- 4m from proposed RoW on RHS of alignment N4-Within stabling yard campus on RHS of alignment



52. The baseline of physical and biological environment of connecting line are similar as detailed out in EIA report Delhi-Meerut RRTS corridor due to presence of connecting line alignment within 2 km distance of main line. The brief on environment parameters relevant for assessment of impacts from implementation of connecting line are mentioned in this section and for detailed baseline on environment please refer to EIA report of Delhi-Meerut RRTS corridor.

A. Physical Environment

1.1 Water Resources

53. **Open** wells, shallow tube wells and borewells are main source of the water supply in the project area covered by the alluvium. Their discharges vary anywhere from 18 to 25 cubic meters per hour for about 2 to 3 meters draw downs in the open wells to about 162 per cubic meter per hour for about 8-12 meters draw downs in the deep tube wells tapping granular zones about 70-100 meters in aggregate thickness. As far as ground water quality is concerned, there are few fresh water pockets in the north-east and the south-east corners of NCR area. The drain carries waste water from village and unauthorized residential colonies in the Nizamuddin area of Delhi. The flow of water is low in drain and water quality is poor quality. The drain water is not supporting important aquatic species habitat and ecologically not sensitive. Table 9 details of drain (nalla), crossed by to the Sarai Kale Khan - Jangpura RRTS corridor.

Table 9: List of water bodies being crossed by the Stabling Yard RRTS line

S. No	Description	LHS/	Chainage	Offse t in	Coordinates		Section Type
	Description	RHS	in km	meter	X (Latitude)	Y (Longitude)	
1	Drain Crossing	Cross ing	1.35	0	28°34'56.2 5"N	77°15'26.14" E	Elevate d

54. **Surface Water Quality:** The collected samples were analyzed as per the Bureau of Indian Standards (BIS) limits (IS 2296, revised 1992, 2012) for different water uses. Surface water sample were collected at below location (at one location) from open wastewater drain. The Physico-chemical characteristics of surface water sample collected are summarized in Table 10 and laboratory testing report is provided in **Appendix 2**. The sampling was carried out in January 2021.

Table 10: Surface Water Quality (Open wastewater drain)

S.No	Parameter	Parameter Test Method F	Results Units		Tolerance Limit as per IS:2296					Surface Water Quality Standards*
					Class A	Class B	Class C	Class D	Class E	Class V
1	рН	IS:3025(Part-11)	7.47	-	6.5-8.5	6.5-8.5	6.5-8.5	6.5-8.5	6.5-8.5	6.5-9
2	Odour	IS-3025(Part-05)	Obj.	-	Unobj.	-	-	-	-	-
3	Colour	IS:3025(Part-04)	<5.0	Hazen	10	300	300	-	-	>200
4	Turbidity	IS:3025(Part-10)	68.3	NTU	-	-	-	-	-	-
5	Conductivity @25°C	IS:3025(Part-14)	1388	μs/cm.	-	-	-	1000	2250	-
6	Total Suspended Solid	IS:3025(Part-17)	144	mg/l	-	-	-	-	-	-
7	Total Alkalinity (as CaCO₃)	IS:3025(Part-23)	310	mg/l	-	-	-	-	-	>1500
8	Biological Oxygen Demand (Max.) (at 27°C for 3 days)	IS:3025(Part-44)	16	mg/l	2	3	3	-	-	>7
9	Dissolved Oxygen (as O ₂) Min.	IS:3025(Part-38)	5.8	mg/l	6	5	4	4	-	<4
10	Calcium(as Ca)	IS:3025(Part-40)	56.00	mg/l	80	-	-	-	-	-
11	Magnesium(as Mg)	IS:3025(Part-46)	34.02	mg/l	24	-	-	-	-	-
12	Chloride(as Cl),Max	IS:3025(Part-32)	136.98	mg/l	250	-	-	-	600	>500
13	Iron(as Fe),Max	IS:3025(Part-53)	2.90	mg/l	0.3	Ī	50	-	-	>5
14	Fluoride(as F),Max	IS:3025(Part-60)	0.12	mg/l	1.5	1.5	1.5	-	-	-
15	Phenolic Compound (as C ₆ H ₅ OH)	IS: 3025 (Part-43)	<0.001	mg/l	0.002	0.005	0.005	-	-	>0.1
16	Bicarbonate	IS:3025(Part-51)	378.20	mg/l	-	-	-	-	-	-

S.No	Parameter	Test Method	Results	Units		Tolerance Limit as per IS:2296				Surface Water Quality Standards*
					Class A	Class B	Class C	Class D	Class E	Class V
17	Total Hardness (as CaCO₃)	IS:3025(Part-21)	280.00	mg/l	300	-	-	-	-	-
18	Sulphate (as SO ₄)Max	IS:3025(Part-24)	88.17	mg/l	400	-	400	-	1000	-
19	Phosphate (as P)	IS:3025(Part-31)	6.80	mg/l	-	-	-	-	-	-
20	Sodium (as Na)	IS:3025(Part-45)	97.19	mg/l	-	-	_	-	-	-
21	Free Ammonia	IS: 3025 (Part-34)	<1.0	mg/l	-	-	_	1.2		>3.1
22	Total Dissolved Solid	IS:3025(Part-16)	916	mg/l	500	-	1500	-	2100	-
23	Oil & Grease	IS:3025(Part-39)	5.60	mg/l	-	-	0.1	0.1	-	>1
24	Manganese (as Mn)	IS:3025(Part-59)	<0.1	mg/l	0.5	-	-	-	-	>2
25	Total Chromiun (as Cr)	IS:3025(Part-52)	<0.05	mg/l	0.05	0.05	0.05	-	-	-
26	Zinc (as Zn)	IS:3025(Part-49)	1.46	mg/l	15	-	15	-	-	>1163
27	Potassium (as K)	IS:3025(Part-45)	4.27	mg/l	-	-	-	-	-	
28	Nitrate (as NO ₃),Max	IS: 3025 (Part-34)	8.49	mg/l	20	-	50	-	-	>11.3
29	Cadmium (as Cd)	IS-3025(Part-41)	<0.01	mg/l	0.01	-	0.01	-	-	>5
30	Lead (as Pb)	IS:3025(Part-47)	<0.01	mg/l	0.1	-	0.1	-		>2.5
31	Total Nitrogen(as N)	IS: 3025 (Part-34)	27.16	mg/l	-	-	-	-	-	>20
32	Boron (as B)	IS:3025(Part-57)	0.15	mg/l	-	-	-	-	2	-
33	Copper (as Cu)	IS:3025(Part-42)	<0.01	mg/l	1.5	-	1.5	-	-	>400
34	Chemical Oxygen Demand (asO ₂)	IS-3025(Part-58)	152.00	mg/l	-	-	-	-	-	>20
35	Arsenic (as As)	IS:3025(Part-37)	<0.01	mg/l	0.05	0.2	0.2	-		-
36	Aluminum (as Al)	IS: 3025 (Part-55)	<0.01	mg/l	-	-	-	-	•	-
37	Mercury(as Hg)	IS-3025(Part-48)	<0.001	mg/l	0.001	-	-	-	-	>0.2

S.No	Parameter	Test Method	Results	Units	Tolerance Limit as per IS:2296				Surface Water Quality Standards*	
					Class A	Class B	Class C	Class D	Class E	Class V
38	Cyanide	IS-3025(Part-27)	<0.01	mg/l	0.05	0.05	0.05	-	-	-
39	Sodium Absorption Ratio	APHA	2.53	-	-	-	-	-	26	-
40	Total Coli Form	IS:1622	8.1×10 ³	MPN/100ml	50	500	5000	-	-	>1000
Class	A-Drinking water without co B-Water for outdoor bathing C-Drinking water with conve	g.								

Class D-Water for fish culture and wild life propagation.
Class E-Water for irrigation, industrial cooling and control waste disposal.
Source: Field monitoring conducted by the Consultant

^{*}Note-Surface Water Quality Regulation In Eastern Europe, Caucasus and Central Asia (EECCA) Countries, 2008

- 55. **Ground Water Quality:** The Ground water samples were collected from borewell at one location (Figure 8) along the proposed alignment for analysis of Physico-chemical characteristics. Sampling was done in January 2021.
- 56. The collected samples were analyzed as per the Bureau of Indian Standards (BIS) limits (IS 10500-91, revised 2003) for drinking water. The Physio-chemical characteristics of ground water samples collected are summarized in Table 11 and laboratory-testing report is provided in **Appendix 2**.

Table 11: Physico-chemical Characteristics of Ground Water along the Proposed Alignment

S.No	Parameter	Test Method	Results	Units	Acceptable Limit	Permissible Limit in the Absence of Alternate Source
1	рН	IS:3025(Part-11)	7.18	-	6.5-8.5	-
2	Conductivity	IS:3025(Part-14)	3172	μs/cm.	-	-
3	Colour	IS:3025(Part-04)	<5.0	Hazen	5	15
4	Odour	IS-3025(Part-05)	Agreeable	-	Agreeable	Agreeable
5	Taste	IS:3025(Part-07)	Agreeable	-	Agreeable	Agreeable
6	Turbidity	IS-3025(Part-10)	<1.0	NTU	1	5
7	Total Hardness (as CaCO ₃)	IS:3025(Part-21)	610	mg/l	200	600
8	Calcium(as Ca)	IS:3025(Part-40)	128.00	mg/l	75	200
9	Magnesium(as Mg)	IS:3025(Part-46)	70.47	mg/l	30	100
10	Chloride(as CI)	IS:3025(Part-32)	381.58	mg/l	250	1000
11	Iron(as Fe)	IS:3025(Part-53)	0.77	mg/l	0.3	No Relaxation
12	Fluoride(as F)	IS:3025(Part-60)	0.37	mg/l	1	1.5
13	Free Residual chlorine	IS:3025(Part-26)	<0.1	mg/l	0.2	1
14	Total Dissolved Solid	IS:3025(Part-16)	1840	mg/l	500	2000
15	Phenolic Compound (as C ₆ H ₅ OH)	IS: 3025 (Part-43)	<0.001	mg/l	0.001max	0.002 Max
16	Anionic Detergents (as MBAS)	Annex K of IS 13428	<0.1	mg/l	0.2	1.0
17	Bicarbonate	IS:3025(Part-51)	683.20	mg/l	_	-
18	Sodium (as Na)	IS:3025(Part-45)	270.25	mg/l	-	-
19	Potassium (as K)	IS:3025(Part-45)	3.77	mg/l	-	-
20	Sulphate (as SO ₄)	IS:3025(Part-24) 258.14 mg/l 200		200	400	
21	Nitrate (as NO ₃)	IS: 3025 (Part-34)	14.88	mg/l	45	No Relaxation
22	Alkalinity	IS:3025(Part-23)	560	mg/l	200	600


S.No	Parameter	Test Method	Results	Units	Acceptable Limit	Permissible Limit in the Absence of Alternate Source
23	Chloramines (as Cl ₂)	IS:3025(Part-26)	< 1.0	mg/l	4	No Relaxation
24	Cadmium (as Cd)	IS-3025(Part-41)	<0.001	mg/l	0.003	No Relaxation
25	Lead (as Pb)	IS:3025(Part-47)	<0.01	mg/l	0.01	No Relaxation
26	Total Chromium (as Cr)	Annex J of IS-13428	<0.01	mg/l	0.05	No Relaxation
27	Copper (as Cu)	IS:3025(Part-42)	<0.01	mg/l	0.05	1.5
28	Total Ammonia	IS: 3025 (Part-34)	<0.5	mg/l	0.5	No Relaxation
29	Nickel (as Ni)	IS:3025(Part-54)	<0.01	mg/l	0.02	0.2
30	Zinc	IS:3025(Part-49)	1.89	mg/l	5	15
31	Manganese (as Mn)	IS:3025(Part-59)	<0.1	mg/l	0.1	0.3
32	Boron (as B)	IS:3025(Part-57)	0.17	mg/l	0.5	1
33	Selenium (Se)	mg/i		0.01	No Relaxation	
34	Sulphide (as H ₂ S)	IS:3025(Part-29)	<0.05	mg/l	0.05	No Relaxation
35	Arsenic (as As)	IS:3025(Part-37)	<0.01	mg/l	0.01	0.05
36	Molybdenum (as Mo)	IS-3025(Part-2)	<0.01	mg/l	0.07	No Relaxation
37	Mercury(as Hg)	IS-3025(Part-48)	<0.001	mg/l	0.001	No Relaxation
38	Barium (as Ba)	Annex F of IS 13428	<1.0	mg/l	0.7	No Relaxation
39	Aluminium (as Al)	IS: 3025 (Part-55)	<0.01	mg/l	0.03	0.2
40	Silver (as Ag)	Annex J of IS 13428	<0.01	mg/l	0.1	No Relaxation
41	Polychlorinated biphenyls	APHA 6630	<0.0001	mg/l	0.0005	No Relaxation
42	Polynuclear aromatic hydrocarbons	APHA 6440	<0.0001	mg/l	0.0001	No Relaxation
43	Mineral Oil	IS: 3025 (Part-39)	<0.5	mg/l	0.5	No Relaxation
44	Cyanide	IS-3025(Part-27)	<0.01	mg/l	0.05	No Relaxation
	T	MICROBIOLOG	GICAL REQUI		<u> </u>	
45	E.coli	IS:1622	Absent	E.coli/100 ml	Absent	Absent
46	Coli form	IS:1622	Absent	MPN/100 ml	Absent	Absent

Source: Field monitoring conducted by the Consultant.

57. The test results of the ground water samples collected along the proposed alignment shows that most of the parameters analyzed were within the CPCB permissible standards.

However, Calcium, Magnesium, Chloride, Iron, Total Dissolved Solid, Sulphate, Alkalinity, are higher than the Acceptable limits of CPCB. Total Hardness is more than acceptable limit and permissible limit of CPCB. Higher levels of hardness and TDS could be due to higher mineral content in the ground water especially calcium and magnesium. All other parameters are well within the desirable limits.

58. **Wind:** Wind speed and wind direction play a major role in the dispersion of air pollutants. The stronger the winds the greater will be the dilution and dissipation of pollutants. The average wind speed during winter, summer, monsoon and post monsoon season is 8.6, 11.6, 10.2 and 6.5 kmph; respectively. The highest wind speed has been recorded in the month of June followed by May. North-West and West are predominant wind directions. The calm conditions in the project region (wind speed 0-1.8 kmph) region occur about 31% in day time 19% during night time. As per onsite data generated for the month of May 2012, the highest recorded wind speed was 16.2 kmph. The dominant wind directions were same as mentioned above. As per onsite data generated for the month of January 2021, the highest recorded wind speed was 6 kmph. The dominant wind directions were same as mentioned above. Figure 9 show the wind rose diagram in the project area.



1.2 Ambient Air Quality

- 59. In order to establish baseline conditions, the atmospheric concentrations of air pollutants were monitored during January 2021 by setting up ambient air quality monitoring stations. Two monitoring locations (Table 12) were selected to generate the representative samples for air quality covering residential, institutional and industrial area along the corridor. The monitoring locations were selected along the alignment to represent ambient air quality of the project area. Locations of air monitoring stations are shown on a map in Figure 8.
- 60. The monitoring was carried out for Particulate Matter (PM10 and PM2.5), Sulphur Dioxide (SO2), Nitrogen Dioxide (NO2), Carbon Monoxide (CO), Hydro Carbons and Non-methane Hydro carbons (NMHC). Respirable Dust Sampler 460 BL was deployed to monitor RPM, SPM, SO2 and NOx. The sampler was placed to obtain 24 hourly average values of the above said

parameters with continuous sampling and based on hourly concentrations. The parameters were monitored and analyzed as per CPCB (Central Pollution Control Board) and NAAQS (National Ambient Air Quality Standards) as well as World Bank EHS Guidelines for air emission.

61. One grab sample¹ was collected for 1 hr. at each monitoring station for analyzing CO and the spot concentration of CO was recorded using Indicator Tube Technique. The sampling for Particulate Matter (PM10 and PM2.5), Sulphur Dioxide (SO2), Nitrogen Dioxide (NO2) was done for 24 hrs. at each location with change of filter paper and reagent after 8 hrs. The results of air quality measured in the study area in comparison are given in Table 12 and, and laboratory testing report is provided in Appendix 2. Figure 10 present the graphical distribution of ambient air quality. The data presented is average for 24 hours.

Table 12: Field Air Quality Monitoring Locations

Monitoring Station code	Location	Distance & Direction (w.r.t project site)	Coordinates	Sampling Date
AAQ1	Jangpura, Near Stabling Yard	Within Stabling Yard campus on RHS of alignment	28°34'39.4"N 77°15'04.7"E	12-13/01/2021
AAQ2	Near Sarai Kale Khan	Within RoW on RHS of connecting line alignment	28°38'58.1"N 77°15'37.3"E	12-13/01/2021

Table 13: Air Quality Monitoring results (January 2021)

S.N o	Parameters	Test Method	AAQ1	AAQ 2	Units	Sampling Collectio n Duration	Limits as per NAAQS	World Bank EHS Guideli ne
1	Particulate Matter (PM ₁₀)	IS:5182 (Part-23)	244.98	263.1 5	μg /m³	24hr.	100.0	50
2	Particulate Matter (PM _{2.5})	IS:5182 (Part-24)	139.97	152.6 7	μg /m³	24hr.	60.0	25
3	Sulphur Dioxide (as SO ₂)	IS:5182 (Part-2)	27.56	30.51	μg /m³	24hr.	80.0	20
4	Nitrogen Dioxide (as NO ₂)	IS:5182(Part-6)	38.08	41.81	μg /m³	24hr.	80.0	40
5	Carbon monoxide(as CO)	IS:5182(Part-10)	0.69	1.15	mg /m³	1hr.	4.0	-
6	Lead(as Pb)	IS:5182 (Part-22)	< 0.1	<0.1	μg /m³	24hr.	1.0	-

¹ A small representative subset of a larger quantity, concentration or measurement that is taken at a specific time.

_

S.N o	Parameters	Test Method	AAQ1	AAQ 2	Units	Sampling Collectio n Duration	Limits as per NAAQS	World Bank EHS Guideli ne
7	Ozone (as O ₃)	IS:5182 (Part-9)	20.47	23.16	μg /m³	1 hr.	180.0	-
8	Ammonia (as NH₃)	IS:5182 (Part-25)	26.44	29.11	μg /m³	24hr.	400.0	-
9	Nickel (as Ni)	CPCB Guideline	< 1.0	< 1.0	ng /m³	24hr.	20.0	-
10	Mercury (as HG)	USEPA Method	<0.1	<0.1	μg /m3	24hr.	-	-
11	Arsenic (as As)	CPCB Guideline	< 0.1	< 0.1	ng /m³	24hr.	6.0	-
12	Hydrocarbon (as HC)	IS:5182 (Part-17)	< 1.0	< 1.0	ppm	24hr.	-	-
13	Hydrogen Fluoride(as HF)	IS:5182 (Part-13)	< 1.0	< 1.0	ppm	24hr.	-	-

300 263.15 244.98 250 200 152.67 150 139.97 MAKES LIME BY PMID 100 NAAQS Limit for SO2 and NO2 41.81 50 38.08 27.56 30.51 0 Sulphur Dioxide (as SO2) Nitrogen Dioxide (as NO2) Particulate Matter (PM10) Particulate Matter (PM2.5) ■ AAQ1 ■ AAQ2

Figure 10: Status of Air Quality along the Proposed Alignment (January 2021)

Source: EIA consultant field survey

- 62. Results of the ambient air monitoring show that PM10 and PM_{2.5} values in all the monitored locations are much higher than the permissible level of NAAQS (100μg/m³ for PM₁₀ and 60μg/m³ for PM_{2.5}) as well as IFC (50 μg/m³ guideline for PM₁₀ and 25 μg/m³ guideline for PM_{2.5}) standards. A maximum value of 152.67μg/m³ and a minimum value of 139.97 μg/m³ was observed for PM2.5 in the study area while for PM10, a maximum value of 263.15μg/m³ and a minimum value of 244.98 μg/m³ was observed. The SOx and NOx values recorded at all the study areas are lower than the permissible limit. The range of SOx varied from 27.56 μg/m³ to 30.51 μg/m³ while NOx varied from 38.08 μg/m³ to 41.81 μg/m³. The CO is within permissible limit while HC and heavy metal values at all locations were below the detectable limits.
- 63. The air quality of the region is poor. The NCR has been experiencing poor air quality during winter since the past few years. The higher values of PM10 and PM2.5 are due to: the heavy vehicular traffic along the main road comprising buses, cars, trucks, tempo (3 wheelers), motorbikes and rickshaws and pollution from burning of crop residues in neighboring areas. In addition, sampling was carried out in winter when there was less wind and the effects of inversion prevented pollutants from dispersing in the atmosphere. This RRTS has been planned considering improvement in air quality as one of the objectives. All the other parameters are well below the permissible limits. The RRTS project incorporates all the mitigation measures during the construction and operational phase thereby not deteriorating the existing air quality.

1.3 Acoustics Environment Quality


- 64. **Noise Levels**: The ambient noise level sampling was conducted along the alignment with an objective to establish the baseline noise levels and assess the impacts of total noise expected due to the proposed Stabling Yard line. Noise monitoring was conducted at four locations during the month of January 2021 as shown in Figure 8. Table 14 show details of the noise monitoring locations and noise land use/zone under GOI NAAQS and the World Bank Environment, Health and Safety (WB-EHS) guidelines. As shown in Table 14 noise monitoring zones include residential, industrial as well commercial land use locations.
- 65. Sampling duration was taken on hourly basis in order to have an assessment of the Day and Night time noise levels. The results of the noise quality have been reported as L_{eq} , L_{day} , L_{night} , L_{10} , L_{50} and L_{90} . The noise levels so obtained are summarized in Table 15 and presented graphically in Figure 11 and 12. The laboratory testing report is provided in **Appendix 2**.


Table 14: Noise Monitoring locations


Station Code	Area	Representative Land use (GOI/IFC)	Monitoring location	Distance & Direction (w.r.t. project site)	Monitoring Date
N1	Sarai Kale Khan (ISBT)	Commercial for both GOI and WB-EHS	At Ground level	Within RoW on RHS of alignment	12/01/2021
N2	Siddhartha Extn.	Residential for both GOI and WB-EHS	At Top Roof	15m from proposed RoW on LHS of alignment	12/01/2021
N3	Siddhartha Extn.	Residential for both GOI and WB-EHS	At Ground level	4m from proposed RoW on RHS of alignment	12/01/2021
N4	Stabling Yard	Industrial for both GOI and WB-EHS	At Ground level	Within stabling yard campus on RHS of alignment	12/01/2021

Table 15: Hourly equivalent Noise levels, dB(A) (January 2021)

Table 15: Hourly equivalent Noise levels, dB(A) (January 2021)								
Location	Code	N1	N2	N3	N4	Unit		
Day 7:00		82.8	66.6	73.6	72.4	dB (A)		
8:00		86.4	67.5	76.6	71.8	dB (A)		
9:00		90.2	69.9	75.4	75.1	dB (A)		
10:00)	96.8	67.8	75.2	73.4	dB (A)		
11:00)	93.3	70.2	77.1	75.7	dB (A)		
12:00)	86.2	69.9	75.4	76.3	dB (A)		
13:00)	82.4	70.7	76.7	77.4	dB (A)		
14:00)	78.1	67.6	73.5	75.1	dB (A)		
15:00)	85.1	76.4	72.5	71.3	dB (A)		
16:00)	87.2	67.9	77.5	67.6	dB (A)		
17:00)	90.0	69.2	75.6	68.7	dB (A)		
18:00)	94.2	67.9	82.4	70.5	dB (A)		
19:00)	89.7	66.9	74.7	67.7	dB (A)		
20:00)	87.1	66.0	80.5	66.7	dB (A)		
21:00)	84.7	63.6	79.2	64.1	dB (A)		
Night 22.00		78.9	60.4	68.5 63.3		dB (A)		
23:00		78.5	58.2	66.3	57.8	dB (A)		
24 :00	0	74.3	66.5	65.6	61.0	dB (A)		
1:00		72.6	65.2	63.9	57.7	dB (A)		
2:00		73.0	65.3	63.0	58.5	dB (A)		
3:00		74.2	63.9	66.3	58.0	dB (A)		
4:00		75.5	62.4	63.9	56.8	dB (A)		
5:00		79.9	65.9	67.6	58.0	dB (A)		
6:00		80.4	69.2	69.4	67.2	dB (A)		
Maxim	um	96.8	76.4	82.4	77.4	dB (A)		
Minimu	ım	72.6	58.2	63.0	56.8	dB (A)		
Ld		89.9	69.5	77.1	73.0	dB (A)		
Ln		77.3	65.1	66.5	61.4	dB (A)		
L10		92.4	70.1	78.7	75.5	dB (A)		
L50		83.8	67.2	74.1	67.7	dB (A)		
L90		74.2	62.7	64.4	57.8	dB (A)		
Leq		88.0	68.3	75.3	71.1	dB (A)		
Noise limits	Day	65	55	55	75	dB (A)		
(GOI)	Night	55	45	45	70	dB (A)		
Noise limits	Day	70	55	55	70	dB (A)		
(WB-EHS)	Night	70	45	45	70	dB (A)		







66. Monitoring results shows that noise levels at all the monitored locations are higher than the permissible limits for all zones for both GOI NAAQS limits as well as WB – EHS guideline limits except for N4 where the night time noise level is just below the limit under WB-EHS guidelines. A maximum value of 96.8 dB (A) and minimum values of 56.8 dB (A) was observed in the study area. The noise levels at Siddhartha Extension is ranging between 58.2 dB(A) to 82.4 dB(A). Existing volume of road traffic on highway and passing of railway trains in the vicinity are the main source of noise along the project alignment and Siddhartha extension colony is surrounded by Ring Road, Barapula elevated road, Mathura Road and Norther Railway Delhi-Mumbai route so the baseline noise level is high.

B. Ecological Environment

67. In order to assess the ecological baseline of the project area an assessment has been carried out in and around the project area. The field assessment included inventory of flora and fauna survey (identification and documentation of specifies and conservation status). The methodology adapted and findings of the surveys are discussed in subsequent sections.

2.1 Biodiversity Assessment Methodology

- 68. **Desk Review and Screening**: The purpose of the desk study was to identify habitats and species of conservation value that may not have been present or apparent during the field surveys (e.g. season specific plants). Desk study was carried out by referring to literature related to ecology and biodiversity of the region or other related areas encompassing the proposed site. Literature review was also undertaken by collecting and stating research papers and reports specific to the region.
- 69. **Flora & Fauna Survey**: Field study was carried out in January 2021. Tree inventory has been carried out along the proposed alignment. Tree with Girth at Breast Height (GBH) 15 cm have been counted. Apart from tree survey, a list of trees, shrubs, herbs, climber and grasses was prepared from literature review to create the detailed account of local vegetation that may not have been encountered during the field study. Being in an urban area the biodiversity values of the trees to be removed along the project alignment is low. Trees with GBH>15 cm will be considered for transplantation.
- 70. **Observations:** Observations were made for all possible habitats, trees and fauna species in and around the site (except microorganisms). All possible landscape features and areas in the site were visited to collect the required amount of data. The observations recorded are site, time and season specific observations.

2.2 Eco-Sensitive Zones

- 71. There are no environmentally sensitive zones within the direct impact zone of the proposed RRTS line. The key biodiversity area is the Okhla Bird Sanctuary which is located approximately 4.5km south of the project alignment. Further details on the sanctuary are given in EIA report for Delhi -Meerut RRTS line.
- 72. As per notification dated 09/08/2015 published in MOEF&CC "Notification declaring Ecosensitive Zone (ESZ) around Okhla Bird Sanctuary in the State of Uttar Pradesh and National

Capital Territory of Delhi", the extent of Eco-sensitive Zone is up to 1.27 km from the boundary of Okhla Bird Sanctuary. Therefore, the proposed RRTS line does not lie in the eco-sensitive zone of Okhla Bird Sanctuary and hence clearance /approval from the concerned authority is not required.

2.3 Floral Diversity

- 73. Site visits were conducted in and around the project area in January 2021. It included walk through surveys along the project alignment and recording of vegetation seen. Additional literature reviews were conducted to seek information on floristic/vegetation diversity and create a detailed account of local vegetation that may not have been encountered during the walk through surveys. Although most of the proposed Stabling Yard alignment passes through urban/city area.
- 74. Most of the trees observed were old mature trees. The estimated land requirement for stabling yard including other facilities is 18.9621 Ha, whereas approx. 1272 are envisaged to be cut/transplanted as per prevailing Govt. mandate. The trees include commonly observed native and non-native species like Siris, Safeda, Ber, Kanji, Pipal, Papri, Sheesham, Kner, Tulip, Ashok, Amaltash, Sagwan, Champa, Satadu, Shahtoot and Babool etc. are the dominating species to be affected. Compensatory afforestation equal to 10 times the number of trees cut -shall be done at a location decided by the concerned authorities. Emphasis will be given for the plantation of native trees. All sanctions for tree cutting/transplantation are in place.

2.4 Faunal diversity

- 75. To study faunal diversity and richness in the area, random sightings were recorded during the walk through surveys. For reptiles, stone lifting was done; rock crevices and wall space of structures in the site were checked. Amphibians were searched near the stagnant water pools of the drain, no aquatic species were recorded due to high pollution level in drain water. Insects were observed on underside of leaves, nests, rock crevices, bushes and other places. Common birds include Indian Peafowl, Asian Koel, Rose ringed Parakeet, Rock Pigeon, Eurasian Collared dove, house crow, common myna, little brown dove, house sparrow, common babbler, baya weaver, Indian spotted eagle, pond heron sp. has been reported from the project area of influence.
- 76. There is no endangered faunal species were reported from urban environment along the project alignment.

C. Socio-economic Environment

3.1 Socio-Economic Survey

77. A socio-economic survey was undertaken for the proposed RRTS alignment to assess the socio-economic conditions of project-affected families/people and to examine the impacts of the proposed RRTS alignment on their conditions. A summary of the findings is presented in table 16, more detailed information can be found in the separate Resettlement Plan that has been prepared for this project.

Table 16: Summary of socio-economic impacts

Impact	Unit/Number
Government Land Acquisition with Occupancy Tenants (hectare)	0.0432
Government Land Acquisition (hectare)	18.9621

Impact	Unit/Number
Affected Households	11
A. Physically Displaced Households	08
B. Economically Displaced Households (Occupancy Tenants)	03
C. Structure Affected	9*
D. Significant Impact (Households)	08
Total Affected Persons	69
Total Significantly Affected Persons	36
Vulnerable Households	0
Affected Public/Government Properties	05

^{*} Out of 9 structures, 8 are privately owned and one is owned by RWA

- 78. The project will impact 11 households and 69 DPs, which includes 37 male (53.6%) and 32 female (46.4%). The average household size is found to be 6 due to some large joint families. The sex ratio among the DPs is 865. 89% of the DPs belong to general category and only 11% to Other Backward Class (OBC). Majority of DPs are Hindu by religion and only 11% are Sikh. Not a single DP is found vulnerable.
- 79. The alignment is passing through Siddhartha extension Colony. Before finalization of alignment NCRTC has explored three options and after considering various alternatives meeting technical requirements such as radius of curve, alignment, design, optimal cost, technical feasibility in crossing existing railway line etc. and analysing impacts on various environmental and social parameters Opting-III has been found to be viable. The details of alternative analysis is given in para 282-285 of the report. Siddhartha extension is surrounded from all the four sides by Ring Road (eastern side), Norther Railway Delhi-Mumbai rout (western side), Barapula Nala (north side) and Ashram market (south side). The colony has only one connectivity with main ring road. Because the viaduct will be elevated at a level higher than the buildings in the area, it will not split the colony in two parts. The columns of the elevated viaducts will be placed in such a way that in operational phase traffic will not be impacted and free movement from one side of the viaduct to the other is maintained. Since the colony is surrounded by Ring Road, Barapula elevated road, Mathura Road and railway trunk route the baseline air and noise pollution levels are very high.
- 80. In Siddhartha Extension 08 individual flats owned by 08 households in an apartment/building /flats are coming within the shadow of the viaduct. To avoid inconvenience to the residents of these flats, these 08 individual flats needs to be acquired or relocated or temporarily shifted as per the discussion and mutual agreement with the flat owners. Although the acquisition or shifting of these households is not a prerequisite for taking up the construction of the viaduct, a proposal for purchase/temporary shifting is envisaged to avoid discomfort to the residents during the construction period. NCRTC has purchased 4-flats and negotiation for purchase/temporary shifting of balance 4-flats are in progress. Being a public property, the viaduct structure is to be kept at a safe distance so that any miscreant's entry onto the viaduct can be prevented for operational safety. Guideline for issue of N.O.C for the properties lying along/adjoining Delhi-Ghaziabad-Meerut RRTS corridor is attached in **Appendix 6**.
- 81. Resident Welfare Association (RWA) and Siddhartha Extension, Senior Citizen Welfare Forum (SESCWF) are in continuous correspondence with NCRTC. NCRTC is regularly addressing their concern. The details are given in this report. A joint meeting of ADB, NCRTC, RWA & SESCWF was also held on 6th Jan 2022 and its minute of meeting are also enclosed in

the report. The main concern is limited to noise, vibration and shadow effect on the flats which will be created after construction of viaduct. Since they have been living in noise level more than approx. 100% over the standard level, they are concerned that operation of RRTS will enhance it further. CRRI has suggested mitigation measures in their report and accordingly cost implication as suggested by CRRI has been considered in this report. Further NCRTC has given assurance though various correspondences to restrict noise and vibration levels within the base line levels. Regarding effect of shadow, the study has been carried out by the M/S Green Tree Building Energy Pvt Ltd. which is enclosed in **Appendix 13**. The study brought out that net effect of shadow caused after construction of viaduct is limited to the average hours of shaded blocks due to viaduct is only 0.37 hours (22 Minutes) however this could be more in specific cases. Siddhartha Extension, Senior Citizen Welfare Forum (SESCWF) have also shown their concern that after construction of RRTS, the value of their property will decrease. Consultant "M/S Neeraj Kapoor" was appointed to carry out the real estate projection of Siddhartha Extension. Although the consultant did not complete the study, NCRTC has conducted an analysis of property values in the area. The analysis indicates that property values have uplifted since RRTS development (see Appendix 16). The land for construction of viaduct foundation and pier passing through Siddhartha Extension colony belongs to South Delhi Municipal Corporation (SDMC) and same has been transferred to NCRTC by SDMC (See Appendix 17). Therefore, no additional land is required for construction of viaduct and 08 individual flats owned by 08 households in an apartment/building /flats are coming within the shadow of the viaduct. To avoid inconvenience to the residents of these flats, these 08 individual flats needs to be acquired or relocated or temporarily shifted as per the discussion and mutual agreement with the flat owners.

82. The project will impact 11 households and 69 Displaced Person (DPs), which includes 37 male (53.6%) and 32 female (46.4%). The average household size is 8 and the sex ratio among the DPs is 865. 89% of the DPs belong to general category of caste and only 11% belong to Other Backward Class (OBC). Of the total Displaced House (DHs) 89 % are Hindu by religion while, the other 11% are Sikh. Not a single DP is found vulnerable. Findings of the socio-economic study have been separately provided in the Resettlement Plan.

3.2 Archaeological Sites and Cultural Resources

83. There are no archaeological sites and cultural sites of local or national importance within and 250m radius of stabling yard campus and from the centre line of the connecting line alignment.

3.3 Sensitive Receptors

84. An inventory of receptors such as schools, colleges, hospitals, places of worship, monuments/statue structures etc. within 150 m on either side of connecting line for Stabling Yard alignment was carried out. In total there are 7 location of receptors within 150m were identified, the list is provided in Table 17.

Table 17: Details of Sensitive Receptors with in 150m from RRTS alignment

S.		LHS/	Chainage	Offset	Coord	inates	Section		
No.	Description	RHS	in km	in meter	X (Latitude)	X (Latitude) Y (Longitude)			
1	ISBT	RHS	0+900	50	28°35'6.83"N	77°15'31.18"E	Elevated		

S.		LHS/	Chainage	Offset	Coord	inates	Section
No.	Description	RHS	in km	in meter	X (Latitude)	Y (Longitude)	Type
2	Barapulla Flyover & Nalla Crossing	Crossing	1+350	0	28°34'56.10"N	77°15'25.82"E	Elevated
3	Siddhartha Extn.	LHS & RHS	1+480	7	28°34'53.88"N	77°15'22.43"E	Elevated
4	Railway Crossing	Crossing	1+680	0	28°34'50.75"N	77°15'16.64"E	Elevated
5	Highway Crossing	Crossing	1+810	0	28°34'46.35"N	77°15'10.93"E	Elevated
6	Hindustan Prefab Limited (Not operational)	RHS	1+830	50	28°34'43.70"N	77°15'7.43"E	Elevated
7	Hindustan Prefab Limited (Not operational)	RHS	2+000	0	28°34'31.66"N	77°15'8.41"E	Elevated

V. ANTICIPATED IMPACTS AND MITIGATION MEASURES

A. Methodology


- 85. The methodology of assessing environmental impacts from the project entailed clearly identifying the environmental components that will be impacted, type of impacts, assessment area where the impacts will be felt and defining the criteria for assessing the significance of each type of impact. After defining these aspects, a screening of project impacts during design and preconstruction, construction and operation stages of the project was carried out to identify the minor, moderate and major impacts to guide development of mitigation measures and ensure that there are no or minimal residual impacts.
- 86. **Identification of environmental components.** This includes identifying the valued environmental components (VEC) of the physical, biological, and human environments that are at risk of being impacted by the project. The VECs for this project which are based on the environmental baseline are:
 - (i) **Physical environment** air quality, land and soil, surface water quality and quantity, and groundwater quality and quantity
 - (ii) **Biological environment** terrestrial and aquatic vegetation, mammals, avifauna, and ecologically important areas
 - (iii) **Social environment** private land and buildings, public infrastructure including utility structures, noise and vibration levels, cultural/heritage buildings, and occupational health and safety for the construction workers and local community living within the vicinity of the project area.
- 87. The activity -impact interaction matrix for the imapets across the project cycle have been defined in **Table 1**.

Table 18: Activity-Impact Interaction Matrix for Design, Construction and Operation Phases

Environmental and Social Resources/ Receptors Project Phase and Activity	Ambient Air Quality	Surface Water Quality	Surface Water Quantity	Ground Water Quality	Ground Water Quantity	Land degradation/ pollution	Trees, terrestrial and aquatic vegetation	Terrestrial fauna	Aquatic fauna	Govt. Land and private buildings/flats	Public property/infrastructure/ utility structures	Noise	Vibration	Occupational health and safety	Community health and safety	Physical cultural resources
	De	sign	Pha	ase												
Location of project line and stabling yard facility, design of train, energy type Design of safety features and systems for construction and operation of the																
RRTS	not	ruct	ion	Dha	20											
Dust, PM, emissions from construction	onst	ruci	ion	Pna	se							Ι				
equipment and vehicles																
Pollution from liquid and solid waste from camps and construction activities																
Disturbance caused to local residents from noise generated from construction activities, campsite activities using heavy equipment, movement of heavy duty trucks during day and night time. Noise levels exceeding standards. Complaints from local residents near construction sites.																
Heavy equipment and movement of construction vehicles in urban area project site																
Death, accident or injury of construction workers, due to poor safety standards. Illness of construction workers due to poor hygiene, health and sanitary facilities at the construction sites and camp sites.																
	Ope	ratio	n Pl	hase	•											

Environmental and Social Receptors Project Phase and Activity	Ambient Air Quality	Surface Water Quality	Surface Water Quantity	Ground Water Quality	Ground Water Quantity	Land degradation/ pollution	Trees, terrestrial and aquatic vegetation	Terrestrial fauna	Aquatic fauna	Govt. Land and private buildings/flats	Public property/infrastructure/ utility structures	Noise	Vibration	Occupational health and safety	Community health and safety	Physical cultural resources
Pollution from sewage and liquid waste from stabling yard and Stations																
Noise levels exceeding baseline levels by more than 3dBA and causing disturbance to residents and identified receptors near project alignment and stabling yard																
Vibration caused by RRTS operations felt by residents and sensitive receptors living near and above ground of the project alignment. Damage caused to structures near and above ground of the project alignment due to vibrations caused by RRTS operation.																
Accidents, injuries to RRTS operational staff																

Note: The activity-impact interaction matrix has considered one single project component, i.e. the wind farm site.



⁼ Represents interactions reasonably possible but none of the outcome will lead to significant impacts = Represents interactions reasonably possible with one of the outcomes leading to potential significant impact

Table 19: Identified interactions that are likely to result in significant impacts

Interaction (between Project	actions that are likely to result in significant impacts Justification for Expectation of Potentially Significant
Activity and	Impacts
Resource/Receptor)	
Air quality	The project area suffers from extremely poor air quality including
	extremely high PM10 and PM2.5 levels especially during the dry
	winter months due to a combination of: i) burning of crop residue
	in agricultural fields in nearby states; ii) emissions from heavy
	traffic on the highway; and iii) pollutants being trapped due
	inversion layer of air created by the cooler winter temperatures.
Water resources	The stabling yard at Jangpura will include the facilities for
	washing trains, operating and maintaining locos and trains,
	workshops and office. These facilities will generate liquid wastes
	including sewage, oil, grease and chemicals. Oil spillage during
	change of lubricants, cleaning and repair processes, in the
	stabling yard is a common occurrence.
	The communities living near the stabling yard areas that rely on
	ground water for domestic purposes could face problems of ground water contamination if there are no proper sewage and
	waste-water treatment facilities in the yard. There is potential for
	surface water bodies also to get polluted from polluted ground
	water channels that are linked to them. The connecting line
	alignment is crossing waste water drain with no pier casting work
	in water reservoir area. Since there is no surface water body near
	the yard, the risk of surface water pollution through ground water
	connections also does not exist for the yard.
Solid waste	Approximately 20000 cum of muck is expected to be generated
	from excavation works for the piers in the elevated section and
	various buildings in the stabling yard.
	In addition, about 5000 cum of construction and demolition (C&D)
	waste is likely to be generated from dismantling the existing
	structures and pavement. C&D wastes include concrete, stones
	and dirt generated during excavation from piles, residual cement
	bags, residual steel scrap, excess construction material stacked at site etc. It is a waste stream that is separate and distinct from
	residential and commercial waste.
Govt. Land and private	The project passes through urbanized area requiring the
buildings/flats	acquisition of Govt. land with 3 occupancy tenants; regarding
g-,g	ownership of land confirmation is being obtained from Govt
	agencies and land is lying as barren land without any physical
	presence of any occupant. In addition 8 flats owned by individual
	households in an apartment/building /flats are coming within the
	shadow of the viaduct. To avoid inconvenience to the residents
	of these flats, these 08 individual flats needs to be acquired or
	relocated or temporarily shifted as per the discussion and mutual
	agreement with the flat owners.
Public property/infrastructure/ utility structures	Electrical utilities and drainage lines will require shifting.
Vibration	There are few structures located near the elevated section.
Noise	The existing baseline noise levels in the project area are above
	the GOI permissible limits and WB-EHS limits.
Occupational health and safety	The project area already experiences some road and railway
	track safety issues due to the heavy traffic plying.
Public health and safety	The project area already experiences some road and railway
	track safety issues due to the heavy traffic plying.
	<u> </u>

88. Impact identification and assessment starts with scoping and continues through the remainder of the Impact Assessment (IA) Process. The principal IA steps are summarized below and comprises of:

- **Impact prediction:** to determine what could potentially happen to resources/receptors as a consequence of the Project and its associated activities.
- **Impact evaluation:** to evaluate the significance of the predicted impacts by considering their magnitude and likelihood of occurrence, and the sensitivity, value and/or importance of the affected resource/receptor.
- **Mitigation and enhancement:** to identify appropriate and justified measures to mitigate negative impacts and enhance positive impacts.
- **Residual impact evaluation:** to evaluate the significance of impacts assuming effective implementation of mitigation and enhancement measures.




Figure 13: Impact Assessment Process

Prediction of Impacts

89. Prediction of impacts should be carried out with an objective to determine what is likely to happen to the environment as a consequence of the Project and its associated activities. From the potentially significant interactions identified in Scoping, the impacts to the various resources/receptors were elaborated and evaluated.

Evaluation of Impacts

90. Each impact was described in terms of its various relevant characteristics (e.g., type, scale, duration, frequency, extent). The terminology used to describe impact characteristics is given below.

Table 20: Impact Characteristic Terminology

Characteristic	Definition	Designations
Туре	A descriptor indicating the relationship of the	Direct
	impact to the Project (in terms of cause and	Indirect
	effect)	Induced

Characteristic	Definition	Designations
Extent	The "reach" of the impact (e.g., confined to a	Local
	small area around the Project Footprint,	National
	projected for several kilometres, etc.)	Global
Duration	The time period over which a resource/	Temporary
	receptor is affected.	Short-term
		Long-term
		Permanent
Scale	The size of the impact (e.g., the size of the	[no fixed designations;
	area damaged or impacted, the fraction of a	intended to be a numerical
	resource that is lost or affected, etc.)	value or a qualitative
		description of "intensity"]
Frequency	A measure of the constancy or periodicity of	[no fixed designations;
	the impact.	intended to be a numerical
		value or a qualitative
		description]

91. The definitions for the type designations are given below. Definitions for the other designations are resource/receptor-specific.

Table 21: Impact Type Definitions

Туре	Definition
Direct	Impacts that result from a direct interaction between the Project and a resource/ receptor
Indirect	Impacts that follow on from the direct interactions between the Project and its environment as a result of subsequent interactions within the environment
Induced	Impacts that result from other activities (which are not part of the Project) that happen as a consequence of the Project.

92. The above characteristics and definitions apply to planned and unplanned events. An additional characteristic that pertains only to unplanned events is likelihood. The likelihood of an unplanned event occurring was designated using a qualitative scale, as described below.

Table 22: Definitions for Likelihood Designations

Likelihood	Definition	
Unlikely	The event is unlikely but may occur at some time during normal	
	operating conditions (probability less than 20%)	
Possible	The event is likely to occur at some time during normal operating	
	conditions (probability greater than 20% and less than 50%)	
Likely	The event will occur during normal operating conditions (probability	
	greater than 50%	

- 93. Once an impact's characteristics were defined, each impact was assigned a 'magnitude'. Magnitude is typically a function of a combination (depending on the resource/receptor in question) of the following impact characteristics:
 - Extent
 - Duration
 - Scale
 - Frequency
- 94. In case of unplanned events only, magnitude incorporates the 'likelihood' factor discussed above. Magnitude essentially describes the intensity of the change that was predicted to occur in the resource/receptor as a result of the impact. As discussed above, the magnitude designations themselves are universally consistent, but the descriptions for these

designations vary on a resource/receptor-by-resource/receptor basis. The universal magnitude designations are:

- Positive
- Negligible
- Small
- Medium
- Large
- 95. In the case of a positive impact, no magnitude designation (aside from 'positive') was assigned. It was considered sufficient for the purpose of the IA (Impact Assessment) to indicate that the Project was expected to result in a positive impact, without characterising the exact degree of positive change likely to occur. In the case of impacts resulting from unplanned events, the same resource/ receptor-specific approach to concluding a magnitude designation was followed, but the 'likelihood' factor was considered, together with the other impact characteristics, when assigning a magnitude designation.
- 96. In addition to characterising the magnitude of impact, the other principal impact evaluation step was definition of the sensitivity/ vulnerability/ importance of the impacted resource/receptor. There are a range of factors that was taken into account when defining the sensitivity/ vulnerability/ importance of the resource/receptor, which may be physical, biological, cultural or human. Other factors were also considered when characterising sensitivity/ vulnerability/importance, such as legal protection, government policy, stakeholder views and economic value. The sensitivity/ vulnerability/importance designations used herein for all resources/receptors are:
 - Low
 - Medium
 - High
- 97. Once magnitude of impact and sensitivity/ vulnerability/ importance of resource/ receptor have been characterised, the significance was assigned for each impact. Impact significance is designated using the matrix shown in Figure 14.

Figure 14: Impact Significance

Sensitivity/Vulnerability/importance of Resource/Receptor Low Medium High Negligible Negligible Negligible Negligible Small Negligible Minor Moderate Magnitude of Impact Medium Minor Moderate Major Large Moderate Major Major

- 98. The matrix applies universally to all resources/receptors, and all impacts to these resources/receptors, as the resource/receptor-specific considerations are factored into the assignment of magnitude and sensitivity/ vulnerability/ importance designations that enter into the matrix. Box provides a context of what the various impact significance ratings imply.
- 99. It is important to note that impact prediction and evaluation takes into account any embedded controls (i.e., physical or procedural controls that are already planned as part of the Project design, regardless of the results of the IA Process).

Box 1 Context of Impact Significances

An impact of negligible significance is one where a resource/ receptor (including people) will essentially not be affected in any way by a particular activity or the predicted effect is deemed to be 'imperceptible' or is indistinguishable from natural background variations.

An impact of minor significance is one where a resource/ receptor will experience a noticeable effect, but the impact magnitude is sufficiently small and/or the resource/receptor is of low sensitivity/ vulnerability/ importance. In either case, the magnitude should be well within applicable standards/ guidelines.

An impact of moderate significance has an impact magnitude that is within applicable standards/guidelines, but falls somewhere in the range from a threshold below which the impact is minor, up to a level that might be just short of breaching a legal limit. Clearly, to design an activity so that its effects only just avoid breaking a law and/or cause a major impact is not best practice. The emphasis for moderate impacts is therefore on demonstrating that the impact has been reduced to a level that is as low as reasonably practicable (ALARP). This does not necessarily mean that impacts of moderate significance have to be reduced to minor, but that moderate impacts are being managed effectively and efficiently.

An impact of major significance is one where an accepted limit or standard may be exceeded, or large magnitude impacts occur to highly valued/sensitive resource/receptors. An aim of IA is to get to a position where the Project does not have any major residual impacts, certainly not ones that would endure into the long-term or extend over a large area. However, for some aspects there may be major residual impacts after all practicable mitigation options have been exhausted (i.e. ALARP has been applied). An example might be the visual impact of a facility. It is then the function of regulators and stakeholders to weigh such negative factors against the positive ones, such as employment, in coming to a decision on the Project.

a. Identification of Mitigation and Enhancement Measures

100. Once the significance of an impact has been characterised, the next step was to evaluate what mitigation and enhancement measures are warranted. For the purposes of this IA, the following Mitigation Hierarchy should be adopted:

- Avoid at Source, Reduce at Source: avoiding or reducing at source through the design of the Project.
- Abate on Site: add something to the design to abate the impact.
- **Abate at Receptor:** if an impact cannot be abated on-site then control measures can be implemented off-site.
- Repair or Remedy: some impacts involve unavoidable damage to a resource (e.g. agricultural land and forestry due to creating access, work camps or materials storage areas) and these impacts can be addressed through repair, restoration or reinstatement measures.
- Compensate in Kind, Compensate Through Other Means: where other mitigation approaches are not possible or fully effective, then compensation for loss, damage

and disturbance might be appropriate (e.g., planting to replace damaged vegetation, financial compensation for damaged crops or providing community facilities for loss of fisheries, access, recreation and amenity space).

101. The priority in mitigation was to first apply mitigation measures to the source of the impact (i.e., to avoid or reduce the magnitude of the impact from the associated Project activity), and then to address the resultant effect to the resource/receptor via abatement or compensatory measures or offsets (i.e., to reduce the significance of the effect once all reasonably practicable mitigations have been applied to reduce the impact magnitude).

b. Management and Monitoring

- 102. The final stage in the IA Process was the definition of the basic management and monitoring measures that are needed to identify whether: a) impacts or their associated Project components remain in conformance with applicable standards/ guidelines; and b) mitigation measures are effectively addressing impacts and compensatory measures and offsets are reducing effects to the extent predicted. This is covered in under Environmental Management Plan (EMP).
- 103. **Area of impact assessment.** The area covered for assessing **direct project impacts** for environment effect purpose include:
 - (i) An average of 25m corridor along the RRTS elevated section. This includes 10m on the left, 5m pier width and 10m on the right
 - (ii) An average of 100m surrounding the station locations for both elevated and at grade station
 - (iii) Up to 100m surrounding to the stabling yard

The area of direct project impacts has been defined in line with the main alignment. Although, the impacts related to noise, vibration, community health and safety have been identified for a larger distance and accordingly mitigation measures have been embedded and considered in the design.

In addition, a 4km strip throughout the project alignment was studied for **indirect impacts**.

Sensitivity Criteria

104. The sensitivity criteria is outlined below respectively.

Table 23: Sensitivity Assessment Criteria

Sensitivity	Criteria
Low	No environmentally important areas (such as protected areas, natural or critical habitat areas, heritage sites, places of worship etc.) are located within the direct and indirect impact zone. The quality of existing conditions of VECs are good or fair.
Medium	There are one or more environmentally important areas within the indirect impact zone of the project area. The quality of existing conditions of VECs are good or fair.
High	There are one or more environmentally important areas within the direct impact zone of the project area. The quality of existing conditions of the VECs are poor or degraded (such as poor air quality, high noise levels, poor water quality).

Nature

105. The nature of impact can be described as:

Table 24: Nature of Impact

Nature of Impact	Critoria
Positive	Improvement in the quality of the VECs because of the project
Negative	Degradation or reduction in the quality of the VECs because of the project
Neutral	No noticeable change in VECs

Impact Duration

Table 25: Duration of Impact

Impact Duration	Criteria
Short-lived	The impact disappears promptly
Temporary	The impact is felt during one project activity or, at most,
-	during the construction period of the project
Permanent	The impacts are felt throughout the life of the
	infrastructure

Impact Extent

106. The extent of impact entails the spatial scale of impact on one or more of the VECs. The terms regional, local and limited are used to describe the area of impact

Table 26: Extent of Impact

Impact Extent	Criteria
Limited	The impact is felt within the direct impact zone
Local	The impact is felt within the indirect impact zone
Regional	The impact is felt beyond the indirect impact zone

Impact Significance

107. The significance of an impact entails understanding the repercussion or risks posed by the impact. This is a subjective criteria which is defined as high, medium or low as below:

Table 27: Significance of Impact

Impact Extent	Criteria
High	The significance of impact is high if grave repercussions are expected as a result of the impact due to any of the following or similar situations: the impact will be felt by a large number of people or receptors; the receptors are highly sensitive; the impacts will cause serious health issues; there is already a history of complaints from the project area and people have raised significant concerns during public consultation; some of the VEC in the project area already severely degraded and maybe further worsened by the project; there will be a significant change in one or more VEC because of the project
Medium	The significance of impact is medium due to any of the following or similar situations: the impact will be felt by a small number of people; some receptors are affected but they are not sensitive; the impact will not cause serious health issues; some concerns were raised during public consultations, but they were not significant; there will be minor changes in one or more VEC because of the project
Low	The significance of impact is low due to any of the following or similar situations: the impact will not be felt by anyone; no or limited receptors are affected; no concerns were raised during public consultations; there will be no noticeable changes in one or more VEC because of the project.

Impacts on Air Quality

108. For the impact assessment, following phases of the project cycle were considered for potential impacts on air quality. The phase wise activities that may impact the air quality are as described below:

i. Design and pre-construction stage

109. The project is designed to enable movement of people in a more efficient and environment friendly manner by using the train run on cleaner energy (electricity) as opposed to vehicles using pollution emitting petroleum-based fuels. Hence, the air quality within the local project influence area is expected to improve.

ii. Construction

Context:

- Excavation works for elevated sections. (total of 12960 m³ of material will be excavated)
- Operation of equipment, machinery and construction vehicles
- Hauling of excavated material
- 110. <u>Impact:</u> Deterioration in ambient air quality is expected during construction due to generation of dust from excavation and earthworks, exhaust and emissions from operation of equipment and movement of trucks transporting construction materials and equipment. However, the spatial scale of these impacts will be limited to the active project construction sites and locations that will be traversed by trucks transporting construction material. The severity of impacts are expected to be medium as only those people or receptors that are

located within the immediate vicinity of the active construction sites and construction vehicle movement areas will experience the effects of dust and air pollution. These impacts will be experienced only during the construction stage. Based on this, the significance of impacts on air quality during construction is rated as moderate.

Mitigation Measures

111. Generation of dust can be controlled by optimizing the use of soil material from areas within the vicinity of the project area and avoiding transporting them from far distances. Regular spraying of water at the construction sites and vehicle movement areas must be carried out to control dust. All vehicles, equipment and machinery used for construction must be regularly maintained and emission test certificates updated to ensure that the emission levels are within the prescribed norms of CPCB. Unnecessary idling of equipment and vehicles will be avoided. Vehicles carrying earth, cement and other construction material shall be appropriately covered during transportation in order to avoiding spilling and blowing away of material along the road. Green belt development will also serve an effective way to reduce air pollution. Some of the effective species which absorb air pollutants are Azadirachta indica, Terminalia chebula, Dalbergia sissoo, Albizia amara and Mangifera indica are proposed under greenery development.

Residual Impact Significance

112. After implementation of the mitigation measures described above residual impacts are expected to be minor.

Table 28: Impact on Air Quality during construction stage

Table 20	. IIIIpaci c	<u>/ </u>	Que	iiity ut	41 111	y const	uci		stage		
Impact	-Generation of dust from excavation works; transport of excavated material (in uncovered trucks), re-suspension of dust from road surface -Generation of exhaust and emissions from operation of equipment and machinery										
Impact Nature	Negative			Positiv	е			Neut	ral		
Impact Type	Direct			Indirect				Induc	ed		
Impact Duration	Temporary		Short	-term		Long-teri	n		Perma	nent	
Impact Extent	Local			Region	al			Intern	ational		
Impact Scale		Limited to construction site and locations that will be traversed by trucks transporting construction material.									
Frequency	Construction	Construction phase									
Likelihood	Likely										
Impact Magnitude	Positive	Ν	legligib	le	Sr	nall	Med	dium		Large	
Resource Sensitivity	Low			Medium H				High	igh		
lung of Cinnificance	Negligible		Minor			Moderate)		Major		
Impact Significance	Significance	of impa	act is co	onsidere	d mo	derate					
		Residu	ial Imp	act Sigi	nifica	nce					
Residual Impact Magnitude	Positive	Positive Negligible Small Medium Large									
Resource Sensitivity	Low				Med	ium			High		
Residual Impact	Negligible		Minor			Moderate	9	•	Major		
Significance	Significance	Significance of impact is considered minor									

iii. Operational phase:

Impact: The project is expected to result in modal shift of passengers from road to the project rail. With this it is expected that traffic on road (buses, cars and two/three wheelers) will reduce

and there will be less traffic jams. Hence, overall the air quality within the project influence area will improve due to reduced emissions from road traffic.

The traffic studies carried out for Delhi-Meerut RRTS main line found that over the 29-year design life of the project from 2025 until 2054 there will be a net reduction of about 7.4 million tons of CO2 with an average reduction of over 258,000 tons per annum.

Surface water quality and quantity

i. <u>Design and pre-construction stage</u>

<u>Impact:</u> Location of the connecting line and stabling yard can have long term implications on the <u>quality of nearby water bodies</u> (river and ponds) due to discharge of sewage and wastewater generated from operation of stations area for connecting line and at the stabling yard. Since, there is no station proposed near drain crossing the connecting line. Hence, no wastewater generation and discharge is anticipated in drain. However, without proper wastewater and sewage treatment facilities in the stabling yard and RRTS station at stabling yard, there is a risk of the surrounding environment mainly surface water bodies to receive the untreated wastewater. However, the stabling yard and RRTS station at Jangpura is not located near any fresh water stream, river or pond. Hence, there is no surface water pollution risk from the stabling yard. Hence, the severity of the impact is low.

Similarly, the location of the stabling yard and RRTS station also has long term implications on the **<u>quantity of water</u>**. However, considering that this is a risk on the local water supply system and not for the surface water bodies in the project area.

<u>Mitigation Measures:</u> The risk of water pollution from the stabling yard and RRTS station can easily be mitigated by including a proper sewage treatment system such as a septic tank within the design of the stabling yard facility. It is expected that other forms of wastewater such as from washing and cleaning will not have any toxic chemicals or severely polluting properties. Hence, they could be released into the connecting urban drainage facilities. Monitoring of wastewater generated from the stations during the initial stages of project operation will be required to be carried out to confirm that the water does not contain any harmful pollutants.

<u>Residual impact:</u> With the inclusion of septic tanks and other sewage treatment measures in the stabling yard and for RRTS station and provision for monitoring the grey water discharged from it, the residual impact is expected to be minor and negligible.

Table 29: Impact on Surface water quality and quantity during design and preconstruction stage

Impact	Pollution of river from release of raw sewage and untreated wastewater										
Impact Nature	Negative		Positive				Neut	Neutral			
Impact Type	Direct		Indirect				Induc	ed			
Impact Duration	Temporary	Short	-term		Long-tern	n		Perma	nent		
Impact Extent	Local		Regional				Intern	ational			
Impact Scale	No rivers/water bo (Open Sewer Drain the connecting line	n) havin	g poor wat	er qı	ıality. No s	urfa					
Frequency	Construction phas	е									
Likelihood	Not likely										
Impact Magnitude	Positive	Negligib	le	Sma	all	Ме	dium		Large		
Resource Sensitivity	Low Medium High										
Impact Significance	Negligible										

Significance of impact is considered minor										
Residual Impact Significance										
Residual Impact										
Resource Sensitivity	Low				Mediu	ım	High			
Residual Impact	Negligible Minor					Moderate	Major			
Significance	Significance	of impa	ct is co	onsidere	d negl	igible to minor				

ii. Construction stage

Context:

- Use of water for project construction
- Release of construction waste (solid and liquid) into nearby water bodies

<u>Impact:</u> Water demand will be high during project construction for meeting drinking and domestic water requirements for the camp sites as well as construction activities in the project sites along the RRTS alignment and stabling yard. If the project depends on the local water supply system this will cause a strain on the local water supply and may result in inadequate or no water for the local residents.

Pollution of water bodies near the project site due to release/disposal of liquid and solid waste generated from construction activities and campsite may occur. No rivers/water bodies are transverse by the proposed alignment except a Nalla (Open Sewer Drain) having poor water quality.

Considering that spatial scale of these impacts is limited to the vicinity of the project construction sites and the effects will be felt only during the construction period, the overall significance of impacts on surface water quality and quantity is rated as low.

<u>Mitigation measures</u>: The project will avoid relying on local water supply system for meeting water needs for construction activities and camp sites to the extent possible. The wastewater generated in labour camp will be managed by providing septic tanks/soak pits, to be constructed after Consent to Establish & Operate from pollution control committee. The septic tanks will be constructed of with impermeable chambers and will be cleaned time to time through approved service provider. Sufficient volume of water for construction purpose will be sourced from approved sources in the project area with due approvals from concerned authorities. If water is required to be sourced from the local water supply system, it will be done with prior approvals and quantities extracted must avoid any negative impact on the residents living in the vicinity of project area.

Liquid waste that will be generated from piling works such as polymer muck shall be disposed in designated disposal areas. Disposal areas for all solid wastes generated from construction activities will be selected in co-ordination with the local municipal and environmental authorities.

<u>Residual impact:</u> After implementation of the mitigation measures described above residual impacts are expected to be minor.

Table 30: Impact on Surface Water Quality and Quantity during construction stage

Impact	-Pollution of water bodies due to release/disposal of liquid and solid waste generated from construction activities and campsites							
	-Worsening of the quality of	of the already highly polluted i	Nalla near Barapulla flyover					
Impact Nature	Negative	Positive	Neutral					

Impact Type	Direct			Indirect				Induced			
Impact Duration	Temporary		Short	-term		Long-term		Perma		nent	
Impact Extent	Local			Regiona	al			Interr	ational		
Impact Scale	No rivers/wa (Open Sewe the connection	r Drair) havin	g poor w	ater qu	ıality. No s	urfa			ept a Nalla ıtion risk from	
Frequency	Construction	phase)								
Likelihood	Not likely										
Impact Magnitude	Positive	1	Negligib	le	Small N			dium		Large	
Resource Sensitivity	Low			Medium High							
Impact Cignificance	Negligible		Minor	Moderate					Major		
Impact Significance	Significance	of imp	act is c	onsidere	d min d	or					
		Resid	ual Imp	act Sigr	nifican	ce					
Residual Impact Magnitude	Positive	Negli	gible	Small	mall Medium				Large		
Resource Sensitivity	Low Medium I						High	•			
Residual Impact	Negligible		Minor	Moderate				Major			
Significance	Significance	of imp	act is c	onsidere	d min c	or					

iii. Operation stage

- 113. <u>Impact:</u> As discussed in the design and pre-construction stage, the stabling yard can have long term implications on the <u>quality of nearby water bodies</u> (river and ponds) due to discharge of sewage and wastewater generated from operation of the connecting line from toilet facility at station and stabling yard.
- 114. The connecting line alignment is crossing wastewater drain at Ch 1.350, there is no station proposed in between on this alignment except at Jungpura. The stabling yard is not located near any stream, river or pond. Hence, there is no surface water pollution risk from the connecting line and stabling yard.
- 115. The risk of pollution from wastewater and sewage is limited to stabling yard and RRTS station. The severity of the impact is low as no receiving receptor (waterbody/river) will be affected is located within the immediate vicinity of the stabling yard campus. The pollution impact though small in spatial scale will be long term. Hence, the overall significance of the impact is rated as low.
- 116. <u>Mitigation Measures:</u> The toilet at station areas will be connected with city sewage network to collect generated wastewater for treatment at common STP. At the stabling yard, package type sewage treatment plants of adequate capacity shall be installed. It is expected that other forms of wastewater such as from washing and cleaning will not have any toxic chemicals or severely polluting properties. Hence, they could be released into the connecting urban drainage facilities. Monitoring of wastewater generated from the stabling yard during the initial stages of project operation will be required to be carried out to confirm that the water does not contain any harmful pollutants.
- 117. <u>Residual impact</u>: The recommended mitigation measures can be easily implemented and in fact sewage treatment systems (mainly septic tanks) have already been included in the stabling yard design. The operation stage environmental monitoring plan includes requirements for monitoring the effluent quality from the stabling yard. Hence, the residual impact is expected to be negligible.

Table 31: Impact on Surface Water Quality and Quantity during Operation stage

J -										
Impact	Pollution of already heavily polluted Nalla near Barapulla flyover from release of raw sewage and untreated waste- water									
Impact Nature	Negative			Positiv	е			Neut	ral	
Impact Type	Direct			Indirect				Induc	ed	
Impact Duration	Temporary		Short	-term		Long-terr	n		Perma	inent
Impact Extent	Local			Region	al			Interr	national	
Impact Scale	Stabling yard	and st	tation							
Frequency	Operation ph	ase								
Likelihood	Not likely	Not likely								
Impact Magnitude	Positive	N	legligib	le	Small Med			dium		Large
Resource Sensitivity	Low			Mediun	1					
Impact Cignificance	Negligible		Minor	,	Moderate				Major	
Impact Significance	Significance	of impa	act is c	onsidere	d min e	or				
	ı	Residu	ıal İmp	act Sigi	nifican	се				
Residual Impact Magnitude	Positive	Neglig	ible	Small	Mediu	ım			Large	
Resource Sensitivity	Low				Mediu	ım			High	
Residual Impact	Negligible		Minor	Moderate			Major			
Significance	Significance	of impa	act is c	onsidere	d negl	igible.		•		

Ground water quality and quantity

i. <u>Design and pre-construction stage</u>

Impact: Location of stabling yard can have long term implications on the **<u>quality of ground</u> water** in the project area due to discharge of sewage and wastewater generated from it.

The stabling yard at Jangpura will include the facilities for washing trains, operating and maintaining locos and trains, workshops and office. These facilities will generate liquid wastes including sewage, oil, grease and chemicals. Oil spillage during change of lubricants, cleaning and repair processes, in the stabling yard is a common occurrence.

The communities living near the stabling yard areas that rely on ground water for domestic purposes could face problems of ground water contamination if there are no proper sewage and waste-water treatment facilities in the yard. There is potential for surface water bodies also to get polluted from polluted ground water channels that are linked to them. The connecting line alignment is crossing wastewater drain with no pier casting work in water reservoir area. Since there is no surface water body near the yard, the risk of surface water pollution through ground water connections also does not exist for the yard.

The risk of ground water pollution from sewage and wastewater exists in stabling yard of the project. The severity of the impact is considered moderate (considering the scale of project) due to the possibility of harmful pollution that may affect human health. The depots may release chemical and petroleum waste into the ground water which could affect communities nearby that rely on ground water for domestic purposes. Pollution from raw sewage may negatively affect ground water. The pollution impact in terms of spatial scale will be localized within the project influence area (direct and indirect impact zone). However, in the absence of mitigation measure the pollution impact will be long term. Hence, the overall significance of the impact is rated as moderate.

The project area enjoys good supply of ground water resources. However, the location and design of water supply system can have long term implications on the **quantity of ground water resources**. The continuous extraction of large quantities of ground water can result in reduced supply of ground water for the communities living in and around the project that rely on ground water for domestic purposes. Considering that the project area is linear and small and is not located near densely populated settlement the severity of the impacts could be moderate and long term. Hence, without mitigation the significance of the overall impacts on ground water quantities is also rated as moderate.

Mitigation Measures: The risk of ground water pollution from the stabling yard can easily be mitigated by including a sewage treatment facilities and wastewater treatment facilities in the yard. NCRTC will arrange to prepare a detailed storm water drainage plan, wastewater management plan and sewage treatment system to be included in the final design of Stabling yard facilities.

For treating effluents generated in the yard, the effluent treatment system will include oil and grease traps. The collected oil and grease will then be provided to authorized collectors to avoid any soil, underground/ surface water contamination. The detailed design of plant for treatment of waste water generated from stabling yard will be included in final design of stabling yard facilitates.

The risk of depleting ground water resources can be addressed by sourcing water from existing water supply systems (municipality) with adequate capacity. Tube wells to extract ground water can be installed and quantities of water extracted will be in accordance with the CGWA approval and will avoid any negative impacts on ground water resources.

Monitoring of ground water quality in areas in and near the stations and depots will be required in operation stage environmental monitoring.

Residual impact: With the implementation of the mitigation and monitoring measures described above it is expected that the residual impacts will be minor.

Table 32: Impact on Ground water quality and quantity during design and preconstruction stage

				<u> </u>	- 11.9 -					
Impact	Pollution of ground water from release of raw sewage and untreated wastewater from the stabling yard and RRTS station. Depletion of ground water resources because of the Sarai Kale Khan - Jangpura Stabling Yard line, RRTS station and stabling yard.									
Impact Nature	Negative			Positiv	е			Neut	ral	
Impact Type	Direct			Indirect				Induc	ed	
Impact Duration	Temporary		Short	-term		Long-tern	n		Perma	nent
Impact Extent	Local			Region	al			Intern	ational	
Impact Scale	Communities	s living	in and	around 1	he pro	ject				
Frequency	Design phas	Design phase								
Likelihood	Likely									
Impact Magnitude	Positive	Ν	legligib	le	Sma	all	Med	lium		Large
Resource Sensitivity	Low			Mediun	า			High		
Impact Significance	Negligible		Minor	,		Moderate)		Major	
impact Significance	Significance	of impa	act is c	onsidere	d mod	erate				
		Residu	ıal İmp	act Sig	nifican	ce				
Residual Impact Magnitude	Positive	Positive Negligible Small Medium Large								
Resource Sensitivity	Low				Mediu	ım			High	
	Negligible		Minor			Moderate)		Major	

ii. Construction stage

Context:

- Generation of domestic solid and liquid waste from construction camps
- Release of chemicals, fuels, lubricants and other hazardous wastes
- Generation of sewage from construction camps
- Generation of waste water from construction camps, batching plant, casting yard and other construction sites

Impact: As described under impacts on surface water, there will be a high demand for water during construction to meet drinking and domestic water needs for the camp sites as well as construction activities in the construction sites along the RRTS alignment and yard location. If the project depends on the local water supply system this will cause a strain on the local water supply and may result in inadequate or no water for the local residents.

There may be pollution of ground water from toilets in the construction camp sites. Construction workers themselves may get sick if sourcing drinking water from wells. Local communities living near the camp site may get sick too if they are sourcing drinking water or water for domestic use from the ground water supplies. There may also be depletion in ground water resources if (approx. 27 kld) large quantities of water are extracted for domestic use by workforce during construction phase, no ground water will be used for construction activities.

These impacts of pollution and depletion of ground water quantities will be felt only during the construction period and will be limited to the vicinity of the project construction sites and camp sites. Hence, the overall significance of impacts on ground water quality and quantity is rated as moderate.

Mitigation measures: Camps will not be located immediately next to communities. For construction camps that extract ground water for drinking and domestic purposes it will be ensured that the tube well and septic tanks are located far away from each other to avoid cross contamination.

If ground water extraction is needed for construction purposes it will be done with appropriate approvals from CGWA and quantities extracted will follow the requirements of the approval or avoid any negative impact on the residents living in the vicinity of project area.

Residual impact: After implementation of the mitigation measures described above residual impacts are expected to be minor.

Table 33: Impact on Ground Water Quality and Quantity during Construction stage

			<u>J</u> -							
Impact	-Pollution of gro	-Pollution of ground water due to release of sewage -Pollution of ground water due to release of waste -water contaminated with fuels, oils, chemicals from construction camps and construction sites								
Impact Nature	Negative	Negative Positive Neutral								
Impact Type	Direct	Direct Indirect				ced				
Impact Duration	Temporary	Short	-term	Long-term		Permanent				
Impact Extent	Local		Regional		Interr	national				
Impact Scale	Limited to the v	Limited to the vicinity of the project construction sites and camp sites								
Frequency	Construction ph	Construction phase								

Likelihood	Likely	Likely									
Impact Magnitude	Positive Negligible Small Medium								Large		
Resource Sensitivity	Low			Medium	1			High			
Impact Cignificance	Negligible		Minor			Moderate	;		Major		
Impact Significance	Significance of impact is considered moderate										
	Residual Impact Significance										
Residual Impact Magnitude	Positive	Neglig	ible	Small	Mediu	ım			Large		
Resource Sensitivity	Low				Mediu	ım			High		
Residual Impact	Negligible Minor Moderate Major										
Significance of impact is considered minor											

iii. Operation stage

Impact: Operation of stabling yard and RRTS station can have long term implications on the **quality of ground water** in the project area due to discharge of sewage and wastewater generated from operation of the yard. The communities living near the yard area that rely on ground water for domestic purposes could face problems of ground water contamination if there are no proper sewage and waste-water treatment facilities in the yard. There is potential for surface water bodies to also get polluted from polluted ground water channels that are linked to them. Since, there is no surface water body near the proposed stabling yard, hence the risk of surface water pollution through ground water connections also does not exist for the yard.

The risk of ground water pollution from sewage and wastewater exists in stabling yard of the project. The severity of the impact is considered moderate (considering the scale of project) due to the possibility of harmful pollution that may affect human health. The depots may release chemical and petroleum waste into the ground water which could affect communities nearby that rely on ground water for domestic purposes. Pollution from raw sewage may negatively affect ground water. The pollution impact in terms of spatial scale will be localized within the project influence area (direct and indirect impact zone). However, in the absence of mitigation measure the pollution impact will be long term. Hence, the overall significance of the impact is rated as moderate.

The project area enjoys good supply of ground water resources. However, poor design of water supply systems for the yard can have long term implications on the **quantity of ground water resources**. Water requirement at the yard is estimated to be about 87,000 liters per day for including water requirement for drinking.

The continuous extraction of large quantities of ground water for activities can result in reduced supply of ground water for the communities living in and around the project that rely on ground water for domestic purposes. Given that ground water resources are not constrained and most of the communities along the project alignment have organized water supply systems (such as the municipal water supply network) the significance of the overall impacts on ground water quantities is rated as moderate.

Mitigation Measures: The risk of ground water pollution from the yard can easily be mitigated by including sewage treatment facilities and wastewater treatment facilities in yard's design. Wastewater treatment plants will be installed at yard having oil and grease interceptors connected with the wastewater treatment plant which is capable of removing petroleum contaminants and can meet national standards. Oil traps in heavy machinery areas will be created to collect oil based materials. Similarly, sedimentation basins would be established prior to the water discharge point to reduce the sedimentation load in the storm water. Since

RRTS rail is operated through electricity, there will be lesser risk of pollution from petroleum based fuels.

- 118. The risk of depleting ground water resources can be addressed by sourcing water from existing water supply systems (municipality) with adequate capacity. Tube wells to extract ground water can be installed and quantities of water extracted will be in accordance with the CGWA approval and will avoid any negative impacts on ground water resources. Rainwater harvesting structures have been included in the design of station to help conserve and store water. Sewerage and storm water drainage in the depots will be designed to enable treatment and reuse. The groundwater level is high at proposed Stabling yard, Jangpura complex. Hence, the possibility of rainwater harvesting structure will be explored and implemented following geo-technical study results.
- 119. Monitoring of ground water quality in areas in and near the yard will be required during operation stage environmental monitoring.
- 120. Recharging of ground water resources if required could be done by:
 - (i) re-injecting the pumped discharge back into the ground.
 - (ii) Temporary cut-off walls: If there is a concern that permanent cut-off walls will affect the long term groundwater flow regime, due to the barrier effect, then it may be possible to use temporary cut-off techniques. For example, steel sheet-piles that can be withdrawn at the end of the project, or artificial ground freezing, which will eventually thaw and allow groundwater flow to pass.
 - (iii) Localized groundwater cut-off walls: Where there is a specific receptor to be protected, such as a wetland or sensitive structure, it may be possible to install a localized section of cut-off wall or grout curtain between the dewatering system and the receptor, to reduce the drawdown at the receptor.
 - (iv) Protection of individual receptors: If there are only a small number of isolated receptors, it may be more cost effective to simply fix or prevent the problem directly at the receptor, for example by underpinning the foundations of a sensitive structure, or by providing a new piped water supply to replace a well where lowering of water levels has reduced the yield.
- 121. **Residual impact**: With the implementation of the mitigation and monitoring measures described above it is expected that the residual impacts will be minor.

Table 34: Impact on Ground Water Quality and Quantity during Operation stage

Impact	Ground water pollution due to discharge of untreated sewage and wastewater generated from operation of the yard and RRTS station								stewater		
Impact Nature	Negative Positive Neutral										
Impact Type	Direct		Indirect				Induc	ed			
Impact Duration	Temporary	Short	-term		Long-terr	n		Perma	nent		
Impact Extent	Local	Local Regional International									
Impact Scale	Communities near the RRTS station and stabling yard										
Frequency	Operation phase										
Likelihood	Likely										
Impact Magnitude	Positive	Negligib	le	Sma	all	Med	dium		Large		
Resource Sensitivity	Low		Medium				High				
Impact Cianificance	Negligible	Minor			Moderate	;		Major			
impact Significance	Impact Significance Significance of impact is considered moderate										
Residual Impact Significance											

Residual Impact Magnitude	Positive	Negligi	ble	Small	Mediu	ım	Large		
Resource Sensitivity	Low				Mediu	ım	High		
Residual Impact	Negligible Minor					Moderate	Major		
Significance	Significance of impact is considered minor .								

Land degradation and pollution

i. Design and pre-construction stage

- 122. **Impact**. The location of the connecting line, stabling yard and its associated facilities can have long term implications on the generation of waste/trash and polluting land in the immediate vicinity of the project area. The waste management systems and linkage with existing local waste management systems will play an important role in ensuring that waste generated from the project do not end up in the areas near the project site. This problem if not managed will be limited to the project vicinity. Though it will be a long-term problem the severity of the impact in terms of causing health problems to the general public and serious environmental issues is minor. Hence, overall the significance of land degradation and pollution impacts during pre-construction stage is considered moderate to minor.
- 123. **Mitigation Measures**: The problem of waste can easily be mitigated by including provisions for trash and waste management in the design of the project and linking up with existing local municipal waste management systems.
- 124. **Residual impact**: The residual impacts after mitigation are expected to be none or negligible.

Table 35: Impact on Land during design and pre-construction stage

Impact	Pollution and										
Impact Nature	Negative			Positiv	е			Neut	Neutral		
Impact Type	Direct			Indirect	Indirect			Induc	Induced		
Impact Duration	Temporary		Short	-term		Long-terr	n		Perma	nent	
Impact Extent	Local			Regiona	al			Interr	national		
Impact Scale	Areas near th	ne proje	ect site								
Frequency	Design phase	Design phase									
Likelihood	Likely	Likely									
Impact Magnitude	Positive	Ν	legligib	le	Small Medi			dium		Large	
Resource Sensitivity	Low			Medium	ium High						
Impact Significance	Negligible		Minor		Moderate				Major		
impact Significance	Significance	of impa	act is co	onsidere	d min	or					
		Resid	ual Imp	act Sig	nificar	ісе					
Residual Impact Magnitude	Positive	Neglig	ible	Small	Medi	ım			Large		
Resource Sensitivity	Low				Medium				High		
Residual Impact	Negligible Minor			r Moderate					Major		
Significance	Significance of impact is considered negligible to minor .										

ii. Construction stage

125. Context:

Generation of domestic solid and liquid waste from construction camps

- Release of chemicals, fuels, lubricants and other hazardous wastes
- Generation of sewage from construction camps
- Generation of waste water from construction camps, batching plant, casting yard and other construction sites
- 126. **Impact:** Construction activities will generate large quantities of soil/debris and muck from excavation works for constructing the piles/piers and stabling yard. The proposed alignment will have elevated tracks and at grade stabling yard.
- 127. Approximately 20000 cum of muck is expected to be generated from excavation works for the piers in the elevated section and various buildings in the stabling yard.
- 128. In addition, about 5000 cum of construction and demolition (C&D) waste is likely to be generated from dismantling the existing structures and pavement. C&D wastes include concrete, stones and dirt generated during excavation from piles, residual cement bags, residual steel scrap, excess construction material stacked at site etc. It is a waste stream that is separate and distinct from residential and commercial waste.
- 129. Given the quantity of muck, excavated material and C&D waste that will be generated, their improper disposal can cause problems of land pollution and degradation.
- 130. Domestic waste, medical waste and other solid waste will be generated in the construction camps. Other facilities required for construction such as yard and other service facilities will also generate construction waste including hazardous wastes such as metal scraps, chemicals, fuels and lubricants. These wastes if not managed or disposed in the right manner can end up polluting the areas and water bodies near the project site.
- 131. These impacts are expected to occur within the project influence area (direct and indirect impact zone). They will be limited to the construction stage. The severity of the impacts is expected to be medium since the number and scale of receptors is limited. Hence, overall significance of impacts on land pollution and degradation is rated as moderate.
- 132. **Mitigation**: A number of mitigation measures have been proposed for managing the spoil, muck, construction waste and campsite wastes. Before construction works begin, the Contractor will be required to develop a Waste Management Plan (WMP) for approval by the General Consultants (GC). The WMP must include the following or more items:
 - (i) Identification of disposal sites including seeking permission from relevant authorities
 - (ii) Estimation of different types and total quantities of waste that will be generated
 - (iii) Estimation of waste types and quantities that could be reused for the project
 - (iv) Estimation waste quantities that will need temporary storage and identification of sites for temporary storage
 - (v) Identification of transport means and route for disposing the different types of waste to disposal sites and others.
 - (vi) Identifying the means to store or treat or transport hazardous wastes securely and avoid leakages into the open environment
 - (vii) Establishing linkages with waste recycling agents such as for metal scrap and used oils and lubricants etc.
 - (viii) Developing waste management plan and facilities for camp sites and linking up with local municipal waste management systems where appropriate
 - (ix) Maintenance of waste registers to record all waste management operations including production, storage, transport, treatment, disposal and others.

- 133. For managing the C & D waste, MoU is signed with IL&FS Environmental Infrastructure Service Limited, who have been managing three C&D plant in Delhi. The processed C&D plants will help to convert the waste into a usable form for construction and use as fill material. To the extent possible and subject to meeting quality requirements excavated muck and processed C&D waste will be used for land filling in the stabling yard and stabling yard alignment areas. The excess muck and C&D waste will be disposed off at locally approved sites. Identification of the disposal sites is under process in consultation with relevant local authorities.
- 134. Soil erosion by runoff will be controlled by installing proper drainage systems using contour information. Excavated muck will be promptly transported to filling or disposal site so as not to hurdle in the progress of work and also minimize the need. Stockpiling of the excavated muck will be avoided or minimized to reduce the need for storage space and room for dispersion of the material into the environment. The excavated muck shall be disposed regularly and proper records will be maintained on the quantities and locations of disposal.
- 135. For managing hazardous waste, the "Hazardous Waste (management, handling and trans-boundary movement) rules, 2007 and amendment 2008" shall be followed. Chemicals classified as hazardous chemicals under "Manufacture, Storage and Import of Hazardous Chemical Rules, 1989 of Environment (Protection) Act, 1986 shall be disposed off in a manner in compliance with the procedure given in the rules under the aforesaid act.
 - (i) The Contractor shall identify the nature and quantity of hazardous waste generated as a result of his activities and shall file a 'Request for Authorization' with respective State Pollution Control Committee along with a map showing the location of storage area.
 - (ii) Outside the storage area, the Contractor shall place a 'display board', which will display quantity and nature of hazardous waste, on date. Hazardous Waste needs to be stored in a secure place.
 - (iii) It shall be the responsibility of the Contractor to ensure that hazardous wastes are stored, based on the composition, in a manner suitable for handling, storage and transport. The labelling and packaging is required to be easily visible and be able to withstand physical conditions and climatic factors.
 - (iv) The Contractor shall approach only Authorized Recyclers of Hazardous Waste for disposal of Hazardous Waste, under intimation to the Employer.
- 136. In addition to the measures described in the paras above the contractor will be required to follow the requirements in the approved WMP. Specific protocols for the storage, transport, re-use, treatment and disposal of all types waste will be followed and no waste will be released into the surrounding environment.
- 137. **Residual impact**: Implementation of the mitigation measures will require careful planning, documentation and monitoring. It is expected that residual impacts will not be significant if all the mitigation measures are properly implemented.

Table 36: Impact on land during construction stage

Impact		Pollution and degradation of areas located near the construction sites, construction camps, casting yards								
Impact Nature	Negative	Negative Positive Neutral								
Impact Type	Direct	Direct Induced								
Impact Duration	Temporary	Short	-term	Long-term		Permanent				
Impact Extent	Local		Regional		Interr	national				
Impact Scale	Camp sites, constru	iction s	site							
Frequency	Construction phase	Construction phase								
Likelihood	Likely	Likely								

Impact Magnitude	Positive	N	legligib	le Sr		Small		dium		Large	
Resource Sensitivity	Low			Medium	Medium High						
Impact Cignificance	Negligible		Minor		Moderate				Major		
Impact Significance	Significance	Significance of impact is considered moderate									
Residual Impact Significance											
Residual Impact Magnitude	Positive	Neglig	ible	Small	Mediu	ım			Large		
Resource Sensitivity	Low				Mediu	ım			High		
Residual Impact	Negligible	le Minor Moderate Major									
Significance	Significance of impact is considered minor .										

iii. Operation stage

- 138. **Impact**: There can be long term implications on the generation of waste/trash and other forms of pollutants in the project area. The waste management systems under the operational plan for the yard and linkage with existing local waste management systems authorities will play an important role in ensuring that waste generated do not end up in the areas near the project site. Activities in the yard which will entail cleaning and maintenance of trains will result in the generation of solid and liquid waste some of which will be hazardous (fuel, oils, lubricants, chemicals). The release of these liquid waste untreated into the surrounding environment will cause contamination of the surrounding land.
- 139. The problem of pollution and degradation of land will be limited to stabling yard and RRTS station associated with connecting line. Though it will be a long-term problem, the severity of the impact in terms of causing health problems to the general public and serious environmental issues is minor. Hence, overall, the significance of land degradation and pollution during operation stage is considered minor.
- 140. Hazardous materials, including solvents, coolants, acids, and alkalis, may be used in locomotives and train cars maintenance activities. While unlikely, polychlorinated biphenyls (PCB) could be found in some electrical equipment (for example: transformers and capacitors), and asbestos could be present in some parts such as wheel bearing and seals.
- 141. **Mitigation Measures**: The design of the project (will be required to have adequate waste management systems for both solid and liquid waste include sewage and hazardous wastes. Wastes from project will include dry and wet garbage and floor sweepings. Adequate sanitary facilities will be required for temporary storage of refuse within the yard. The storage containers for this purpose should not exceed 50 liters and must be equipped with side handles to facilitate easy handling. To avoid bad odor and accumulation of fly attracting materials, garbage containers should be washed at frequent intervals and have a proper lid.
- 142. Wastewater treatment plants will be installed at adequate locations in project areas (at stabling yard and Station) having oil and grease interceptors connected with the wastewater treatment plant which is capable of removing petroleum contaminants and can meet national standards. Oil traps in heavy machinery areas will be created to collect oil based materials. The stations will be equipped with proper garbage disposal facilities and toilet facilities including signage prohibiting the open dumping of trash.
- 143. Use of hazardous materials such as asbestos and PCBs will not be permitted.
- 144. **Residual impact**: Implementation of the mitigation measures described above will require adequate budget provisions under the RRTS operational budget to cover the costs for waste storage and transport and cleaning staff. Subject to the allocation of adequate budget

for the waste management activities, the residual impacts are expected to be minor and negligible.

Table 37: Impact on land during operation stage

100	16 37 . IIIIp	uot c	ii iai	ia aai	<u>g 、</u>	poratic	<i>,</i> ,,,	rtuge	<u> </u>		
Impact	Pollution and degradation of land near the project alignment due to improper disposal of waste generated in the yard including hazardous chemicals, solvents, fuels and other materials										
Impact Nature	Negative	Negative Positive Neutral									
Impact Type	Direct			Indirect				Induc	ed		
Impact Duration	Temporary		Short	-term		Long-terr	n		Perma	nent	
Impact Extent	Local			Regiona	al			Intern	ational		
Impact Scale	RRTS station	RRTS station and stabling yard									
Frequency	Operation phase										
Likelihood	Likely										
Impact Magnitude	Positive	N	legligib	le	Sm	all	Med	lium		Large	
Resource Sensitivity	Low			Medium	n High				1		
Impact Significance	Negligible		Minor	•		Moderate)		Major		
impact Significance	Significance	of impa	act is c	onsidere	d min e	or					
		Residu	al Imp	act Sigr	nifican	ce					
Residual Impact Magnitude	Positive	Neglig	ible	Small	Mediu	ım			Large		
Resource Sensitivity	Low Medium High										
Residual Impact	Negligible Minor			or Moderate					Major		
Significance	Significance of impact is considered negligible to minor							_			

Trees and vegetation

i. Design and pre-construction stage

- 145. **Impact:** Most of the connecting line passes through open area of the city having thin vegetation cover with shrubs and few trees. The stabling yard is proposed on government land of industrial land use, an abandoned prefab elements manufacturing plant owned by Government.
- 146. In terms of numbers of trees approximately 1272 trees will need to be removed for construction of the Phase-I of Stabling Yard and the connecting line. Other vegetation in the form of shrubs and grasses will also need to be removed along the elevated alignment section.
- 147. In relation to the scale of the project, the number of trees and amount of vegetation required to be removed is small. Hence, the overall significance of the impacts and trees and vegetation from the project design point of view is found to be minor.
- 148. **Mitigation**: Best efforts have been made to minimize removal of trees (together with reducing land acquisition needs) and vegetative cover by locating the alignment along the center of the highway.
- 149. **Residual impacts**: Since the project design includes a provision for compensatory afforestation of trees at a ratio of 1:10, the impacts of tree removal will be fully mitigated.

Table 38: Impact on trees and vegetation during design and pre-construction stage

Impact	Removal of about 1272 trees
Шрасс	Loss of additional shrubs and grasses

Impact Nature	Negative			Positiv	e			Neut	ral	
Impact Type	Direct			Indirect				Induced		
Impact Duration	Temporary Short			-term	-term Long-te				Permanent	
Impact Extent	Local			Region	al			Interr	national	
Impact Scale	Stabling Yard	d, RRT	S align	ment an	d statio	on				
Frequency	Design phas	е								
Likelihood	Likely	ikely								
Impact Magnitude	Positive	١	Negligib	le	Small Med			dium		Large
Resource Sensitivity	Low			Medium				High		
Impact Significance	Negligible		Minor	Moderate				Major		
impact Significance	Significance	of imp	act is c	onsidere	d min e	or				
		Resid	ual Imp	oact Sig	nificar	псе				
Residual Impact Magnitude	Positive	Small	all Medium				Large			
Resource Sensitivity	Low		Medium				High			
Residual Impact	Negligible		Minor	Minor Moderate Major						
Significance	Significance of impact is considered negligible									

ii. Construction stage

- 150. **Context:** Clearing and removal of trees for constructing the rail alignment and stabling yard
- 151. **Impact:** 1272 trees will be removed for construction of the Phase-I of Stabling Yard and the connecting line. Other vegetation in the form of shrubs and grasses will also be removed along the elevated alignment section and stabling yard complex. The number of trees to be removed in relation to the scale and size of the project is not significant and only those trees within the direct project impact zone will be identified after joint verification and will be cut. However, the removal of the trees is a permanent activity, (the removed trees cannot continue growing afterwards) the overall significance of the impact during construction stage is considered minor due to small scale of the project.
- 152. **Mitigation:** Permission for tree cutting will be obtained from Forest Department /transplantation. To compensate loss of trees as per provisions of Delhi state forestry department requirements, for each tree felled ten trees will be compensated. In total of approximately 12720 trees will be planted. For the connecting line elevated viaduct from Sarai Kale Khan to Jangpura land has been allotted by Land & Development Office (LDO) and compensatory afforestation will be carried out by Delhi Development Authority (DDA). Efforts will be made to minimize the cutting of trees through transplantation of young trees and emphasis will be given for the plantation of native trees.
- 153. In addition to the compensatory plantation, green belt area can be developed for the total length of elevated corridor using native shrubs, herbs and grasses. A central ribbon area will be planted with small tree species, which grows up to height of 4-5m. The peripheral ribbons will be planted with grasses and perennial herbs interspersed with medicinal plants like *Tulasi*, *Vinca*, *Evolvulus*, *Hemidiscus* etc. Appropriate shade loving and light loving trees could be preferred depending on the location. Thus, the green belt will provide aesthetic view of elevated track and also helps to serve as dust and noise absorbent barrier.
- 154. **Residual impact**: The trees that will be planted to compensate for the trees removed will still be young (at sapling stage) during the construction stage, and the "like for like" replacement of the trees removed will not be in effect yet. Hence, there will initially be minor

impacts due to tree removal. However, this impact will be fully mitigated after the replanted trees have established themselves during operation stage.

Table 39: Impact on trees and vegetation during construction stage

Tubic 00. IIII	pact on trees and vegetation during construction stage										
Impact	Loss of abou	ıt 1272	trees a	ind some	e vege	tative cove	er (sł	nrubs a	and gra	sses)	
Impact Nature	Negative			Positiv	е			Neut	tral		
Impact Type	Direct			Indirect	ect Ir				nduced		
Impact Duration	Temporary		Short	-term		Long-terr	n		Perma	nent	
Impact Extent	Local			Region	al			Intern	national		
Impact Scale	Stabling Yard	d, RRT	S align	ment an	d statio	on					
Frequency	Construction	phase									
Likelihood	Likely	ikely									
Impact Magnitude	Positive	N	legligib	le	Small Me		Med	dium		Large	
Resource Sensitivity	Low			Medium	dium High						
Impact Cignificance	Negligible		Minor	•	Moderate				Major		
Impact Significance	Significance	of impa	act is co	onsidere	d min	or					
		Resid	ual Imp	oact Sig	nificar	се					
Residual Impact Magnitude	Positive	Neglig	ible	Small	Mediu	ım			Large		
Resource Sensitivity	Low					Medium					
Residual Impact	Negligible		Minor			Moderate	•	Major			
Significance	Significance of impact is considered minor										

iii. Operation stage

155. 12720 saplings that would be planted during construction stage will be maintained through proper watering and protection. A survival rate of at least 85% will be maintained. It is expected that the newly planted trees will start providing the ecosystem services similar to that of the trees removed by the 15th year or so after plantation. Considering a minimum survival rate of 85% (10812 trees) the net increase in the number of trees because of the project is expected to be about 9540. Considering that the quantity and value of other forms of vegetation (young trees, shrubs and plants) that will be removed is minimal. It is expected that the compensatory plantation will fully mitigate the impacts of tree removal and there will be no residual impacts.

Table 40: Impact on trees and vegetation during operation stage

1 4510 +01 11	iipact on ticcs	alla t	ogotat.	<u> </u>	<u>uu::::9</u>	Op.	oi ati	<u> </u>	ugo		
Impact	Net loss in biodive	Net loss in biodiversity because of the project									
Impact Nature	Negative	Negative Positive Neutral									
Impact Type	Direct		Indirect	Indirect			Induc	ed			
Impact Duration	Temporary	Short	-term		Long-tern	n		Perma	nent		
Impact Extent	Local		Regional				Intern	ational			
Impact Scale	RRTS station and	RRTS station and stabling yard									
Frequency	Operation phase	Operation phase									
Likelihood	Likely										
Impact Magnitude	Positive	Negligib	le	Sma	all	Med	dium		Large		
Resource Sensitivity	Low		Medium				High				
Import Cianificance	Negligible	Negligible Minor Moderate Major									
impact Significance	Impact Significance Significance of impact is considered minor										
Residual Impact Significance											

Residual Impact Magnitude	Positive	Negligi	ble	Small	Medium		Large		
Resource Sensitivity	Low	Low				ım	High		
Residual Impact	Negligible	Negligible Minor			Moderate				
Significance	Significance	ignificance of impact is considered negligible							

Terrestrial fauna

i. Design and pre-construction stage

156. There are no endangered or protected terrestrial faunal species in the project area and most of the project alignment is located along the road and urban areas. Hence the design stage impacts on terrestrial fauna is rated to be neutral with no positive or negative impacts.

Table 41: Impact on terrestrial fauna during design and pre-construction stage

Impact	No impact	lo impact								
Impact Nature	Negative		Positiv	е			Neut	ral		
Impact Type	Direct			Indirect				Induced		
Impact Duration	Temporary		Short	-term		Long-terr	n		Perma	nent
Impact Extent	Local			Region	al			Interr	national	
Impact Scale	Stabling Yard	d, RRT	S align	ment an	d statio	on				
Frequency	Design phase	е								
Likelihood	Likely									
Impact Magnitude	Positive	١	legligib	le	Small Med			edium		Large
Resource Sensitivity	Low			Medium				High		
Impact Cignificance	Negligible		Minor	•	Moderate			Major		
Impact Significance	Significance	of impa	act is co	onsidere	d neg l	igible				
		Resid	ual Imp	oact Sig	nificar	ice				
Residual Impact Magnitude	Positive	Positive Negligible Small Medium Large								
Resource Sensitivity	Low		Mediu	ım			High			
Residual Impact	Negligible		•	Moderate				Major		
Significance	Significance	Significance of impact is considered negligible								

ii. Construction stage

- 157. **Impact:** As stated above, there are no endangered or protected species in the project area. Considering that the project alignment is located mainly in habitation area and urban centers, the types of fauna present in the project area is limited to stray animals, about few species of birds and some insects.
- 158. Construction activities may result in killing of insects, rodents and other smaller animals during excavation works for the elevated section and stabling yard of the project alignment. Similar impacts may also be caused by clearing of trees and vegetation. Trees for removal could include trees that have nesting birds. This may result in destruction of nests and chicks. Due to these potential impacts, it cannot be stated that there will be no impacts. Hence, the overall significance of impacts on fauna during project construction is considered minor.

- 159. **Mitigation:** Before the felling of trees, the trees will be inspected for presence of nests. If any trees have nests, the nests will be transferred to another nearby tree. This activity of transferring the nests will be done under the guidance of the local forestry or wildlife authority. The contractor will be prohibited from intentionally killing or hunting animals or birds in the project area.
- 160. **Residual impact**: Given the overall low level of risk on impacts on terrestrial fauna it is expected that there will be no residual impacts.

Table 42: Impact on terrestrial fauna during construction stage

rable 42. Impact on terrestrial faulta during construction stage											
Impact		Killing of animals and birds by construction workers Destruction of bird nests during removal of trees									
Impact Nature	Negative										
Impact Type	Direct			Indirect				Induc	ed		
Impact Duration	Temporary		Short	-term		Long-terr	n		Perma	nent	
Impact Extent	Local			Region	al			Interr	national		
Impact Scale	Stabling Yard	d, RRT	S align	ment an	d stat	ion					
Frequency	Construction	phase									
Likelihood	Likely	ikely									
Impact Magnitude	Positive	N	legligib	le	Sr	nall	Ме	dium		Large	
Resource Sensitivity	Low			Medium	ium High						
Impact Significance	Negligible		Minor	•		Moderate	Moderate Majo				
impact Significance	Significance	of impa	act is co	onsidere	d mi r	nor					
		Residu	ual Imp	oact Sig	nifica	nce					
Residual Impact Magnitude	Positive	Positive Negligible Small Medium Large									
Resource Sensitivity	Low		Medium				High				
Residual Impact	Negligible	•	Moderate				Major				
Significance	Significance	of impa	act is co	onsidere	d ne ç	gligible					

iii. Operation stage

161. No noticeable positive or negative impacts on terrestrial fauna is expected to occur during operation of the RRTS.

Aquatic fauna and Ecologically important areas

i. Design and pre-construction stage

162. **Impact:** The Stabling Yard RRTS alignment neither crosses nor located near any waterbody supporting aquatic species and having ecological importance. Therefore, no noticeable positive or negative impacts on aquatic fauna is expected to occur due to this RRTS line.

ii. Construction stage

163. The Stabling Yard RRTS alignment does not cross nor located near any fresh waterbody supporting habitat of aquatic species or ecological sensitive receptor. Therefore, no noticeable positive or negative impacts on aquatic fauna is expected to occur during construction due to this RRTS line.

iii. Operation stage

164. No noticeable positive or negative impacts on aquatic fauna is expected to occur during operation connecting line for Stabling Yard.

Govt. Land and private buildings/flats

- i. <u>Design and pre-construction stage</u>
- 165. **Impact.** The project will require acquisition of Govt. land and acquisition or relocation or temporary shifting of flats as per the discussion and mutual agreement with flat owners for the construction of the proposed Sarai Kale Khan Jangpura Stabling Yard connecting line.
- 166. As per the land acquisition proposal prepared by NCRTC, the total land required for various components of the project is estimated as 18.9621ha. All land acquired will be government land. Table 43 presents the details of tentative land acquisition.

Table 43: Land Acquisition Requirements under the Project

SI. No.	Type of Ownership	Area (Ha)
1	Government Land with Occupancy Tenants*	0.0432
2	Government Land under Connecting Line	1.7089
3	Government Land for Stabling Yard and Staff Quarter	17.21
	Total	18.9621

Source: Resettlement Plan for the connecting alignment for stabling yard

- 167. 08 individual flats owned by 08 households in an apartment/building /flats are coming within the shadow of the viaduct and therefore, require relocation/temporary shifting. The IA will provide adequate and appropriate compensation for their structures as per NCRTC direct purchase policy and mutual agreement with the flat owners. The significance of impacts on acquisition of Govt. land and property (private buildings/flats) is considered as major.
- 168. **Mitigation**: The Govt. land acquisition will be done as per Govt Policy; acquisition or relocation or temporary shifting of 8 flats will be done as per NCRTC direct purchase policy and mutual agreement with the flat owners. The land acquisition and resettlement impacts have been assessed under in the resettlement plan (RP).
- 169. **Residual impact**: Subjected to payment done for acquisition or relocation or temporary shifting of 8 flats as per NCRTC direct purchase policy there will be no residual impact.

Table 44: Impact on Govt. Land and private buildings/flats during design and pre-construction stage

Impact	Acquisition of 18.96 in an apartment/buil relocation/temporary	ding /fl	ats are coming			ned by 08 households of the viaduct require			
Impact Nature	Negative		Positive		Neut	tral			
Impact Type	Direct		Indirect		Induc	ed			
Impact Duration	Temporary	Short-	-term	Long-term		Permanent			
Impact Extent	Local		Regional		Interr	national			
Impact Scale	RRTS alignment thr	RRTS alignment through Siddhartha extension							
Frequency	Design phase	Design phase							

^{*}Regarding ownership of land, confirmation is being obtained from Govt agencies and land is lying as barren land without any physical presence of any occupant

Likelihood	Likely	Likely								
Impact Magnitude	Positive	1	Negligib	le	Sm	Small Medium				Large
Resource Sensitivity	Low			Medium	1			High		
Impact Significance	Negligible		Minor		Moderate				Major	
impact Significance	Significance	of imp	act is co	onsidere	d maj o	or				
		Resid	ual Imp	act Sig	nificar	ice				
Residual Impact Magnitude	Positive	Negli	gible	Small	Mediu	ım			Large	
Resource Sensitivity	Low	Low Medium High								
Residual Impact	Negligible Minor Moderate Major									
Significance	Significance	Significance of impact is considered negligible to minor.								

ii. Construction stage

170. **Context:**

- Acquiring 18.9621 ha of Govt. land
- Acquisition or relocation or temporary shifting of 8 flats as per NCRTC direct purchase policy and mutual agreement with the flat owners
- 171. **Impact:** Acquisition or relocation or temporary shifting of 8 flats as per NCRTC direct purchase policy and mutual agreement with the flat owners will be done. Hence, the risk of forceful acquisition or eviction of affected people for project construction is low.
- 172. The Govt. land acquisition will be done as per Govt. Policy and acquisition or relocation or temporary shifting of 8 flats will be done as per NCRTC direct purchase policy and mutual agreement with the flat owners.
- 173. Given the small number of affected people, the significance of impacts on acquisition of Govt. land and private building/flats is considered as moderate.
- 174. **Mitigation**: To avoid having disgruntled affected people or raising of grievances and complaints against the project the following measures are being taken and will continue to be taken during project construction:
 - (i) Conduction of regular public consultation to keep public informed on the entitlement matrix, compensation rates, schedule of compensation payment
 - (ii) Distribute information leaflets on entitlement matrix and compensation rates
 - (iii) Expedite the payments of compensation by timely provision of budget
- 175. <u>Residual impact:</u> As described above successful payment for acquisition of Govt land and acquisition or relocation or temporary shifting of 8 flats will be done as per NCRTC direct purchase policy and mutual agreement with the flat owners. Subjected to payment done for acquisition or relocation or temporary shifting of 8 flats as per NCRTC direct purchase policy there will be negligible.

Table 45: Impact on Govt. Land and private buildings/flats during construction stage

	9	lage					
Impact	-Damage to property -Disgruntled affected peop -Filing of complaints again -Negative media coverage	st the project					
Impact Nature	Negative Positive Neutral						

Impact Type	Direct			Indirect				Induc	ed		
Impact Duration	Temporary Short			-term Long-term			Permanent		nent		
Impact Extent	Local			Regiona	Regional				International		
Impact Scale	Stabling Yard	l, RRT	S align	ment, Si	ddhart	ha extensi	on a	nd sta	tion		
Frequency	Construction	phase									
Likelihood	Likely										
Impact Magnitude	Positive	Ν	legligib	le	Sma	all	Med	dium		Large	
Resource Sensitivity	Low			Medium				High			
Impact Cignificance	Negligible		Minor	•	Moderate				Major		
Impact Significance	Significance of	of impa	act is co	onsidere	d mod	erate.					
		Resid	ual Imp	oact Sig	nifican	се					
Residual Impact Magnitude	Positive	Neglig	ible	Small	Mediu	ım			Large		
Resource Sensitivity	Low				Medium				High		
Residual Impact	Negligible	Negligible Minor Moderate Major									
Significance	Significance of	of impa	act is co	onsidere	d negl	igible to r	ninc	r.			

iii. Operation stage

176. With the opening of the RRTS, property values in general can be expected to rise around the alignment. The large daily influx of RRTS riders will have a large influence on its surrounding area, especially around the stations. This might lead to an increase in property values depending on distance from and accessibility to each station. The same applies to commercial properties. Studies conducted for big infrastructure projects have shown that projects like MRTS, RRTS etc. usually lead to increase in property value of the area in vicinity of the project. The same has been considered in the TOD policy notified by MoHUA. With a RRTS station being constructed at Jangpura and the notification of Jangpura RRTS station as a TOD node, benefits for the surrounding area can be expected. The station at Jangpura stabling yard will grant the local community easy access to Sarai Khale Khan station, and from there integration with Delhi-Meerut, Delhi-Alwar and Delhi-Panipat RRTS. In addition, commercial development associated with this Multi Modal Integration (MMI) will enhance economic potential of nearby area including Siddhartha Extension.

Public infrastructure and utility structures

i. Design and pre-construction stage

- 177. **Impact:** The alignment will pass through properties, drains/nalas, and utility services such as sewer, water pipes, storm water drains, telephone cables, overhead electrical transmission lines, electric pipes, roads, traffic signals and others. These public structures and utility services are essential and will need to be maintained in working order during different stages of construction.
- 178. Timely shifting of utilities and dismantling of public structures will affect the construction schedule and project costs. Hence, proper planning and advanced actions (permissions and clearances) will need to be taken for shifting utility and private structures. Utility structures that need shifting include:
 - (i) 2 nos. poles of 220 kv transmission line
 - (ii) 4 nos. of 33 kv transmission line"

- 179. Shifting of utilities is a challenging activity that requires several steps in seeking approval from the respective utility agencies. Poor planning and coordination and lack of information sharing to the local public could result in delays in the project schedule and increase project costs. Since the project alignment is not located in a densely populated area, there is a low risk of receiving complaints from the local public. Hence, the overall significance of impact is rated as minor.
- 180. **Mitigation:** Shifting of high tension power lines will be done by the respective utility agency. A proper HAZOP study & risk analysis will be conducted during preconstruction stage for transfer for high tension power with concurrence from the concerned agency. Similar studies will need to be conducted for water supply and sewage lines with the concurrence with concern agencies.
- 181. NCRTC will be responsible for shifting the low tension power lines and water pipe lines. NCRTC has prepared a utility shifting plan and allocated adequate budget for this activity. Close coordination will be carried out by the PIU and PMOs for timely and safe shifting to utilities in order to minimize community, health and safety risks from shifting to these utilities.
- 182. **Residual impact**: The residual impact is expected to minor as eventually the utilities will be shifted and all services and public structures will be restored.

Table 46: Impact on Public infrastructure and utility structures during design and pre-construction stage

Incompanies and to local multipolities due to dismunition of utility compines										
Impact	-Filing of cor -Health impa	Inconveniences to local public due to disruption of utility services Filing of complaints by local public affected by disrupted utility services Health impacts to local public caused by disruption of electricity and water especially during the extremely hot summer months								
	-Damage to	•		•						
Impact Nature	Negative			Positiv				Neut	ral	
Impact Type	Direct			Indirect				Induc	ed	
Impact Duration	Temporary		Short	-term		Long-tern	n		Perma	nent
Impact Extent	Local			Region	al			Intern	national	
Impact Scale	RRTS alignn	nent ind	cluding	station a	and sta	bling yard				
Frequency	Design phas	е								
Likelihood	Likely									
Impact Magnitude	Positive	Ν	legligib	le	Sm	all	Med	lium		Large
Resource Sensitivity	Low			Medium				High		
Impact Significance	Negligible		Minor	•		Moderate)		Major	
impact orginicance	Significance	of impa	act is co	onsidere	d min e	or				
	Residual Impact Significance									
Residual Impact Magnitude	Positive	Positive Negligible Small Medium Large								
Resource Sensitivity	Low				Mediu	ım			High	
Residual Impact	Negligible Minor Moderate Major									
Significance	Significance	Significance of impact is considered minor								

ii. Construction stage

183. **Impact**: Given the amount of utilities that need shifting (2 electric lines) and the area that the project alignment passes through, it is likely that there will be very minor disruption in utility services and inconveniences to the local public.

- 184. Also, this risk is limited to the construction stage only, hence, the significance of the impacts on local people from utility shifting is rated as minor.
- 185. **Mitigation:** The agency for high tension power lines will ensure continued supply of power during project construction. The PIU and PMOs will be required to follow the utility shifting plan and conduct close coordination with the utility agencies and local authorities. Advanced actions will be taken and best efforts will be made to ensure that there is no disruption in any type of service.
- 186. Prior to the actual execution of work at site, detailed investigation of all utilities and location will be undertaken well in advance by making trench pit to avoid damage to any utility. While planning for diversion of underground utility services e.g. sewer lines, water pipe lines, cables etc., during construction of RRTS alignment, the following guidelines will be adopted:
 - (i) Utility services shall be kept operational during the entire construction period and after completion of project. All proposals should, therefore, ensure uninterrupted supply of utility services.
 - (ii) The elevated viaduct does not pose any serious difficulty in negotiating the underground utility services, especially those running across the alignment. In such situation, the spanning arrangement of the viaduct may be suitably adjusted to ensure that no foundation need be constructed at the location, where utility is crossing the proposed RRTS alignment. In case of utility services running along the alignment either below or at very close distance, the layout of piles in the foundations shall be suitably modified such that the utility service is either encased within the foundation piles or remains clear of them.
- 187. **Residual impact**: With the implementation of the mitigation measures described above the residual impact is expected to minor.

Table 47: Impact on Public infrastructure and utility structures during construction stage

construction stage										
Impact	-Inconvenier -Filing of cor -Health impa especially du -Damage to	nplaint acts to l uring th	s by loc local pu le extre	cal public oblic cause mely hot	affect sed by sumn	ted by disred by disred to the disruption the disru	upte	d utility electric	y servic	
Impact Nature	Negative			Positiv	е			Neut	tral	
Impact Type	Direct			Indirect				Induc	ed	
Impact Duration	Temporary		Short	-term		Long-terr	n		Perma	nent
Impact Extent	Local			Region	al			Interr	national	
Impact Scale	RRTS alignn	nent in	cluding	station a	and sta	abling yard				
Frequency	Construction	phase)							
Likelihood	Likely									
Impact Magnitude	Positive	1	Negligib	le	Sm	all	Ме	dium		Large
Resource Sensitivity	Low			Mediun	า			High		
Impact Significance	Negligible		Minor	•		Moderate)		Major	
impact Significance	Significance	of imp	act is c	onsidere	d min	or				
	Residual Impact Significance									
Residual Impact Magnitude	Positive	Positive Negligible Small Medium Large								
Resource Sensitivity	Low				Medi	um			High	
Residual Impact	Negligible	Negligible Minor Moderate Major								
Significance	Significance	Significance of impact is considered minor								

iii. Operation stage - Neutral

188. All activities on shifting of utility structures and restoration of normal utility services and public services will be completed. There are residential building of Siddhartha Extension is connected with road from side i.e. front and back side. There will be no hindrance on entry and exit gate of the residential building from the project alignment. The traffic on the road will not be diverted due to operation of RRTS line. Hence, there will be no positive or negative impacts during operation of the RRTS.

Noise and disturbance

i. Design and pre-construction stage

- 189. **Impact:** The connecting line will run through urban areas of Delhi city. This is necessary for maximizing benefits for the public and making the project economically viable. Due to existing highly developed highways and railway line network along with continuous habitation around the Siddhartha Extension existing noise are higher.
- 190. As discussed in chapter IV, C section 3.3 about 7 locations of receptor have been identified to be located within 150 m on either side of the project alignment to evaluate impact as per screening procedure and designing & recommending mitigation measures accordingly. This does not include any educational institute, hospital and place of worship. An assessment study on noise level increase due to project undertaken by CRRI (Central Road Research Institute) is given in Appendix –4. The additional mitigation measures include installation of noise barrier in Siddhartha Extn residential area are proposed to reduce noise and vibration impacts based on this assessment study.
- 191. The proposed measures incorporation of noise reducing design features in the railway tracks and rolling stock. The complete system excluding depot shall be of ballast less track. Additional measures including provisions and budget for noise barriers within the project design stage has been ensured to avoid long-term significant noise related impacts to residents and sensitive receptors along the project alignment. If mitigation measures are not taken care of during project design stage the noise impacts can be long term and affect a large number of people and sensitive receptors. Based on this the risks related to noise during the pre-construction stage is considered as moderate. Above all NCRTC shall be liable to maintain noise and vibration levels attributed to RRTS system within the existing level/limits. Studies has proven that sound proof windows glass panel are very effective, if required at some location despite of all mitigation measures glass panels shall be used. Similarly vegetative barrier along railway line can also be considered in case of higher noise levels.
- 192. **Mitigation**: A number of measures are being taken in project design to minimize and mitigate noise impacts. These include:
 - (i) conduction of further noise assessment before the start of construction works for the main RRTS alignment
 - (ii) reviewing the current railway track design and identifying design features that will help to reduce noise and vibration during operation
 - (iii) reviewing the specifications for rolling stocks and ensure requirements include features that will help reduce noise and vibration
 - (iv) including provision for noise barriers at locations where the noise levels are expected to exceed baseline levels by more than 3dB(A). Noise barriers are expected to reduce noise levels by 20 22 dB(A).
 - (v) requirement for operation stage noise monitoring in the operation stage environmental monitoring plan

193. **Residual impacts**: Additional noise assessments will be carried out and proposed design features of the tracks and rolling stock specifications will be reviewed before starting the installation of tracks and procurement of rolling stock. One of the purposes of the review is to identify design modification options to help reduce noise levels. Given these efforts it expected that residual impacts will not be significant.

Table 48: Impact of Noise during design and pre-construction stage

Table 46. Impact of Noise during design and pre-construction stage										
Impact	yard -Potential dis construction	turbano ecepto	ces to	7 locatio e modera	ns of re	eceptors id	entif	ied wi	thin im	s and stabling pact zone of will increase by
Impact Nature	Negative			Positiv	е			Neut	ral	
Impact Type	Direct			Indirect				Induc	ed	
Impact Duration	Temporary		Short	-term		Long-term	ı		Perma	nent
Impact Extent	Local			Region	al			Intern	ational	
Impact Scale	RRTS alignm	RRTS alignment including station and stabling yard								
Frequency	Design phase	е								
Likelihood	Likely									
Impact Magnitude	Positive	N	egligib	le	Sma	all	Med	ium		Large
Resource Sensitivity	Low			Medium	1			High		
Impact Significance	Negligible		Minor			Moderate			Major	
impact Significance	Significance	of impa	ict is c	onsidere	d min c	or				
	Residual Impact Significance									
Residual Impact Magnitude	Positive	Positive Negligible Small Medium Large								
Resource Sensitivity	Low				Mediu	ım			High	
Residual Impact	Negligible Minor Moderate Major									
Significance	Significance	Significance of impact is considered minor								

ii. Construction

194. **Context:**

- Construction activities using heavy equipment
- Movement of heavy trucks transporting construction materials
- Increased traffic caused by traffic jams and honking on the road to project alignment
- Operation of construction camps, casting yard, batching plant
- 195. **Impacts:** Noise will be generated from various types of construction activities, movement of trucks transporting construction material and equipment and potential traffic congestion of vehicles plying on the road.
- 196. **Noise Due to Operation of Construction Equipment:** The major source of noise during construction phase are due to operation of various construction equipment. Typical noise levels from representative equipment are included in Table 49. The levels are copied from the US Federal Transit Administration's "*Transit Noise and Vibration Impact Assessment Manual*", September 2018.

Table 49: Noise Levels Generated by the Operation of Various Construction Equipment

Equipment	Typical Noise Level 50 ft from Source, dB (A)
Air Compressor	80
Backhoe	80
Compactor	82
Concrete Mixer	85
Concrete Pump	82
Concreter Vibrator	76
Crane, Derrick	88
Crane, Mobile	83
Dozer	85
Generator	82
Grader	85
Impact Wrench	85
Jack Hammer	88
Loader	80
Paver	85
Pile-driver (Impact)	101
Pile-driver (Sonic)	95
Pneumatic Tool	85
Pump	77
Rail Saw	90
Rock Drill	95
Roller	85
Saw	76
Shovel	82
Truck	84

197. **Noise due to increased vehicular movement:** During construction phase, there will be significant increase in vehicular movement for transportation of construction material. In addition to the noise mentioned above, there will also be background noise of the usual traffic resulting due to traffic congestion on Ring Road, Barapula elevated road and Mathura Road Table 50 present the typical increase in ambient noise level due to increased vehicular movement.

Table 50: Increase in Noise Levels Due to Increased Vehicular Movement

Distance (m)	Ambient noise level dB (A)	Increase in noise level due to increased vehicular movement dB (A)
10	36	72
20	36	67
50	36	61
100	36	57
200	36	52
500	36	46
1000	36	42

198. As mentioned earlier, there will be significant attenuation due to various factors, e.g. absorption by construction material, air absorption, atmospheric inhomogeneities, and vegetative cover. Thus, no significant impact on this account is anticipated.

199. **Impacts of noise on labor:** The effect of high noise levels on the workers operating the heavy equipment has to be considered. Accordingly suitable control measures like screen or enclosure around excessive noise source shall be done; most modern technique available including but not limited to silencer shall be used; periodic maintenance of Plant and Machinery shall be done.

200. Mitigation Measures:

- Use of modern equipment that are less noise generating
- Add noise mufflers to noisy equipment
- Install acoustic screens and enclosures around noisy activities
- Avoid using multiple noisy equipment at the same time
- Monitor noise levels at construction sites to check compliance with WB-EHS and GOI standards
- If noise levels are exceeded, contractor will immediately make adjustments to construction activity to bring noise levels within standards
- Operate heavy duty noisy equipment only during night time hours in non-residential areas that have offices and commercial activities during the daytime hours
- 201. **Residual Impacts:** Since noise generated from construction activities will only occur during construction stage and will be controlled with application of mitigation measures, there will be no residual impacts.

Table 51: Impact of Noise impacts during construction

Impact	-Disturbance to large numbers of people living in communities near the project construction site -Significant increase of noise >3dB(A) for 1 sensitive receptors located near project sites -Filing of complaints by the local community										
Impact Nature	Negative Positive Neutral										
Impact Type	Direct	Direct Indirect Induced									
Impact Duration	Temporary	Temporary Short-term Long-term Permanent								nent	
Impact Extent	Local Regional International										
Impact Scale	RRTS alignment including station and stabling yard										
Frequency	Construction phase										
Likelihood	Likely										
Impact Magnitude	Positive	N	egligib	le	Sma	all	Med	dium		Large	
Resource Sensitivity	Low			Medium High					_		
Impact Significance	Negligible Mi			r Moderate				e N		Major	
impact Significance	Significance	of impa	ct is co	onsidere	d mod	erate.					
		Residu	ıal Imp	act Sig	nifican	ice					
Residual Impact Magnitude	Positive	Negligi	ble	Small Medium Large							
Resource Sensitivity	Low	Medium High									
Residual Impact	Negligible Mino			Moderate Moderate				Major			
Significance	Significance of impact is considered minor										

iii. Operation stage

Impact. Noise impacts will be felt by people living within the project influence area. Noise generated by operation of the RRTS will be a permanent impact and will be experienced by a people living in the Siddhartha extension colony along the project alignment. Hence, the significance of the operation stage noise impacts is rated as moderate.

Predicted Construction and Operational Stage Noise Levels: Noise level during RRTS operational stage are predicted as per FTA general transit noise assessment procedure. The predicted results were compared with noise limits of WB-EHS or IFC guidelines and CPCB to assess impacts on 7 location of receptors identified within 150m of the connecting line alignment to evaluate impact as per screening procedure and designing & recommending mitigation measures accordingly. The details of the inputs taken for modeling and results of noise level prediction study as per Federal Transit Administration (FTA), USA are provided in Appendix 3.

Noise Assessment: In addition to this study, NCRTC, has also assigned CRRI to conduct noise study. In particular for Siddhartha Extension these studies were carried out at two location firstly railway track and second at gate no. 3 of Siddhartha Extension. The values monitored at Gate No. 3 Siddhartha Extension is given in the CRRI report and it indicates noise level between 63.3 d(B)A to 77.8 d(B)A. The complete details of both locations are given in their report. It is emphasized that existing parameter shall not exceed due to operation of RRTS. NCRTC is committed to monitor these parameters during construction and operation as well.

- 202. All necessary measures shall be taken to bring it at par/below of existing parameters if excess attributed to RRTS operation. The increase in noise during operation shall be mitigated appropriately to the possible extent. Further, holistic mitigation measures shall also be ensured by making following steps. (a) Maintaining the base line data, (b) System improvement like precast girder/ segments c) provision of 1500m radius of curve to lower the noise & vibration (d) Only three piers are coming in the alignment passing through Siddhartha Extension and construction of pile foundation in these locations will be expedite for minimum disturbance. e) Use of rotatory piling rig having low noise and vibration during construction (f) Activities of pile cap, pier and pier cap with minimum noise level and vibration level during construction.
- 203. CRRI vide their report has recommended to install 3 m height noise barrier in 125 m of viaduct length to reduce noise level during operational stage of connecting line. It is anticipated that RRTS will not add to the noise level because RRTS train in this section will run at very low speed on ballast less long welded rail, which will produce minimal noise. Above all NCRTC will take possible measures to keep the incremental increase in noise as low as possible and below a 3 dB(A) increase relative to the existing baseline noise levels. Vegetative barrier along at-grade sections of the railway line can also be considered in case of higher noise levels attributable to RRTS operations. Further; consultancy for "carrying out shadow study due to construction of proposed viaduct in Siddhartha Extension" is assigned to consultant and report is enclosed in Appendix 13.
- 204. **Results of Noise Assessment**: Based on the above assessment, measurements and calculations, the combined noise levels were calculated based on existing noise levels and project noise levels at sensitive receptors. Noise impacts are analyzed for each of 7 identified location for receptors within screening distance. The noise assessment shows that during operational phase the increase in noise will be less than 3 dB(A) at all assessed sensitive receptor locations, after installation of noise barrier as recommended by CRRI the levels will further be reduced. Noise modeling and analysis carried by CRRI also suggests the noise

levels are expected to increase at Siddhartha Extension if mitigation measures are not adopted.

- 205. **Mitigation Measures**: The combined noise level during construction without mitigation measures is given in Table-2 of Appendix-3. All possible mitigation measures identified in EMP will be taken to reduce the increase in noise level due to construction. For the operational phase, there are many options that are used to reduce or mitigate operational noise from the trains. These include train speed, bogie design in built ballast less track design, signaling system, dumpers and shock observers and structure shape of viaduct etc.
- 206. Noise modeling study conducted by CRRI (Appendix 4) recommended 3m noise barrier for the length of 125m up & down direction at Siddhartha Extension as additional mitigation measures. Total noise absorption will be 20-22 dB(A) after installation of noise barrier. After installation of noise barrier, there will not be any significant noise or air born vibration problem to the residents of Siddhartha extension. Viaduct made of concrete/steel is sufficient to stop the noise generated by rail and wheel; height of rail level is 24m from ground and 8.37m from roof level, maximum sound energy will go in upward direction in the form of primary noise.
- 207. As discussed above, noise barriers are proposed at severally impacted locations. An indicative cost for the mitigation measures have been included in the EMP budget. Details of the noise barriers (type and locations) will be further analyzed and discussed at detailed design by general consultant and contractors and accordingly EMP will be updated.

Table 52: Impact of Noise during operation stage

I ab	ie 52: imp	act 0	I NOI	se uu	ring	operation	: ווט	Stay	e	
Impact	-Disturbance and annoyance to residents living near the elevated section and station -Significant increase in noise (>3dBA) for 1 receptors -Complaints from local people due to excessive noise -Negative media attraction because of excessive noise and disturbance -Disturbance to local community living or working near the yard									
Impact Nature	Negative Positive Neutral									
Impact Type	Direct			Indirect				Induc	ed	
Impact Duration	Temporary	Temporary Short-term Long-term Permanent								nent
Impact Extent	Local Regional International									
Impact Scale	RRTS alignment including station and stabling yard									
Frequency	Operation phase									
Likelihood	Likely									
Impact Magnitude	Positive	Positive Negligible Small Medium Large							Large	
Resource Sensitivity	Low			Medium	1			High		
Impact Significance	Negligible Mind			r Moderate			Major			
impact Significance	Significance	of impa	act is co	onsidere	d mod	erate				
		Residu	ual Imp	oact Sig	nifican	ice				
Residual Impact Magnitude	Positive Negligible Small Medium Large									
Resource Sensitivity	Low Medium Hig					High				
Residual Impact	Negligible Minor			Moderate					Major	
Significance	Significance of impact is considered negligible to minor									

Table 53: Details of Noise receptor's locations (During Operation Phase)

S.No.	Description	LHS/RHS	Chainage in km	Offset in feet	Existing Noise	Noise due to RRTS Operation	Combined Noise	Increase in Noise level during operation without mitigation measures Leq(h) or Ldn (dBA)	Expected reduction in noise by noise barrier (dBA)	Residual noise level after mitigation (noise barrier) (dBA)	
1	ISBT Sarai Kale Khan	RHS	0+900	165	89.9	53.4	89.9	0.0	NA	NA	
2	Barapulla Flyover & Nalla Crossing	Crossing	1+350	20	89.9	67.2	89.9	0.0	NA	NA	
3	Siddhartha Extn.	LHS & RHS	1+480	23.1	69.5	66.3	70.7	1.7	20	50.7	
4	Railway Crossing	Crossing	1+680	20	77.1	67.2	77.4	0.4	NA	NA	
5	Highway Crossing	Crossing	1+810	20	77.1	67.2	77.4	0.4	NA	NA	
6	Hindustan Prefab Limited	RHS	1+830	165	73	53.4	73.0	0.0	NA	NA	
7	Hindustan Prefab Limited	RHS	2+000	20	73	67.2	73.7	1.0	NA	NA	
	CPCB Limits	As per The Noise Pollution (Regulation & Control) Rules, 2010 of MoEFCC/CPCB: (Silence Zone)- Day Time: 50 Leq dB(A), Night Time: 40 Leq dB(A) (Residential Zone)- Day Time: 55 Leq dB(A), Night Time: 45 Leq dB(A) (Commercial Zone)- Day Time: 65 Leq dB(A), Night Time: 55 Leq dB(A) (Industrial Zone)- Day Time: 75 Leq dB(A), Night Time: 70 Leq dB(A)									
	IFC Limits	Noise Level Gu	idelines for Co (Residential;	ommunity I Institution	Noise, World al; Education	l Health Organ nal Zone)- Day		1999 One hou (dBA), Night T	ime: 45 L _{Aeq} (d		

208. **Residual impact:** With the design embedded measures such as ballast less track, bogie design, signaling system, dumpers and shock observers, structure shape of viaduct and installation of noise barriers as additional measure, long term noise impacts during operation due to RRTS system (though the generated levels are lesser than the existing levels) will be fully mitigated for all sensitive receptors including at Siddhartha Extn. The residual levels during operation will not exceed the existing base line levels indicated in Table 53.

The Proposed viaduct height in the 110 m section of the Siddhartha extension is greater than the standard height of the remaining part of the alignment to ensure connectivity remains within the area. Siddhartha extension also has a substantial number of senior citizens residing across the blocks, hence to ensure residents who may be more vulnerable are not affected, special consideration has been made to provide high quality structural noise barriers embedded in the design together with the ballast less tracks that already exists.

Vibration

i. Design and pre-construction stage

- 209. **Vibrations:** The sources of the vibration during construction of a RRTS line is mainly due to operation of various construction equipment during construction phase and due to running of RRTS during operation phase. The RRTS project includes construction of elevated route only from Sarai Kale Khan to Stabling Yard at Jangpura and no underground tunnel work involved. The impacts of vibrations during operation are not anticipated for elevated section. The vibration impacts induced by increase noise levels in Siddhartha Extn. due to train operations are not significant on application of Noise barriers as designed by CRRI. It has been concluded by CRRI that 'after installation of noise barrier, there will not be any noise or air born vibration problem to the resident of Siddhartha extension'; further design embedded measures such as ballast less track, bogie design, signaling system, dampers and shock observers, and provision of 1500m radius of curve will reduce noise and vibration impact.
- 210. **Impact.** A section of project alignment will run through populated urban areas of Delhi. While this is necessary for maximizing benefits for the public and making the project economically viable, it also poses high risks in terms of causing vibration and disturbance for people living/working and commuting close to the project alignment and causing damage to structures near the project alignment. Due to close proximity of stabling yard the train will run at much lower speeds while passing through Siddhartha Extn which will hardly produce any Noise. All impacts will be mitigated by the adopting highest international standards.
- 211. As discussed in chapter IV, C section 3.3 about 7 locations of receptors have been found to be located within 150 m on either side of the project alignment. Accordingly, mitigation measures are designed to mitigate or bring the level of impact to an acceptable level by implementing mitigation measures identified in the EMP. Incorporation of vibration reducing design features in the railway tracks and rolling stock within the project design stage is critical to ensure that there will be no long-term disturbance and damage to properties near the project alignment. If this is not taken care of during project design stage, the vibration impacts can be long term and require extra costs for fixing or compensating for damaged structures. However, the sensitive receptors along the Stabling yard line do not include any residential area, educational institutes, hospitals and places of worship. Hence, the risks related to vibration during the pre-construction stage is considered as minor to moderate.
- 212. A preliminary vibration analysis has been carried out to understand the impacts of the rapid rail operations on vibrations. Vibration modeling carried out as per Federal Transit Administration (FTA), USA for the project is presented in **Appendix 5**.

- 213. **Mitigation**: To reduce the risk of vibration a number of mitigative measures are proposed. These include:
 - (i) conduction of further vibration assessment before the start of construction works
 - (ii) reviewing the current railway track design and identifying design features that will help to reduce noise and vibration during operation
 - (iii) reviewing the specifications for rolling stocks and ensure requirements include features that will help reduce noise and vibration
 - (iv) requirement for operation stage vibration monitoring in the operation stage environmental monitoring plan
- 214. **Residual impacts**: Additional vibration assessments will be carried out and proposed design features of the tracks and rolling stock specifications will be reviewed before starting the installation of tracks and procurement of rolling stock. One of the purposes of the review is to identify design modification options to help reduce vibration levels. Given these efforts it expected that residual impacts will not be significant.

Table 54: Impact of vibration during design and pre-construction stage

Table 37. IIIIpa	ot or vibio	111011	aaiii	<u>.9 400</u>	<u> </u>	and pro	00		aotio	ii stage	
Impact	-Cracks and damages in structures located near rail alignment particularly structures located near the pilling works -Disturbance and annoyance to people living and working near the rail alignment										
Impact Nature	Negative	Positiv	sitive Neut				ral				
Impact Type	Direct	Indirect				Induced					
Impact Duration	Temporary Short-			-term	term Long-term			Perr		Permanent	
Impact Extent	Local	Local Regional International									
Impact Scale	RRTS alignment including station and stabling yard										
Frequency	Design phase										
Likelihood	Likely										
Impact Magnitude	Positive Negligible			le	Small		Medium			Large	
Resource Sensitivity	Low			Medium	ium			High			
Impact Significance	Negligible Mino		ſ		Moderate			Major			
impact Significance	Significance of impact is considered minor to moderate.										
		Resid	ual Imp	oact Sig	nifica	тсе					
Residual Impact Magnitude	Positive	Neglig	ible	Small Medium Large							
Resource Sensitivity	Low				Medium				High		
Residual Impact	Negligible Minor			Moderate					Major		
Significance	Significance of impact is considered negligible										

ii. Construction stage

215. **Impact:** The project alignment (Stabling Yard line) is not located in densely populated urban areas, except a small segment crossing Siddhartha Extn i.e. 125 mt. There could be complaints being filed by the local people and attracting negative media attention due to any impact caused by vibration; by adopting vibration control measures risk of disturbances during construction work and damage to properties will be low. Even though the risks are limited to the construction stage the severity of the risks are moderate, hence the overall significance of vibration related impacts during construction stage is rated as moderate after implementing mitigation measures as identified in EMP.

216. **Predicted Vibration Levels during RRTS Construction:** In order to evaluate the construction stage vibration levels from the project construction activities, vibration modeling has been done in accordance with the FTA guideline. The construction activity that typically generate more severe vibrations are blasting and impact pile driving. Construction vibration is assessed in cases where there is a significant potential impact from construction activity. The ground borne vibration levels during construction stage considering the distance of different equipment from the receiver are derived. Accordingly, mitigation measures are proposed to reduce vibration impact. The details of the modeling and results of Vibration Level Predication as per Federal Transit Administration (FTA) from the project are provided in **Appendix 5**.

The reference vibration levels for each construction equipment is taken adopted as given by FTA for "High-speed ground transportation noise and vibration impact assessment" to calculate the peak particle velocity (PPV) at sensitive receptor location. The PPV values are then compared with the Construction Vibration Damage Criteria set by FTA for different building category as given in Table 55 below.

Table 55: Construction Vibration Damage Criteria as per FTA guidelines

Building Category	PPV (in/s)	PPV (mm/s)	Approximate Lv, RMS velocity in decibels (VdB)
I. Reinforced-concrete, steel or timber (no plaster)	0.5	12	102
II. Engineered concrete and masonry (no plaster)	0.3	7.6	98
III. Non-engineered timber and masonry buildings	0.2	5	94
IV. Buildings extremely susceptible to vibration damage	0.12	3	90

217. Modeling carried out for sensitive receptor locations show that all the predicted levels are well below the threshold levels for different land uses set by FTA except at 5 receptor locations where the vibration levels at the closest receptor locations are expected to be higher than the threshold value during construction stage due to Pile Driver (impact and vibratory). These locations must be addressed during construction stage and no impact piling will be carried out for construction works. These locations are not the households of the Siddhartha alignment , hence the propagation impact on nearby community will be negligible. The receptors are located in elevated sections. Details of all receptors are given in Table 56.

Table 56: Vibration Impacted Receptors During Construction

S.No	Description	Chainage	X (Latitude)	Y (Longitude)	Section Type	Pile driver (impact)	Construction Vibration Damage Criteria, PPV (in/s)	Exceedance from FTA Criteria
1	ISBT	0+900	28°35'6.83"N	77°15'31.18"E	Elevated	0.037981	0.5	-
2	Barapulla Flyover & Nalla Crossino	1+350	28°34'56.10"N	77°15'25.82"E	Elevated	0.900017	0.5	Exceedance due to Pile Driver (impact)

S.No	Description	Chainage	X (Latitude)	Y (Longitude)	Section Type	Pile driver (impact)	Construction Vibration Damage Criteria, PPV (in/s)	Exceedance from FTA Criteria
3	Siddhartha Extn.	1+480	28°34'53.88"N	77°15'22.43"E	Elevated	0.725067	0.5	Exceedance due to Pile Driver (impact)
4	Railway Crossing	1+680	28°34'50.75"N	77°15'16.64"E	Elevated	0.900017	0.5	Exceedance due to Pile Driver (impact)
5	Highway Crossing	1+810	28°34'46.35"N	77°15'10.93"E	Elevated	0.900017	0.5	Exceedance due to Pile Driver (impact and vibratory)
6	Hindustan Prefab Limited	1+830	28°34'43.70"N	77°15'7.43"E	Elevated	0.037981	0.5	-
7	Hindustan Prefab Limited	2+000	28°34'31.66"N	77°15'8.41"E	Elevated	0.900017	0.5	Exceedance due to Pile Driver (impact and vibratory)

- 218. **Mitigation**: A number of measures will be taken in the project to manage vibration impacts during construction. These include:
 - (i) Pre-construction detailed building condition and stability surveys for identifying structures that are weak and at risk of getting damaged because of project construction works. Development of support and rehabilitation measures for identified weak structures.
 - (ii) Preparation of a vibration monitoring plan by the contractor prior to starting construction works. The monitoring plan will pay special attention to the 5 receptors identified to be at high risk. The monitoring plan will include: i) setting of threshold limits (recommended limit is 0.1 in/sec) that should not be exceeded and procedures to be followed in case they are exceeded; ii) requirements for monitoring vibration levels at regular intervals throughout the construction period; iii) identification of locations where vibration monitoring should be carried out; iv) information dissemination on vibration monitoring plan with construction workers. Once the monitoring is completed, the contractor must undergo a Vibration Modelling exercise to demonstrate that the thresholds will not be exceeded based on the proposed technology to be used.
 - (iii) At the receptor locations listed in Table 56 no impact piling will be carried out for construction works. Only bored piling will be carried out at these locations and all other locations, reducing the vibration levels relative to impact pile driving.
- 219. The Physical Cultural Resources (PCRs) if found will be protected and preserved to the extent possible by engineering measures and where it is necessary these will be shifted and relocated in coordination with local authorities and local communities.

Following the data in Table 56 the expected vibration levels construction is lower than internationally accepted 0.2 in/sec. However, to be on the safe side and as practice in

ongoing metro projects in NCR, the contractor will be required to ensure that vibration levels at the 5 locations of receptor do not exceed 0.1 in/sec. Vibration must not exceed this threshold as the buildings could be damaged. The piling locations will be at a significant distance of 1.5 km from the residential community of Siddhartha Extn. Vibration reduces significantly with distance so the farther the source, the lower the level of vibration.

- 220. The various predicted vibration levels were well below the threshold levels for different land uses set by FTA except at eight locations. The modeling results are also presented in below table 2 and predicted grounde borne vibration levels in Table 5 of Appendix 5. The distance from the quipment to the receiver is far as 20-165km, hence the impact of vibrations will be negligible down to the Siddhartha extn. Community.
- 221. Any statutory nuisance vibration, if generated will be at a level which is down at less than 1mm per second, hence, piling activity will be completed as quickly as possible and regular consultation with the local stakeholders will be undertaken.
- 222. **Residual impacts**: With the above recommended mitigation and monitoring measures it is expected that there will be no vibration related residual impacts during project construction.

Table 57: Impact of vibration during construction stage

Impact	construction -Damage to receptors ne	Disturbance to large numbers of people living in communities near the project construction site Damage to properties and utility structures including identified 5 locations of eceptors near construction site Filing of complaints by the local community								
Impact Nature	Negative			Positiv	е			Neut	ral	
Impact Type	Direct			Indirect				Induc	ed	
Impact Duration	Temporary		Short	-term		Long-terr	n		Perma	nent
Impact Extent	Local			Region	al			Intern	ational	
Impact Scale	RRTS alignn	nent inc	luding	station a	and sta	bling yard				
Frequency	Construction	phase								
Likelihood	Likely									
Impact Magnitude	Positive	N	egligib	le	Sma	all	Med	lium		Large
Resource Sensitivity	Low			Medium	1			High		
Impact Significance	Negligible		Minor	•		Moderate)		Major	
impact orginicance	Significance	of impa	ct is co	onsidere	d mod	erate				
		Residu	ıal Imp	oact Sig	nifican	ce				
Residual Impact Magnitude	Positive	Positive Negligible Small Medium Large								
Resource Sensitivity	Low				Mediu	ım			High	
Residual Impact	Negligible		Minor			Moderate)		Major	
Significance	Significance	of impa	ct is co	onsidere	d negl	igible				

iii. Operation stage

223. **Impact:** The project alignment (Stabling yard line) do not run through densely populated urban areas of Delhi city. However, there are chances of vibration and disturbance for people living/working and commuting near the project alignment and may damages to structures near the project alignment. Hence, it is extremely important to fully mitigate the risks at the project design stage and during construction stage. CRRI vide their report has

recommended to install 3 m height noise barrier in 125 m of viaduct length. It has been concluded by CRRI that 'after installation of noise barrier, there will not be any noise or air born vibration problem to the resident of Siddhartha extension'.

- 224. In order to evaluate the operations stage vibration impacts from the stabling yard line, vibration modeling has been done as per the FTA guideline. The details of the modeling and results are provided in Appendix 5.
- 225. **Categorization as per FTA:** According to FTA Ground-Borne Vibration Impact Criteria, all residential buildings are categorized in "Vibration Category 2: Residential".
- 226. 95 kmph is the design speed of the system and 85kmph is operating speed as per categorization of route with a frequency of 7 trains during peak hours for the year 2025. However, due to close proximity of stabling yard the train will run at much lower speeds say 30-40 kmph while passing through Siddhartha Extn. As per the Vibration screening procedure, residential land use, within 70 meter (229 ft) from the rail centerline is identified as potentially affected location for evaluating impact as per vibration screening procedure and designing & recommending mitigation measures accordingly. The details of vibration sensitive receptors within the applicable screening distance is given in Table 58. As can be seen there are no educational institutes, hospitals, religious places, concert halls, television and recording studios, theatres and old cultural and heritage sites exist along the project alignment.

Table 58: Vibration Sensitive Receptors along the alignment

S.No.	Sensitive Receptor Type	Number	Category as per FTA	Screening Distance in meter
1	Siddhartha Extn.	24	Category 2: Residential	70

- 227. **Base Curve:** The generalized projection curves for high-speed trains are shown in figure 13. The curves represent typical ground surface vibration levels assuming equipment in good condition and speeds of 150 mph. The levels must be adjusted to account for factors such as different speeds, equipment, and geologic conditions.
 - a. Speed adjustment: -3.5 VdB for speed of 160 kmph
 - b. Wheel condition: Assume wheels in good condition. No adjustment is applied.
 - c. Track system: Assume rails are in good condition. No adjustment.
 - d. Track structure: -10 VdB for viaduct
 - e. Propagation: 0, Normal propagation is considered, as the underlying soil is fine sand/ fine silt up to a depth of 40 meter from the ground surface throughout the alignment.
 - f. Foundation coupling: 1-2 Story Masonry: -7 VdB, 2-4 Story Masonry: -10 VdB.
 - g. Receiver location: 1-5 floors above grade: -2 dB/floor, 5-10 floor above grade: -1 dB/floor
 - h. Floor response: No adjustment.




Figure 15: Generalized Ground-Borne Vibration Curve

- 228. **Predicted Vibration levels during operation of proposed Stabling Yard Alignment:** The procedure adopted for prediction of vibration levels is as per the FTA guideline. The vibration levels were obtained from the base curve shown in Figure 13 and necessary corrections were undertaken wherever applicable. All the predicted levels were well below the threshold levels for different land uses set by FTA except at five locations, threshold levels have been further reduced by adopting mitigation measures. The location of impacted receptors along with reduction with mitigation measures is presented in Table 59 and modeling results are presented in **Appendix 5**.
- 229. **Mitigation Measures**: Based on Figure 13 it can be seen that vibration is generally caused from rail-wheel interaction and this can be reduced by minimizing any surface irregularities on the wheel and rail. In addition, it is proposed that the rail tracks will have a floating slab track bed, elastomeric pad and rail pad. These features will help to reduce the vibration levels by over 15 VdB. The rolling stock will have stainless steel bodies equipped with air springs and vertical hydraulic damper to maintain level at all possible loadings, smoother ride, and minimize vibration and noise.
- 230. NCRTC has conduct detailed studies on the noise and vibration impacts focusing on: i) assessing the condition of buildings along the project alignment and identify structures that are vulnerable; ii) making recommendations for the design of tracks and viaduct works to avoid damages to structures along the project alignment during construction and operation of the RRTS, if require; (iii) vibration impacts induced by increase noise levels in Siddhartha Extn. due to train operations are not significant with application of embedded measures in design of RRTS system, track & boggies and installation of noise barriers as designed by CRRI.
- 231. **Residual impact**. Based on the information above and Table 59 all vibration related impacts during operation stage are going to be fully mitigated with application of design embedded measures and implementing mitigation measures as suggested by CRRI. The design measures mentioned in rail and track specifications will be further reviewed and reconfirmed during the operation stage.

Table 59: Vibration Impacted Receptors due to Operation of RRTS

S.No.	Description	LHS/RHS/ Crossing	Chainage in km	Section Type	Distance (ft)	Estimated Vibration Level, VdB	Ground Borne Vibration Threshold levels as per FTA, VdB	Vibration Level Exceedance, VdB	Reduction with mitigation measures	Residual vibration level after mitigation VdB
1	Barapulla Flyover & Nalla Crossing	Crossing	1+350	Elevated	20	73.5	72	1.5	-15	58.5
2	Siddhartha Extn.	LHS & RHS	1+480	Elevated	23.1	74.5	72	2.5	-15	59.5
3	Railway Crossing	Crossing	1+680	Elevated	20	73.5	72	1.5	-15	58.5
4	Highway Crossing	Crossing	1+810	Elevated	20	73.5	72	1.5	-15	58.5
5	Hindustan Prefab Limited	RHS	2+000	Elevated	20	73.5	72	1.5	-15	58.5

Table 60: Impact of vibration during operation stage

Impact	Disturbance a	Disturbance and annoyance to people living and working near the rail alignment								ignment
Impact Nature	Negative			Positive	9			Neut	ral	
Impact Type	Direct			Indirect	ct Inc				ed	
Impact Duration	Temporary		Short-	term	Long-term				Perma	nent
Impact Extent	Local	Regiona	al			Intern	ational			
Impact Scale	RRTS alignme	ent incl	uding s	station ar	nd stab	ling yard				
Frequency	Operation pha	Operation phase								
Likelihood	Likely									
Impact Magnitude	Positive	N	egligib	le	Small Me			dium		Large
Resource Sensitivity	Low			Medium	m High					
Impact Cianificance	Negligible		Minor		Moderate				Major	
Impact Significance	Significance of	f impa	ct is co	nsidered	minor	•				
		Residu	ual Imp	oact Sigi	nifican	ce				
Residual Impact Magnitude	Positive	Negligi	ble	Small Medium Large						
Resource Sensitivity	Low				Mediu	ım			High	
Residual Impact	Negligible		Minor Moderate Major							
Significance	Significance of	f impa	ct is co	nsidered	minor					

Occupational health and safety

i. Design and pre-construction stage

Impact: The project (Stabling Yard connecting line) is an infrastructure development project that will require the use of several types of equipment and machinery, large number of workers and will ultimately cater to movement of a large number of public. Construction stage occupational health and safety (OHS) risks will be restricted to the construction stage and is discussed in the next section. The main risks which need to be addressed during the design stage is the provision of health and safety design features and facilities in the stations, trains and depot to create a safe and healthy working environment for the operational staff during operation stage of the project.

Inclusion of health and safety design features in project design is a permanent activity. It may have room for revision and improvement during operations, however, it will be limited. In terms of spatial scale health and safety requirements is limited to the stabling and project RRTS alignment line. Though injuries and accidents of operational staff can have grave consequences, the chances of them occurring are low provided India has good experience in managing similar rapid transit projects. Hence, the overall significance of the OHS risks during design stage is considered moderate.

Mitigation: The project design will include state of art design features including on safety based on experiences from several metros under operation in India and other rapid transit projects around the world.

Residual impact: It is expected that there will be minor impacts.

Table 61: Impact on OHS during design and pre-construction stage

Impact		Unsafe and hazardous working conditions inside the tracks and stabling yard. Accidents and injuries to operational staff								
Impact Nature	Negative	Negative Positive Neutral								
Impact Type	Direct			Indirect				Induc	ed	
Impact Duration	Temporary		Short-	-term		Long-tern	n		Perma	nent
Impact Extent	Local			Regiona	al			Intern	ational	
Impact Scale	RRTS alignm	RTS alignment including station and stabling yard								
Frequency	Design phase	Design phase								
Likelihood	Likely									
Impact Magnitude	Positive	N	egligib	le	Sm	all	Med	dium		Large
Resource Sensitivity	Low			Medium	1					
Impact Cianificance	Negligible		Minor			Moderate	:	Major		
Impact Significance	Significance of	of impa	ct is co	nsidered	mode	rate				
		Resid	ual Imp	pact Sign	nifican	ice				
Residual Impact Magnitude	Positive	Negligi	ble	Small	Mediu	ım			Large	
Resource Sensitivity	Low				Mediu	ım			High	
Residual Impact	Negligible		Minor			Moderate	!		Major	
Significance	Significance of	of impa	ct is co	nsidered	mino	r		•	•	

ii. Construction stage

232. **Context:**

- Construction activities including excavation, t and working at heights
- Operation of heavy equipment
- Driving of heavy trucks for transporting construction material and wastes
- Operation of construction camps
- 233. **Impact:** The project will involve construction activities including handling and transport of large quantities of material and operation of heavy machinery and equipment.
- 234. **Construction material:** RRTS construction is a material intensive activity. Large quantity of different construction materials will be required for construction of elevated connecting line. These shall be sourced from the nearest source. Quarry operations are independently regulated activities and outside the purview of the project proponent. It is, nonetheless, appropriate to give consideration to the environmental implications in selection of quarry sources since poorly run operations create dust problems, contribute noise pollution, ignore safety of their employees, or cause the loss of natural resources. So, the construction material shall be sourced only from legalized and approved quarries. Estimated quantities of construction materials are as follows:
 - (i) Aggregate- 0.2 million cum
 - (ii) Sand 0.1 million cum
 - (iii) Cement 0.5 million tons

- (iv) Reinforcement steel 0.05 million MT
- (v) Structural steel 1000 MT
- 235. **Casting Yard and Batching Plant Impacts:** The project envisages use of many pre-cast components. For the manufacture of these components pre-casting yards will be established. During construction phase there would be establishment and operation of batching plant and casting yard which would be located in an area designated and allotted by respective district authorities away from habitation. The tentative locations of casting yards for various areas is presented in Table 62.

Table 62: Location of Casting Yard

Section	Location	Approx. Area (Ha)
Sarai Kale Khan to Stabling Yard	In Govt land at Gazipur	7.0
at Jangpura	iii Govi iailu at Gazipui	7.0

- 236. Outbreaks of malaria, typhoid, cholera etc. amongst the labour force; and given the current COVID-19 pandemic there is also a risk of construction workers being exposed to this and other communicable viral diseases, particularly given construction is directly within the urban area.
- 237. Health and safety risks for construction workers and community in the project area of the connecting line during construction and operational stage will be managed as per Health and Safety Management Plan (HSMP) and CEMP to be prepared following SHE manual and EMP. The health and safety risk of the project are detailed out in EIA report of Delhi-Meerut RRTS line. Additional health and safety protocols for prevention and control of the spread of COVID 19 and other communicable diseases shall be put in place in accordance with local/national guidelines and international best practices. For COVID-19 related health and safety risk, the contractor will be required to prepare and implement a COVID-19 Action Plan⁶.
- 238. Public Communications: The project PIU have developed and implementing a public communication plan to inform the affected local government agencies and local communities and the general public about the project and project activities, duration of construction, health and safety mitigation measures under the project, and the Grievance Redress Mechanism (GRM) for handling complaints. The institutional arrangement and procedure on working of GRM are given in EIA report of Delhi-Meerut RRTS line.
- 239. **Residual impact.** With the development and implementation of a good OHSM plan and strict compliance with the SHE manual it is expected that residual occupational, health and safety impacts for construction workers will be minor.

Table 63: Impact on OHS during construction stage

Impact	-Injury and death of workers at heights, inside tunnels -Illnesses and health proble	caused by hazardous working ms of workers	g conditions such as working
Impact Nature	Negative	Positive	Neutral

⁶For COVID-19 national restrictions for containing the spread of COVID-19 must be complied with and in developing the health and safety management plan Government of India (https://www.mygov.in/covid-19) and World Health Organization guidance (https://www.who.int/emergencies/diseases/novel-coronavirus-2019/technical-guidance) should be followed ensuring adequate sanitation and welfare facilities including for hand washing and personal protective equipment are provided to construction workers. Given the specialist nature of responding to COVID-19 public health officials/experts to be consulted.

Impact Type	Direct			Indirect				Induc	ed	
Impact Duration	Temporary		Short-	-term	term Long-term				Perma	nent
Impact Extent	Local	Regiona	ıl			Intern	ational			
Impact Scale	RRTS alignme	station ar	d stab	ling yard						
Frequency	Design phase	Design phase								
Likelihood	Likely	ikely								
Impact Magnitude	Positive	sitive Negligible Small Medium							Large	
Resource Sensitivity	Low			Medium				High		
Impact Cianificance	Negligible		Minor			Moderate			Major	
Impact Significance	Significance o	f impa	ct is co	nsidered	mode	rate				
		Resid	ual Imp	oact Sigr	nifican	ce				
Residual Impact Magnitude	Positive	Negligi	ble	Small Medium Large						
Resource Sensitivity	Low			Medium High						
Residual Impact	Negligible		Minor Moderate Major							
Significance	Significance o	f impa	ct is co	nsidered	minor	,				

iii. Operation stage

- 240. **Impact:** Poor health and safety features in project design could result in serious accidents such as collision, derailment, fire, power outages, or operation stoppage, individual (staff/passenger) struck in automatic doors etc. Considering that operations of the train and stabling yard is a long-term activity and the number of people using the Stabling Yard alignment is limited staff for RRTS operation and maintenance of NCRTC. Based on this the significance of health and safety risks during operation is rated as moderate.
- 241. Other impacts on local communities could be caused be additional stress on resources required such as water, electricity and waste management for operating the stabling yard line.
- 242. Public facilities such as water supply, sanitation and washrooms are needed at the stabling yard. Water requirement for stabling yard would be for drinking, toilets, cleaning and also for other purpose like AC. The total water requirement will be 87 KLD for the connecting line and stabling yard out of which 25.5 KLD of wastewater will be generated.
- 243. The stabling yard at Jangpura will have following facilities: Washing Lines; Operation and Maintenance Lines, and Offices. These facilities could generate wastewater and noise related issues. Problems anticipated are: water supply, sewerage and drainage, oil pollution, sanitation, effluent pollution and noise pollution.
- 244. **Mitigation Measures**: Operation stage health and safety risks for common public will be managed by implementing all the plans mentioned below.
- 245. To avoid train collisions and ensure safe train separation, continuous speed monitoring and provisions for automatic brake application will be included in the loco design in case the train driver disregards warning signals. Speed limits will be enforced on sections having permanent

and temporary speed restrictions. Automatic Train Protection and Automatic Train Supervision sub-systems will be installed in the trains.

- 246. In the unlikely event of simultaneous tripping of all the input power sources or grid failure, the power supply to stabling yard as well as to trains will be interrupted. A standby silent type DG set of adequate capacity at stations will sustain the following: essential lighting, signaling, and telecommunications, firefighting system, lift operation, and tunnel ventilation.
- 247. Water requirements for the stabling yard will be met through the public water supply system or purpose built tube wells after taking necessary approvals from CGWA. In case of use of ground water adequate treatment will be given before supplying for public use. Water supply arrangements will have to be made separately with proper drainage system for wastewater. Efforts will be made to conserve the water by recycling water in the system. Also, as an environmental conservation measure, rainwater-harvesting structure will also be constructed at stabling yard and along the viaduct.
- 248. Package type sewage treatment plant of adequate capacity will be installed in stabling yard for ensuring treatment of sewage. All wastewater generated will be collected and treated prior to disposal into municipal drains. Spilled oil if any will be trapped in oil and grease trap. For treating the effluents generated waste water treatment system will include oil & grease traps. The trapped oil and grease will then be sold/given to authorized collectors, so as to avoid any soil, underground/ surface water contamination.
- 249. **Residual impacts**: With the implementation of all the mitigation measures described above, it is expected that community health and safety impacts including on local resources will be minor during operation of the trains and stabling yard.

Table 64: Impact on OHS during operation stage

	DIO 0 7: 1111	 			9	- р		10.50		
Impact	-Accidents at -Health probl				hazar	dous work	ing c	onditio	ons	
Impact Nature	Negative	Negative Positive Neutral								
Impact Type	Direct			Indirect				Induc	ed	
Impact Duration	Temporary	Temporary Short-term Long-term Permanent							nent	
Impact Extent	Local	Local Regional International								
Impact Scale	RRTS alignm	RRTS alignment including station and stabling yard								
Frequency	Operation ph	Operation phase								
Likelihood	Likely									
Impact Magnitude	Positive	N	legligib	le	Sm	all	Ме	dium		Large
Resource Sensitivity	Low			Medium	1			High		
Impact Cianificance	Negligible		Minor	•		Moderate	;		Major	
Impact Significance	Significance	of impa	ct is co	nsidered	mode	rate				
		Resid	ual Im _l	pact Sig	nifican	се				
Residual Impact Magnitude	Positive	Negligi	ble	Small	all Medium Large					
Resource Sensitivity	Low				Mediu	ım			High	
Residual Impact	Negligible		Minor		_	Moderate	;		Major	
Significance	Significance	of impa	ct is co	nsidered	mino	·				

Community Health and Safety

Community health and safety and local resources

Design and pre-construction stage

- 250. **Impact.** Poor health and safety features in project design could result in serious accidents such as collision, derailment, fire, power outages, or operation stoppage. Based on this the significance of health and safety risks for the common public is rated as minor.
- 251. **Mitigation.** Before construction works begin, the contractor will prepare the following plans for approval by the GC, PIU and/or ADB. These plans must be consistent with requirements of the SHE.
 - 1) Camp management plan including health and safety, resource supply, waste management etc.
 - 2) Muck disposal plan
 - 3) Waste Management plan
 - 4) Traffic management plan
 - 5) Occupational and community Health and Safety plan
 - 6) Labor and working conditions management plan
 - 7) Code of Conduct for construction workers
 - 8) Emergency response plan
 - 9) Construction noise and vibration management plan
 - 10) Strom Water Management Plan
 - In addition to the above the PIU must prepare a public communications plan to regularly keep the public informed on the project
 - The project design to include passenger friendly and safety features such as: clear signage
 on entry, exit, prohibited areas etc; clear public announcements; presence of adequate
 housekeeping and customer service staff; automatic fare collection system
 - Station and trains to have emergency response system and facilities such as emergency escape routes, fire alarm, fire extinguisher etc.
 - Security surveillance systems including CCTV
- 252. **Residual impacts**. It is expected that all safety risks for local public will be addressed through design measures discussed above. No residual risks are anticipated.

Table 65: Impact on CHS during design and pre-construction stage

Impact	standards of project of a condents and injurious	Accidents and injuries of local community people due to poor health and safety tandards of project construction works Accidents and injuries to passengers using the train during operation stage Collision of trains and derailment, fire power outages, stopping of train services during peration stage						
Impact Nature	Negative	Negative Positive Neutral						
Impact Type	Direct		Indirect		Induc	ed		
Impact Duration	Temporary	Short-	term	Long-term		Permanent		
Impact Extent	Local		Regional		Intern	ational		
Impact Scale	RRTS alignment incl	RRTS alignment including station and stabling yard						
Frequency	Design phase							

Likelihood	Likely	ikely								
Impact Magnitude	Positive Negligible			le	Small			Medium		Large
Resource Sensitivity	Low			Medium				High		
Impact Significance	Negligible Minor					Moderate			Major	
Impact Significance	Significance	ignificance of impact is considered minor								
Residual Impact Significance										
Residual Impact Magnitude	Positive	Neglig	ible	Small	Mediu	ım			Large	
Resource Sensitivity	Low				Mediu	ım			High	
Residual Impact	Negligible		Minor			Moderate			Major	
Significance	Significance	Significance of impact is considered negligible								

Construction stage

- 253. **Impact.** Given the small scale of construction and nature of construction works requiring construction in elevated heights with heavy equipment, the risks of accidents for the public is moderate. Also, the project is not located near densely populated settlements. The risks of accidents, injuries, health problems and inconveniences to local communities living near the construction sites is moderate. Inconveniences and accidents may also be experienced by public travelling by road near the project site due to traffic jams and poor traffic safety. Any accidents or injuries to public could result in filing of complaints against the project and attract negative media attention. Therefore, the overall significance of impacts on community health and safety during construction is rated as moderate.
- 254. Social conflicts could arise between the construction workers and local community due to differences in culture and tradition. Conflicts could also arise due to additional burden on local resources caused by the construction camps and construction sites. Resources could include water supply, electricity, waste management facilities and others. Poor waste management inside construction camps and sites such as waste-water and sewage could result in pollution and creation of unhygienic conditions within the local community area. Unruly behavior of workers such as playing loud music, shouting and other socially inappropriate behavior could create tension between the local community and the workers.
- 255. **Mitigation measures**. To prevent community health and safety issues and minimize inconveniences during construction, the contractor will be required to prepare and implement the following plans:
 - (i) Overall Camp Management Plan covering health and safety, resource supply and management (such as for domestic water), waste management etc.
 - (ii) Emergency Response Plan for camp sites and construction sites
 - (iii) Traffic management plan
 - (iv) Public Communications Plan
 - (v) Code of conduct for construction workers

Traffic management. The contractor will be required to prepare a traffic management plan (TMP) to ensure that there is minimal disruption of traffic flow on the highway along the project alignment. This TMP will be prepared and approved by the GC and relevant traffic authorities before construction works are started. In case of road closure or traffic diversion, the Contractor will

ensure that information on the timing of construction works and notifications of road closure (if any) is provided via local media (radio, TV, newspaper etc.) or through the local community heads.

The traffic diversion plans shall be drawn in consultation with the local authorities. Any reduction of road space during RRTS construction results in constrained traffic flow. In order to retain satisfactory levels of traffic flow during the construction period; traffic management and engineering measures need to be taken. They can be road black-topping exercises, traffic segregation, one-way movements, traffic diversions on influence area roads, acquisition of service lanes, etc. Maintenance of diverted roads in good working condition to avoid slow down and congestion shall be a prerequisite during construction period. The construction work for road black-topping has already been taken up by NCRTC.

- 256. Pre-cast construction technology such as pre-casting of superstructure will be used in order to minimize the construction work on site so as to cause least traffic hold ups and diversions of any type.
- 257. The following traffic management guidelines will be followed to lay down procedures to be adopted by contractor to ensure the safe and efficient movement of traffic, ensure the safety of workmen at construction sites and generate minimal disturbance to residents near the construction site.
 - (i) All construction workers should be provided with high visibility jackets with reflective tapes as most of viaduct and station works are on the right-of-way. The conspicuity of workmen at all times shall be increased so as to protect from speeding vehicular traffic.
 - (ii) Warn the road user clearly and sufficiently in advance.
 - (iii) Provide safe and clearly marked lanes for guiding road users.
 - (iv) Provide safe and clearly marked buffer and work zones
 - (v) Provide adequate measures that control driver behaviour through construction zones.
 - (vi) The primary traffic control devices used in work zones shall include signs, delineators, barricades, cones, pylons, pavement markings and flashing lights.
 - (vii) Advance traffic updates/ information on communication systems for users of affected roads.
 - (viii) Traffic Marshals will be provided.
 - (ix) Restrict operation of construction vehicles and trucks to night time hours to avoid generation of noise and interfere with daytime traffic. These vehicles and trucks maybe those that are hauling construction materials, equipment and waste.
- 258. **Safety and protection.** The contractor will implement the following measures to ensure safety of the local public.
 - (i) Plan for construction sites/facilities/yard and access route in consideration of health and safety of local communities.
 - (ii) Provide safety officers to monitor the health and safety of the local community. If any complains rises, immediately identify the causes and evaluate built-in measures.
 - (iii) Install fencing of the construction site, provision of signage and posters
 - (iv) Contractor must make sure that objects from construction site don't fall outside the boundary. This can be done by install netting or use toe-boards on scaffolds.

- (v) Contractor should always look at construction surroundings while assembling and dismantling scaffolds to ensure a member of the public isn't in close proximity. Contractor also needs to ensure that the scaffolding is properly constructed and maintained.
- (vi) Stack or storing materials outside construction boundary, increases the likelihood of trips and falls. Store all materials within construction site area in secure compounds.
- (vii) People can suffer serious injuries if they fall into stairwells, manholes, or excavations from open floor edges. Contractor must block these areas off with barriers or use a suitable covering and provide lighting and barriers if left open overnight.
- (viii) Construction sites are noisy environments. It's vital that contractor checks the noise levels on the site regularly and if these are damaging for close passers-by and take measures suggested in EMP if required.
- 259. **Public Communications.** The PIU will develop and implement a public communication plan to inform the affected local government agencies and local communities and the general public about the project and project activities, duration of construction, health and safety mitigation measures under the project, and the Grievance Redress Mechanism (GRM) for handling complaints.
- 425. **Residual impacts**. If the mitigation measures described above are implemented and the contractor abides by the requirements it is expected that there will be minor residual impacts.

Table 66: Impact on CHS during construction stage

Impact	-Inconvenien of access rou -Inconvenien jams or unsa -Extra burder in construction -Health probl	-Accidents and injuries to people living near the construction sites -Inconveniences to communities living near construction sites for example due blocking of access routes, disruption of utility services due to excavation works -Inconveniences caused to traffic plying on the road near project alignment due to traffic iams or unsafe conditions caused by project construction -Extra burden on local resources such as water supply, electricity because of their use in construction sites and camps -Health problems such as malaria, COVID-19, HIV/AIDs, and STDs brought by construction workers									
		Social conflicts between workers and local communities Complaints from local people against the project									
Impact Nature	Negative	egative Positive Neutral									
Impact Type	Direct			Indirect				Induc	ed		
Impact Duration	Temporary		Short-	-term		Long-term	า		Perma	nent	
Impact Extent	Local			Regiona				Intern	ational		
Impact Scale	RRTS alignm	nent incl	uding s	station an	d stab	ling yard					
Frequency	Construction	phase									
Likelihood	Likely										
Impact Magnitude	Positive	N	egligib	le	Sma	all	Med	dium		Large	
Resource Sensitivity	Low			Medium				High			
Impact Significance	Negligible		Minor			Moderate			Major		
impact Significance	Significance	of impa	ct is co	nsidered	mode	rate					
	Residual Impact Significance										
Residual Impact Magnitude	Positive	Negligi	ble	Small	Mediu	ım			Large		

	Resource Sensitivity	Low			ım	High	
	Residual Impact Significance	Negligible Minor Moderate Major					
		Significance of impac	ct is considered	minor	•		

Operation stage

- 260. **Impact.** During operation of trains, stations and yard, there will be chances of accidents and injuries to passengers using the train, station and yard. Collision of trains and derailment, fire power outages, stopping of train services. Thus, the impacts are of minor category for operating the trains and stabling yard facility.
- 261. **Mitigation Measures.** Operation stage health and safety risks for common public will be managed by implementing all the plans.

To avoid train collisions and ensure safe train separation, continuous speed monitoring and provisions for automatic brake application will be included in the loco design in case the train driver disregards warning signals. Speed limits will be enforced on sections having permanent and temporary speed restrictions. Automatic Train Protection and Automatic Train Supervision sub-systems will be installed in the trains.

CCTV system will provide video surveillance and recording function for the operations to monitor each station. The monitoring shall be possible both locally at each station and remotely from the OCC. In view of the potential hazards from system failure resulting to accidents, both on- site and off-site emergency measures will be implemented. All trains will have public address systems to warn the passengers of any emergency situation.

In the unlikely event of simultaneous tripping of all the input power sources or grid failure, the power supply to stations as well as to trains will be interrupted. A standby silent type DG set of adequate capacity at underground stations will sustain the following: essential lighting, signalling, and telecommunications, fire-fighting system, lift operation, and tunnel ventilation.

Residual impacts. With the implementation of all the mitigation measures described above, it is expected that community health and safety impacts including on local resources will be negligible to minor during operation of the trains, stations and depots.

Table 67: Impact on CHS during operation stage

	bic or . iiiipact	011 01	io aaiii	g open	unon o	tago			
Impact	-Collision of trains -Stress on local res	Accidents and injuries to passengers using the train and yard Collision of trains and derailment, fire power outages, stopping of train services Stress on local resources (water, electricity etc.) due to extraction on these resources or operating the trains and stabling yard facility							
Impact Nature	Negative	egative Positive Neutral							
Impact Type	Direct	Direct Induced							
Impact Duration	Temporary	Short-	term	Long	g-term		Permai	nent	
Impact Extent	Local		Regional			Intern	ational		
Impact Scale	RRTS alignment in	cluding s	tation and	stabling y	ard				
Frequency	Operation phase								
Likelihood	Likely	_ikely							
Impact Magnitude	Positive	Negligib	е	Small	Med	dium		Large	

Resource Sensitivity	Low			Medium			High		
Impact Cignificance	Negligible		Minor	Moderate				Major	
Impact Significance	Significance	Significance of impact is considered minor							
Residual Impact Significance									
Residual Impact Magnitude	Positive	Negligible		Small	Medium			Large	
Resource Sensitivity	Low				Mediu	ım		High	
Residual Impact	Negligible	Minor			Moderate		Major		
Significance	Significance	of impac	ct is co	nsidered	neglig	jible to minor	•		

Physical and Cultural Resources

i. Pre-construction and Construction stage

- 262. **Impact:** An assessment of the historical and archeological monuments along the proposed alignment of stabling yard line has been carried out and it is found that the proposed alignment or none of its portion is falling in the prohibited /regulated areas of monuments protected by Archeological Survey of India or Archeological Department of the State of Delhi.
- 263. Although there are no identified historical and archeological monuments along the alignment, considering the fact that Delhi is historical city, there is a small possibility that some artifacts may be buried along the alignment. Hence, during piling works for the elevated section the contractor may encounter artifacts.
- 264. **Mitigation:** A chance find procedure is included in the EMP to minimize impacts on historical / archeological artifacts, in case any are found during excavation work. NCRTC will inform and coordinate with Archaeological Survey of India (ASI) and state Archaeological Departments if any ancient remains encountered during construction work.
- 265. **Chance heritage finds:** Although not reported there are possibilities that some artifacts may be found during piling and excavation work.
- 266. At least 30 days before the start of piling work, the contractor will coordinate with State Archeological department to reconfirm that there are no presence of any buried artifacts along the RRTS line alignment. No piling or excavation will be allowed unless cleared by the archeological Department.
- 267. **Residual impacts**: With the implementation of the mitigation measures described above, it is expected that impacts on the physical and cultural resources will be negligible.

Table 68: Impact on PCR during pre-construction and construction stage

Impact	Destruction of histori	Destruction of historical artifacts that maybe buried along the alignment							
Impact Nature	Negative	egative Positive Neutral							
Impact Type	Direct	Direct Indirect Induced							
Impact Duration	Temporary	Short-	term	Long-term		Permanent			
Impact Extent	Local	Regional International				ational			

Impact Scale	RRTS alignm	RRTS alignment including station and stabling yard										
Frequency	Design and o	Design and construction phase										
Likelihood	Likely	Likely										
Impact Magnitude	Positive	Positive Negligible Small Medium Large										
Resource Sensitivity	Low	ow Medium High										
Impact Cianificance	Negligible Minor			Moderate			Major					
Impact Significance	Significance	of imp	act is co	nsidered	negliç	gible						
		Resid	dual Imp	oact Sign	ifican	се						
Residual Impact Magnitude	Positive	Negli	gible	Small	Mediu	ım			Large			
Resource Sensitivity	Low				Mediu	ım			High			
Residual Impact	Negligible		Minor		•	Moderate			Major			
Significance	Significance	of imp	act is co	nsidered	negliç	gible						

B. Induced and Cumulative Impacts

1.1 Adverse induced and cumulative impacts

1.1.1 Noise & Vibration levels

268. The project is located in an urban area with the noise level above the permissible level due to vehicles movement on Ring Road, Barapula elevated road, Mathura Road and existing railway trunk route. The construction of the proposed RRTS, specifically during site preparation, land clearing, excavation and piling may potentially cause an increase in noise in the project area.

269. During project operations, due to existing high background noise levels along portions of the alignment caused by the existing volume of road traffic on highway and railway trains in the area and vicinities, receptors may experience a low to moderate noise impact close to connecting line alignment. Impact will be mitigated by an operating schedule, application of design embedded measures and erection of site specific noise attenuation panels at the identified locations. Therefore incremental noise levels from the project is considered not significant. Moreover, impacts will be addressed by the regular noise monitoring and inspection, proper maintenance and reconditioning of trains and tracks such as rail grinding, slip-slide detectors and maintenance or replacement of suspension system, brakes and wheels. Vibration levels associated with project operations (i.e., train passing by) will be largely imperceptible. Above all NCRTC will take possible measures to maintain noise and vibration levels within the limits . Studies has proven that soundproof windows glass panel are very effective, if required at some location despite of all mitigation measures glass panels shall be used. Similarly, vegetative barrier along railway line can also be considered in case of higher noise levels. The vibration impacts induced by increase noise levels in Siddhartha Extn. due to train operations are not significant on application of Noise barriers as designed by CRRI.

1.1.2 Water Quality

270. Water quality is not expected to be impacted by either construction or operation of the RRTS. Package type sewage treatment plant of adequate capacity will be installed in stabling yard for ensuring treatment of sewage. The environmental management plans of the project specify measures to prevent water quality impacts during construction. Cumulative impacts of

project activities on water quality are expected to be null providing management measures to minimize construction impacts during construction and ensure effective waste water treatment is upheld. Similarly, cumulative impacts due to construction and operation of the RRTS on water quality are expected to be null.

1.1.3 Flooding and drainage

271. The stabling yard and connecting line alignment is elevated. At grade station is proposed within stabling yard will be connected with drainage system of appropriate design capacity. Hence RRTS operations are not expected to contribute in any way in flooding of the project area.

1.2 Positive induced and cumulative impact analysis

1.2.1 Change in Property Value at/near RRTS corridor:

272. With the opening of the RRTS, property values in general can be expected to rise around the alignment (see Appendix 16). The large daily influx of RRTS riders will have a large influence on its surrounding area, especially around the stations. This might lead to an increase in property values depending on distance from and accessibility to each station. The same applies to commercial properties. Studies conducted for big infrastructure projects have shown that projects like MRTS, RRTS etc. usually lead to increase in property value of the area in vicinity of the project. The same has been considered in the TOD policy notified by MoHUA. With a RRTS station being constructed at Jangpura and the notification of Jangpura RRTS station as a TOD node, benefits for the surrounding area can be expected. The station at Jangpura stabling yard will grant the local community easy access to Sarai Khale Khan station, and from there integration with Delhi-Meerut, Delhi-Alwar and Delhi-Panipat RRTS. In addition, commercial development associated with this Multi Modal Integration (MMI) will enhance economic potential of nearby area including Siddhartha Extension.

1.2.2 Economic Activity

273. The Project will provide fast and convenient rapid transit service and an added transportation alternative that will enhance connectivity to the wider transit network for residents and businesses facilitating economic growth of municipalities along the railway corridor. Further integration of Delhi-Ghaziabad-Meerut, Delhi-Gurugram-Rewari-Alwar, Delhi-Sonipat-Panipat RRTS corridors at Sarai Kale Khan and also the provision of an RRTS station at Jangpura stabling yard which will enhance the connectivity of the area with other places. In addition commercial development associated with this Multi Model Integration (MMI) will enhance economic potential of nearby area including Siddhartha Extension.

1.2.3 Air Quality

274. The Project will reduce the use of personal vehicles, increase the transit mode share and will contribute to community re-development through the stimulation of future concentrated and mixed land use, as well as a positive business environment. It will contribute to environmental sustainability initiatives by reducing regional car trips, enhance community livability and reducing greenhouse gas (GHG) emissions. Project operation is expected to have a positive effect on air quality since the Project will use an RRTS train which is exhaust-free and quieter compared to diesel and locomotive-drawn multiple units and replace vehicular traffic from the adjacent road which use combustion engines. As such, the Project's contribution to the cumulative impacts on air quality particularly during the operation would be positive.

C. Expected Benefits from the Project

275. RRTS rail systems have an advantage over other modes of transport because they provide higher carrying capacity, faster, smoother, and safer travel, occupy less space, and are non-polluting and energy-efficient. The project will generate employment opportunity for skilled and semi-skilled during construction and operational stage.

VI. ANALYSIS OF ALTERNATIVES

A. Introduction

276. This chapter discusses the analysis of alternatives that have been considered for this RRTS alignment. It also includes a discussion on "With" and "Without" project scenario. The methodology that has been adopted for the evaluation of the alternate alignment route for construction of the RRTS is based on engineering, economic, environmental and social considerations. The minimization of environmental impacts by considering design alternatives determines the extent of mainstreaming of the environmental component. An evaluation of the various alternative options has been done for arriving at the most routes for the connecting line from environmental, social and techno-economic considerations. This chapter looks at the decisions made during the project when alternatives were available and describes the rationale behind the decision.

B. "With" and "Without" Project Scenario

- 277. The 'With' and 'Without' project scenarios are analyzed with this backdrop of requirement of reliable quality infrastructure for sustained growth of NCR economy and consequent well-being of its inhabitants.
- 278. The project will have multiple benefits. It will reduce the travel time substantially between Meerut city and its sub urban areas. In addition, the project will provide other benefits like:
 - (i) Fast and safe connectivity, resulting in saving of fuel, travel time and total transportation cost to society;
 - (ii) Employment opportunity to people;
 - (iii) Development of local industry, agriculture and handicrafts;
 - (iv) Development of tourism and pilgrimage:
 - (v) Transporting, processing and marketing of agricultural products;
 - (vi) Reduction in accidents;
 - (vii) Reduction in pollution;
 - (viii) Opening up of opportunities for new occupations;
 - (ix) Better approach to Medical & Educational services
 - (x) Improved quality of life for people and soon.
- 279. Based on the above, it is envisaged that "With" project scenario, with its minor adverse impacts is more acceptable than the "Without" project scenario which would mean an aggravation of the existing problems. The potential benefits of the proposed RRTS are substantial and farreaching both in terms of the geographical spread and time.

C. Alternatives of RRTS Alignment and Facilities

280. Alternate alignment options study for connecting line was carried out. Due to highly developed highways and railway line network along with continuous habitation around Jangpura area, the connecting line will mandatorily pass through settlement only on the lines of all mass transport systems all over world including metro lines to serve the purpose. Sarai Kale Khan is common point for operation of all the three envisaged RRTS corridors namely Delhi-Ghaziabad-Meerut, Delhi-Gurugram-Rewari-Alwar and Delhi-Sonipat-Panipat and all the corridors are originating on elevated station only, therefore connecting Sarai Kale Khan to Jangpura stabling

yard through viaduct is only technical option. The connecting line alignment starts at chainage of km 0+950 and ends at km 23+000. The alignment crosses Delhi Metro at chainage of km 1+150, Barapulla flyover and nalla at chainage of km 1+400, Siddhartha Extn. at chainage of km 1+500 and Railway line at chainage of km 1+700. A length of 125 m of viaduct will pass through Siddhartha extension colony. Options study through/along Siddhartha Extension has also been carried out by NCRTC enclosed at **Appendix-10**.

- 281. The alignment of viaduct is also found most suitable from Engineering, Social and Environmental considerations. Based on the alignment survey data, it is concluded that the alignment through Siddhartha Extension is shortest and will be met with the existing design of Delhi-Ghaziabad-Meerut RRTS corridor and will have to be created for faster and fairly comfortable movement of commuters. During the finalization of the alignment of the connecting line, various alternate alignment options were explored so as to minimize the adverse impact on land acquisition and resettlement. The alignment /design finally adopted was found technically most suitable and impacting less to private properties. The private land was avoided as much as possible and the stabling yard is also accommodated in available government land. However, technical and engineering constraints were one of the major concerns during exploration of various alternatives. The selection of location of stabling yard was governed by the availability of Government owned land, which is premises of an abandoned factory and hence which does not have any resettlement impacts. The various options studied are described in the **Appendix 10**.
- Option-III was preferred over other options to minimize resettlement impact on 16 282. residential flats of Siddhartha Extension as per SR1, Policy Principle para 2 of ADB, SPS, 2009. The alignment of the connecting line was finalized after considering merits and demerits of various alignment options. Due to the short distance between Sarai Kale Khan station and Stabling Yard at Jangpura, the alignment options are very limited and the final alignment passing through Siddhartha extension is the best possible option, considering that any other alignment route would have resulted in significant resettlement issues elsewhere. The columns of the elevated viaducts will be placed in such a way that in operational phase traffic will not be impacted and free movement from one side of the viaduct to the other is secured. 08 individual flats owned by 08 households in an apartment/building /flats are coming within the shadow of the viaduct. To avoid inconvenience to the residents of these flats, these 08 individual flats need to be acquired or relocated or temporarily shifted as per the discussion and mutual agreement with the flat owners. Although the acquisition or shifting of these households is not a prerequisite for taking up the construction of the viaduct, a proposal for purchase/temporary shifting is envisaged to avoid discomfort to the residents during the construction period. This option is technically viable, besides this alignment has the least environmental and resettlement impact as compared to Option-I and Option-II. The comparison of plans showing all options is given in **Appendix 10**.
- 283. A field visit was undertaken on date 23rd March 2023 to conduct an environmental assessment of alignment for Option 1 for Connecting Line from Sarai Kale Khan RRTS- station to Stabling Yard.
- 284. The alignment starts at the take off point from main line with slight deflection from Option 3 and ends after merging with proposed alignment at Stabling yard at Jungpura. Option 1 alignment of the connecting line between Sarai Kale Khan RRTS- station to Stabling Yard is bypassing the Siddhartha Extension Pocket C Flats situated between Gate 2 and 3. However, Option 1 alignment is located at about 15m distance from west of G+3 building and transverses through park area of Siddhartha Extension colony with grown trees. Residential building of G+4 in Sarai Kale khan area is also located about 5-6m distance from edge of viaduct before alignment turning to cross nallah. The alignment under option 1 transverse on a patch of Indian Railway

land before entering to stabling yard area. There is approx. 70m increase in the length of alignment as compare to Option 3 due to curve required to bypass Siddhartha Extension.

285. The details of environmental features within the project influence area of the proposed option 1 alignment were collected and impacts assessment of the project activities on these features is described in following sections:

- **Physical Environment:** Option 1 alignment for the connecting line is located in the urban built-up area of the Delhi NCR, similar to option 3 alignment. The alignment of Option 1 runs 200m along left bank of nallah before crossing. This will require casting of piers on the bank of water body/nallah in addition to piers required for nallah crossing. The piers within the water course are equal in both the options for the alignment. The pilling work on the bank will induce sediment load in nallah water deteriorating water quality.
- **Biological Environment:** The biodiversity features in the project area is low due to urban area, additional approx. 250 nos. of trees in the corridor of impact due to change to option 1 alignment. Most of the trees are old and fully grown species of Siris, Safeda, Ber, Kanji, Pipal, Papri, Sheesham, Kner, Tulip, Amaltash, Champa and Babool etc.
- Socio-economic Environment:. An inventory of socio-economic receptors such as school, places of worship, residential area or building etc. within 150 m on either side of connecting line for Stabling Yard alignment was carried out. In total, there are 13 locations of receptors within 150m were identified, the list is provided below.

Table 69: Details of socio-economic features in Option 1 alignment

				Distance	Coord	inates
S N	Receptor Description			from centre line of alignmen t (m)	x	Y
1	ISBT	No	RHS	50	28°35'6.83"N	77°15'31.18" E
2	Delhi Police Traffic Enforcemen t yard	No	Crossin g	0	28°35'0.92"N	77°15'33.24" E
3	SDMC, water supply pumphouse and office	No	LHS	10	28°35'0.89"N	77°15'33.60" E
4	Shani Mandir (Temple), Sarai Kale Khan	Yes	RHS	80	28°34'59.95" N	77°15'25.62" E
5	Siddhartha Extn.	Yes	LHS	120	28°34'53.88" N	77°15'22.43" E

				Distance	Coord	inates
S N	Receptor Description	Environmentall y Sensitive	Side	from centre line of alignmen t (m)	X	Y
6	4 storey residential building	Yes	RHS	5	28°34'58.05" N	77°15'22.55" E
7	Govt. Sr. Sec. School, Sarai Kale Khan	Yes	RHS	120	28°35′1.70"N	77°15'19.51" E
8	Barapulla Flyover & Nallah Crossing	No	Crossin g	0	28°34'57.81" N	77°15'20.80" E
9	Sri Periyayi Ammana Temple	Yes	RHS	40	28°34'58.27" N	77°15'17.71" E
10	Siddhartha Extn.	Yes	LHS	15	28°34'55.60" N	77°15'17.92" E
11	Majar	Yes	Crossin g	0	28°34'48.32" N	77°15'13.04" E
12	Office of Hidustan prefab ltd.	No	LHS	50	28°34'41.29" N	77°15'7.27"E
13	Residential house rows + NCRTC new mutistories buildings	Yes	Both sides	20	28°34'43.91" N	77°15'3.49"E

- 286. Waste Generation: As the length of option 1 is more, so there will be slightly more waste generation from option 1.
- 287. Tree Cutting: Total tree cutting along option 1 is approx. 532.
- 288. Noise Impact: Structures will be impacted due to increased noise generation along option 1. Noise barriers will be required for 920m length. Along option 1, RRTS will take sharp horizontal curve. Due to wheel and track interaction on this sharp curve, there will be increased noise generation. As this section is approx. at 15m distance from Siddhartha extension building, additional noise mitigation measures will be required at this sharp curve. The noise analysis is provided below.
- 289. Impact on Waterbody: Impacts on water quality of the nallah near Barapulla flyover is anticipated during construction. Although, it is an open wastewater drain with very poor water quality, Its flow is also likely to get altered during pier construction. There will be risk of microbial infection to workers during construction in this section.

Table 70: Rapid Environmental analysis of Option 1

Impacts	Option 1 (Bypassing Siddhartha Extension)
Waste Generation	New piers with foundations needs to be installed. The length of this alignment is more. So more muck and spoils will be generated.
Tree Cutting	Around 532 trees will be impacted due to option 1
Noise Impact	Structures will be impacted due to increased noise generation. Noise mitigation measures are required for 920m length of RRTS.
Impact on Waterbody	2 piers will be installed along Nallah near Barapulla flyover
Physical Cultural Resources (PCR)	1 PCR (Majar) will be impacted/demolished. One 3 storey building is in direct corridor of impact from the alignment.
Movement of Construction machinery/	As the alignment (option 1) is close to rows of residential areas, there will be increased air pollution levels during construction stage due to transportation of construction material and movement of construction machinery in the study
equipment	area. There will be CHS risks to the surrounding community. This community will be impacted due to noisy machinery and equipment.
Traffic Management	The alignment near barapulla flyover runs parallel and very close to Tara Chand Saini road (5m). This road serves as main road to the downstream community residents. Traffic movement to and from this community will get impacted during construction stage.
Vibration	Some residential buildings/houses are very close to the alignment (5m-15m). It is likely that these buildings/house rows may experience some vibrations due to RRTS operations as some structures are temporary. In order to be sure and protect these structures, detail vibration assessment is required for these buildings/ house rows.
Shadow Impacts	As some residential buildings/houses are very close to the alignment (5m-15m), shadow impact on some of these buildings/houses is envisaged.

290. The alignment change to option 1 will block Shri Tarachand Sain road during construction phase. The road is used by local residents to access the areas along the nallah and further to Sarai Kale khan colony.

Table 71: Noise Analysis along option 1

S No.	Description	LHS/RHS	Land use Category	Offset in meters	Baseline noise Leq, dB(A)	Predicted Noise levels	Increase in Noise Levels, dB(A)	Barrier Requirement
1	Office Store	LHS	Category 3: Institutional	30	69	71.0	2.0	No
2	Residential house row	RHS	Category 2: Residential	15	69	73.1	4.1	Yes
3	4 story residential building	RHS	Category 2: Residential	5	89.9	91.9	2.0	Yes
4	4 story residential building	RHS	Category 2: Residential	13	89.9	90.2	0.3	Yes
5	School	RHS	Category 3: Institutional	120	69	69.4	0.4	No
6	Sri Periyayi Amman temple	RHS	Category 3: Institutional	40	69	70.7	1.7	No
7	Siddhartha extension	LHS	Category 2: Residential	15	69	73.1	4.1	Yes
8	Majar	Centre	Category 3: Institutional	0	77.1	87.8	10.7	No
9	Hindustan Prefab Limited	LHS	Category 3: Institutional	50	73	73.5	0.5	No
10	Residential houses rows +NCRTC new multi-stories building	Both Side	Category 2: Residential	20	73	74.5	1.5	Yes

291. Option 3 alignment status: Site clearing works for the option 3 alignment is complete except the section passing Siddhartha Extension colony. Removal of 370 nos. trees (out of 469 total) has been done from the corridor of impact for this alignment. The construction work of piers for 30-40% length has been either in initial stage or completed, except cap and viaduct works.

Annexure-1: Photolog of site visit










Patch of Indian Railways land near stabling yard





RRTS crossing Indian Railway location

Residential building row near stabling yard



- 292. Land being one of the most precious commodities in India, elevated alignment is recommended for RRTS to keep the land requirement to bare minimum. This will also ensure that the execution of the project is not delayed due to land acquisition, acquired of Govt is required only. Timely and well planned execution will eventually prove economical as any delay in the construction results in cost escalation.
- 293. **Alignment of connecting Line:** The alignment for the proposed Sarai Kale Khan Jangpura Stabling Yard RRTS line (Option III) has been finalized after taking into account technical, environmental and social concerns, considerations of highway and railway traffic crossing, integration with the planned RRTS system and importantly, the overall economic and financial viability. The underlying principles for evaluation for each corridor, without affecting the overall usefulness of the corridor, are:
 - (i) Minimum or No private land acquisition,
 - (ii) Least disturbance to properties,
 - (iii) Minimum disturbance to people and
 - (iv) Minimum disturbance to ecology/ biodiversity.
- 294. In the analysis of alternatives, a comparison of scenarios with and without the project has also been made. Advantages and disadvantages have been spelt out and the analysis is quite exhaustive. These being the over-riding criteria, financial implications of these alternatives were not worked out.
- 295. **Location of Stabling Yard:** Several alternatives have been considered for stabling yard location. Based on techno-economic, social and land acquisition, and accessibility aspects one stabling yard at Jangpura is being finalized. The stabling yard planning is based on following assumptions:

- (i) Enough space should be available for establishment of a stabling yard.
- (ii) All inspection lines, stabling lines are designed to accommodate one train set of 12- Car each and space earmarked for future provision.
- (iii) All Stabling lines are designed to accommodate one trains of 12- Car each.

D. Conclusion

296. Based on the analysis of alternatives as discussed above, it is found that alignment for connecting line from Sarai Kale Khan RRTS station to proposed Stabling Yard at Jangpura is the only alignment (Option III) based on technical, economical, social and environmental aspects during construction and operational stage of the project. The minor adverse impacts would be manageable to an acceptable level by implementing mitigation measures identified in the EMP. The EIA with EMP has been considered an acceptable and justified option.

VII. CONSULTATIONS, PARTICIPATION AND INFORMATION DISCLOSURE

A. Consultations

- 297. As required for "Category A" projects, consultations were conducted at the early stage of EIA preparation, mostly involving local communities and organizations. These stakeholders along with local leaders have been consulted at every stage of the project and feedback has been incorporated in the project design.
- 298. **Identification of Stakeholders:** Key stakeholders at central, state, district and local level have been consulted as part of the consultation process. Key stakeholders identified for the project are:
 - (i) Ministry of Environment, Forest and Climate Change, Delhi
 - (ii) Delhi Pollution Control Committee
 - (iii) Central Ground Water Authority
 - (iv) International NGO: World Wildlife Fund
 - (v) Local NGOs in Delhi
 - (vi) Delhi Development Authority
 - (vii) Municipal Corporation of Delhi

Table 72: Summary of Stakeholder Consultation

SI. No.	Name and Designation	Issue discussed			
1	Mr. U. W. Hood, Advisor/Project, NCRTC	Environmental studies and impact assessment under Sarai Kale Khan to Stabling Yard section, project proposal, alignment, detailed, design report, LA and R&R issues in the project,			
2	Mr. Subodh Kumar, CPM, Delhi, NCRTC	Day to day coordination and progress, requirement of information and data and design of Delhi section			
3	Mr. Raees Ahmad Khan, Dy. Chief Engineer, Delhi, NCRTC	Day to day coordination and progress, requirement of information and data and design of Delhi section			
4	Mr. Manoj Kumar, Executive Engineer, Delhi, NCRTC	Day to day coordination and progress, requirement of information and data			
5	Mr. Devansh Gautam, Engineering Associate, Delhi, NCRTC	Day to day coordination and progress, requirement of information and data			
6	Mr. Vikram Singh, Junior Engineer, Delhi, NCRTC	Day to day coordination and progress, requirement of information and data			

1.2 Public Consultation

299. Consultations were held with key stakeholders, local communities and affected people during social and environment impact assessment study as well as will be continued during the process of land acquisition. During study preparation the consultation is limited to informal discussion and perception surveys including focused group discussions. Issues associated with environment, health and safety were also discussed during the consultation meetings as part of study. Besides this there are several informal consultation session and focused group

discussions were organized as part of the project. Details of above public consultation meetings, list of participants, photographs and records are enclosed as Appendix 7.

300. The public consultation was carried out as part of impact assessment study (Social and Environment) at two locations in Siddhartha Ext, Pkt-C, Ward: Bhogal, District: South East Delhi on 4/12/2020 and 6/12/2020. The communities were informed in advance about consultation dates and agenda and were encouraged to attend consultation including female member(s) of their family. NCRTC is regularly interacting with residents of Siddhartha Extension, Senior Citizen Welfare Forum and RWA and keeping them well informed about the details of RRTS construction. Details of such meetings in chronological order are summarized in Table 73.

Table 73: Interaction with SCWF and RWA

Date	Meeting Hold with	Remarks			
27.08.2020	Flat Owners-24 Nos	Concerns from RWA of Siddhartha			
10.09.2020 Flat Owners-24 Nos		Extension were addressed and			
30.09.2020 SERWA		formally communicated through			
21.10.2020 Sr. Citizen Welfare Forum		letter dated 05.07.2021 and 17.08.2021 from NCRTC to Sr. Citizen Welfare Forum, copies of			
07.11.2020 Flat Owners-24 Nos					
10.11.2020	Sr. Citizen Welfare Forum	these are enclosed as Appendix			
10.11.2020 SERWA		9. Copy of MOM conducted on			
09.01.2021	Flat Owners-24 Nos	06.01.2022 enclosed in Appendix			
12.06.2021	Flat Owners-24 Nos	11.			
13.07.2021 Sr. Citizen Welfare Forum					
24.07.2021	Flat Owners-8Nos.				
14.08.2021	Flat Owners-8Nos				
06.01.2022	Sr. Citizen Welfare Forum along with ADB				
23.05.2022	Siddhartha Extension Sr.Citizen's Welfare Forum and SERWA along with ADB, External Monitor Consultant-Social, & Environment, General Consultant-Social Expert	Focused Group Discussion			
05.07.2022	Residents of Siddhartha Extension along with ADB environment and social safeguards specialists, NCRTC, External Monitor Consultant-Social, & Environment, General Consultant-Social Expert	Community Interaction Programme- DDA Community Hall, Pocket-C, Siddhartha Extension			
23.07.2022	Residents of Siddhartha Extension along with ADB environment and social safeguards specialists, NCRTC, & General Consultant-Social Expert	Community Interaction Programme- DDA Community Hall, Pocket-C, Siddhartha Extension			
29.10.2022	Meeting held with resident of Block no. 195 & 196.	Grievance Redressal Committee- Meeting on 29.10.2022 regarding objection received on draft EIA and RP letter 27.06.2022.			

301. In addition to the individual consultation with project affected households (owners of 24 nos. flats and members of senior citizen welfare forum), a total of 20 persons (3 females and 17 males) were consulted in consultation meetings/focused group discussions. Some of

the major issues that were discussed and feedback received from the individuals during the course of the consultations and measures to address the same are summarized in the below Table 74.

Table 74: Summary of Public Consultation

- ·	Table 74: Summary of Public Consultation							
SI. No.	Date and Location	Name of Participants	Profession	Age (Yrs.)	Gender		Issues Discussed	Measures Taken
	Date : 04-	M.C.Gupta	Retired	76	М	•	Problem with	No improvement of transport facilities
	12-20	M.M.Gupta	Retired	74	М		existing transport	in this area. Because the alignment is
1	Locality:	V.D.Sharma	Retired	70	М		facilities.	passing through this area is for
	Siddhartha	Surjeet Singh	Retired	69	М	•	Importance of	maintenance yard of RRTS. It is not for
	Ext, Pkt-C	M.L.Ahuja	Retired	73	М		RRTS project in	use of passenger transportation.
	Ward:	P.K.Saha	Retired	62	М		transportation.	Blockage of sunlight of flats. Greenery
	Bhogal	Mrs.K.Kapoor	Retired	69	F	•	Negative impacts of	will be affected due to cutting of trees.
	District:	Dr.Ajita	Researcher	52	F		the project (on	Pollution will be increased. Playground
	South East	Amarjeet Kaur Lamba	Teacher	48	F		environment &	of children and walking ground of Sr.
	Delhi						social) and	citizen will be fully affected.
							mitigation .	Health related problem will be rise due
							measures along	to disturbance from noise and vibration
							with preferred type	in construction, even operation stage.
							of compensation,	Residents living in this block will be
							Problem if any	unsafe for all time. High risk of
							foresee in case of	accidents during construction and
							displacement.	operation stage, because it is passing
						•	Alternate option in	very close to our houses and upon our
							case of loss of	buildings.
							livelihood.	Building May cracked due to heavy The state of the state of
						•	Suggestion if any in	vibration during construction. Approach
							case of relocation.	road will be disrupting during
						•	Participation of	construction. It will be hamper the services of school buses and
							community in	
							project planning	emergency services like, Fire Ambulance etc.
							and implementation.	Water level is only around 2M in this
							•	colony, so water logging will be a major
						•	Concerns regarding land acquisition,	issue during construction of RRTS
							resettlement and	pillars.
							compensation in	Depreciation of cost of flats.
							construction of	NCRTC considering only 8 flats as
							RRTS project	affected flats. We are strongly
							Tara project	anecieu liais. We are sirongly

SI. No.	Date and Location	Name of Participants	Profession	Age (Yrs.)	Gender	Issues Discussed	Measures Taken
	Date : 06-					Problem with	opposing this thought. Total 104 flats in this residential block. All are adjoining with each other, so if the 8 flats will be demolish then how rest will not be affected. • People suggesting that yard should be shifted at other place or alignment should be changed. • This is 36 years old colony Mostly retired peoples living in this pocket. Their sentiments attached with this colony. It should be regarded. • All 104 flats of this residential block should be considered as affected (In case there is no option to change the alignment). • A new access road should be constructed and connect it to Barapula exit point for smooth vehicle movement of this colony. (In case there is no option to change the alignment). • Park should be maintained properly after construction. (In case there is no option to change the alignment). • Safety issues must be taken under consideration during project planning and execution. • Local people must be consulted during construction and their issues (If any) should be solved immediately by project authority.
2	12-20	Ram Mehrotra	Service	56	M	 Problem with existing transport 	alignment (If possible)
		Ashu Sharma	Business	42	M	facilities.	
		Arvind Tirpathi	Business	50	М]	

SI. Date and No. Location	Name of Participants	Profession	Age (Yrs.)	Gender	Is	ssues Discussed	Measures Taken
Locality:	Sukhvinder Sigh	Service	45	М	•	Importance of	Compensation should be calculated
Siddhartha	Jitendra Kr Joshi	Business	58	М	_ F	RRTS project in	as per the area and space occupied
Ext, Pkt-C	Tarun Arya	Business	40	М	t	transportation.	currently by the individual residents
Ward:	Nikhil Bhatnagar	Service	40	M		Negative impacts	and the quality of construction of the
Bhogal	Dr.Arun Goel	Doctor	60	М	±	of the project	flats.
District:	Manish Karn	Business	42	М		Preferred type of	If for some reasons, NCRTC is not
South East	Sachin Lamba	Service	42	М		compensation,	able to reach the compensation
Delhi	Dr.T.K.Chakarvarty	Doctor	64	М		Problem if any	amount to the satisfaction of the
						foresee in case of displacement. Alternate option in case of loss of livelihood. Suggestion if any in case of relocation. Participation of community in project planning and implementation. Concerns regarding land acquisition, resettlement and compensation in construction of RRTS project	residents, then in that scenario; second option will be exercised of providing same size of flat and quality of construction to the affected residents. Same type of area/locality should be considered. • The residents should be given bank guarantee of the value of 1.5 times of the mutually agreed value of the flats between NCRTC and residents, in case of residents being required to be relocated while exercising second option. • The affected residents should be given better offer as compared to their present conditions. • All expenses related to relocation, furnished rental house, cost of shifting twice (once moving from Siddhartha Extn. to rental house and from rental house to new house) and other cost overrun expenses as compared to the present ones, would be borne by NCRTC till the handover of the newly built flats.

SI. No.	Date and Location	Name of Participants	Profession	Age (Yrs.)	Gender	Issues Discussed	Measures Taken
							Adequate time to shift and prior information should be given to the affected persons.

302. NCRTC has addressed the issues raised by public and ensured people that adequate measures are incorporated in the design to minimize adverse environmental and social impacts.

303. On 23 May 2022, ADB environment and social safeguards specialists conducted focused group discussion with Siddhartha Extension Senior Citizen's Welfare Forum (SESCWF), Siddhartha Extension Residential Welfare Association (SERWA) including Mrs. Vinni Goyal and Mrs Annu Vajpayee along with NCRTC, External Monitor Consultant-Social, External Monitor Consultant-Environment, General Consultant (Social Expert). The outcome of discussion/suggestion along with NCRTC response are given in Table 75. The list of participants and consultation photographs are presented in **Appendix 12**.

Table 72: Consultation With Siddhartha Extension Residents

Issue	Discussion/Suggestion	NCRTC Response/ Measures
		Taken
Existing transport and communication	People raised their concern that the existing infrastructure, which is already available may choke further assessing to roads, drainage, Vehicle parking, and Traffic problems may arise when construction will start	The proposed RRTS alignment is on an elevated viaduct structure and will take minimal space. Due to NCRTC structure there will be no impact on existing infrastructure either temporarily or permanent.
		For traffic issues proper road diversion will be planned and sufficient nos. of Traffic marshals will be deployed to maintain the smooth movement of traffic during construction.
Existing drainage and Ground Water Condition	Presently, society is affected by the backflow of Barapulla Nala and the construction by NCRTC may increase the frequency further.	Only 3 piers of elevated viaduct are coming in the Siddhartha Extension. Their locations are so planed that they are not infringing with the existing stormwater drainage system and hence there will no impact on the drainage system due to construction of RRTS viaduct structure.
Blocking of Sunlight	Residents raise their concern that due to the passing of the viaduct the sunlight will get impacted.	M/s- Green Tree Building Energy Pvt Ltd has conducted shadow and wind analysis. The report clearly states that the average hours of blocks shaded due to viaduct is only 0.37 hours (22 Minutes) however this could be more in specific cases.
Decline in Property Value	Values of flat will be declined	304. Studies conducted for big infrastructure project have shown that project like MRTS, RRTS etc. usually leads to increase in property value of the area in vicinity of the project. 305.

Discussion/Suggestion	NCRTC Response/ Measures Taken
	306. RRTS station is being constructed at Jangpura and will integrate with Delhi-Meerut, Delhi-Alwar, Delhi-Panipat RRTS, Sarai Kale Khan ISBT, Nizamuddin railway station at Sarai Kale Khan. In addition, commercial development associated with this Multi Modal Integration (MMI) will enhance economic potential of nearby area including Siddhartha Extension
	Discussion/Suggestion

- 307. Two Community Interaction Programme (CIP) with residents of Siddhartha Extension people were carried out at DDA Community Hall, Pocket-C, Siddhartha Extension on 05/07/2022 and 23/07/2022.
- 308. The main concern/issue raised by the residents of Siddhartha Extension during community interaction programme on 05/07/2022 are (i) The safety aspects of the residences during the construction of RRTS.(ii) Environmental effects of the project on society; (iii) Poor and restrictive road connectivity of Siddhartha extension worsened due to blockage and diversion of Sankat Mochan Marg by NCRTC for utility shifting;(iv) A concern was raised that the construction of the RRTS corridor will occupy very big area of residents' parking; (v) Presently, society is affected by the backflow of Barapulla Nala and the construction by NCRTC may increase the frequency further; (vi) Due to the construction of the RRTS corridor there will be a restriction on the movement of vehicles; (vii) Presently, the emergency services (Ambulance, Firefighting etc.) are not accessible to the residents during disaster;(viii) Reasons for selection of option-3 by NCRTC over option-1 and option-2;
- 309. The main concern/issue raised by the residents of Siddhartha Extension during community interaction programme on 23/07/2022 are (i)the residents of Siddhartha extension are concerned about the noise/vibration and do not accept the analysis and mitigation measures suggested in CRRI report and similarly for Shadow analysis report. (ii) residents categorically said that there will be no positive impact of the RRTS viaduct passing through Pocket C and insisted either go with option 1 i.e. by passing Siddhartha Extension or shift Stabling Yard. (iii) society is in seismic zone IV, due to earth quack heavy damage will occur. (iv) economic value of the property will fall due to passing of RRTS Stabling Line Viaduct. (v) senior citizens are worried about the safety and discomfort during construction of RRTS Viaduct.
- 310. The outcome of discussion/suggestion along with NCRTC response are given in Table 76. The list of participants and consultation photographs are presented in **Appendix 9A**

Table 76: Discussion/Suggestion of community

0.11	Table 76: Discussion/Suggestion of community					
S.No.	Issue	Discussion/Suggestion of community	Response/Measures taken by NCRTC			
1	Safety aspects	Specific concern was about construction methodologies, community health and safety, referring to involved high risk during - traffic flow, crane operation and girder launching.	These concerns are being addressed by NCRTC promptly. Probably RWA and SESCWF are not disseminating the information to the residents transparently. However, all the previous correspondences are now made available through MoM, which is attached in Annexure-1. NCRTC has "SHE" documents that have elaborated the "Safety Health and Environment" requirements. Safety issues shall be duly taken care during construction and operation phase. Construction of Kailash Colony station and line no. 7 through Kalyanpuri in Delhi by DMRC and Nagpur metro are some examples of the public transport passing through/in the vicinity of residential area/colonies. These constructions are good examples of handling safety, concerns, etc. NCRTC is committed to follow better safety norms. If residents want to know the detailed measures envisaged, NCRTC can organize a half-day workshop at the office of CPM, Delhi.			
2	Environmental effects	Residents wanted to know Environmental effects of the project on society related to noise and vibration.	Draft Environment Impact Analysis (EIA) report including Environment Management Plan and Mitigation Measures have already been shared with the residents on 1st April 22. This report is also available on the NCRTC portal. Hard copy of the same was also given to residents on 05/07/2022. The community workshop was kept to discuss the Environment and social impacts as well as mitigation plans of the viaduct subcomponent. The workshop			

S.No.	Issue	Discussion/Suggestion of community	Response/Measures taken by NCRTC
			is part of an action plan to strengthen the NCRTC's community engagement, consultation, information disclosure and grievance redress. Accordingly, experts were available to explain all such issues in the meeting on 05.07.2022
3	Connectivity issue	Poor and restrictive road connectivity of Siddhartha extension are worsened due to blockage and diversion of Sankat Mochan Marg by NCRTC for utility shifting.	NCRTC had provided alternate route during utility shifting work of water pipeline of Delhi Jal Board at Sankat Mochan Marg. NTRTC has planned for alternate arrangements during construction of viaduct too.
4	Lack of information sharing	MoM of previous meetings and concerns not shared with them.	The list of all the previous correspondence shared with residents is in Annexure –3 attached with MoM dated 14.07.2022
5	Parking	A concern was raised that the construction of the RRTS corridor will occupy very big area of residents parking.	Animated walk-through video was shown to the residents to explain the project and plans of NCRTC, the issue is duly addressed and documented in the shared report.
6.	Stormwater	Presently, society is affected by the backflow of Barapulla Nala and the construction by NCRTC may increase the frequency further.	Only 3 piers of elevated viaduct are coming in the Siddhartha Extension. They are so placed that they are not infringing with the existing stormwater drainage system and hence there will no impact on the drainage system due to construction of RRTS viaduct structure.
9.	Access to Emergency services	Presently, the emergency services (Ambulance, Fire fighting etc.) are not accessible to the residents during disaster, the situation may get worse. NCRTC's plans to resolve the existing situation.	Accessibility of emergency services like Ambulance etc will not get affected due to the work being carried out by NCRTC.
10.	RWA permission	NCRTC has purchased 4 nos. of flats without the permission of RWA.	It is the responsibility of the individual flat owner and if there is any guidelines, the same shall be made available to NCRTC for future action.
11.	Workflow chart	A simple workflow chart of the project implementation was requested by the residents.	Workflow chart shall be provided before the commencement of work.

S.No.	Issue	Discussion/Suggestion of community	Response/Measures taken by NCRTC
12.	Water level	Pilling is technically not possible in this area as the water level is 1.5 m below the ground level and piling work will cause liquefaction of soil and the pile will fail. Even during piling, the surrounding structures will get damaged being 40 years old.	It may be informed that NCRTC is constructing piles in the vicinity of Siddhartha Extn colony in Sarai Kale Khan where recorded water table during rainy season is two meters below ground level and NCRTC has successfully constructed all the piles within the stipulated time. Problem of Siddhartha Extension is similar to Sarai Kale Khan and NCRTC will handle the situation with the help of designers/ consultants/ contractors.
13.	Traffic, access to basic amenities, traffic management, Noise and vibration, mode of land acquisition.	 Ms. Anu Vajpayee. a) MOM with NCRTC and ADB dated 23.05.2022 not circulated. b) RRTS viaduct has a great impact on the park. c) It has not been mentioned anywhere in the report that this is a DDA built society. d) As per NCRTC's plan, 8 RRTS corridors will cross the Sarai Kale khan. Therefore, there will be a lot of traffic on the stabling line. Additional traffic is also expected due to Jangpura being a terminal station. e) There have been many meetings, but my name is not being mentioned in the minutes/ reports. f) Please provide a demonstration of noise & vibration mitigation measures. g) What will happen if negotiation fails under the direct purchase policy of NCRTC. 	For point a): The list of all the previous correspondence shared with residents is in Annexure -3 attached with MoM dated 14.07.2022 For point b): Animated walk-through video was shown to the residents to explain the project and plans of NCRTC, the issue is duly addressed and documented in the shared report. For point c): DDA is referred to in the EIA, for example in paragraph 1.3, Institutional Administrative Framework. For point d): Sarai Kale Khan is originating station for all the 3 interoperable RRTS corridors. Jangpura is an Operational Control Center (OCC) with associated facilities, a Stabling yard, and a terminal station. For point e): The name appears in the attendance sheet but individually it was not mentioned so that privacy is not violated. However, in the future, it will be taken care of. For pointf): Duly addressed by Mr. Naseem Akhtar-Sr. Scientist, CRRI Expert, Noise & Vibration further para-12 of MoM can also be referred to.

S.No.	Issue	Discussion/Suggestion of community	Response/Measures taken by NCRTC
			For point g): If negotiation will fail the RFCTLARRA 2013 will apply.
14.	Blockage of road, Report sharing, mental agony, Permission, compensation.	Mr. Kamlesh Raghuvanshi, President, RWA a) At P58 the work has not been completed by NCRTC within committed period of 6 months. Even the extended period of road blockage was not informed to the RWA by NCRTC. b) Residents of Siddhartha extension have not been provided with the minutes of meetings since 2019. c) Project impact assessment report not shared in hardcopy to the residents of Siddhartha Extension, and it is difficult for them to download 800 pages. d) The compensation amount provisioned by NCRTC to the residents for mental agony likely to be caused due to passing of trains. e) Under what authority NCRTC has purchased four flats without permission of RWA. f) He informed that 700 persons living in Pocket C are directly affected which includes (i) 8 units of block 219 & 220 and (ii)104 units of the 2 blocks on each side of the viaduct. He demanded compensation for all or align the viaduct beyond the periphery of Siddhartha Extension Pocket-C.	For point a): The reason was explained by CPM in the meeting. The delay is on account of underground cable which was not informed by Gurudwara. Work will be completed soon. For point b): The list of all the previous correspondence shared with residents is in Annexure -3 attached with MoM dated 14.07.2022 For point c:\): during the meeting on 05.07.2022 hard copies of EIA& RP reports were distributed. It is further emphasized that NCRTC reduces hard copy printing and prefers digital mode. For point d): No cash compensation for indirectly affected person as explained in all earlier meetings including 23.05.2022. It is reiterated again that there will be no cash compensation however all indirect impacts will be mitigated by the highest international standards. For point e): It is the responsibility of the individual flat owner and if there is any guidelines, the same shall be made available to NCRTC for future action. For point f):- There is no such compensation provisioned for indirectly affected residents. The compensation is only admissible to the displaced persons. Accordingly, the provisions are kept in the draft RP.

S.No.	Issue	Discussion/Suggestion of community	Response/Measures taken by NCRTC
		•	
15.	Connectivity, devaluation of property rates, access to emergency services, noise and vibrations	Mr. Ashwinder Singh Lamba a) NCRTC has constructed the diversion a Gurudwara which has resulted into stressed connectivity to Siddhartha extension colony. Similar situation can be envisaged during implementation of the said project.	provided alternate route during utility shifting work and has planned for alternate arrangements during construction of viaduct too. For point b): No comment as there is no statistical basis.
		b) Devaluation of property due to overhead high tension line, Barapullah flyover and RRTS corridor.	Ambulance etc will not get affected due to the work being carried out by NCRTC.
		c) Difficulty in movement o emergency services (Ambulance, Firefighting, etc.) during a disaster.	has carried out noise and vibration studies for all the
		d) The effects of noise and vibrations on the residents of Siddhartha extensions what will be the measures.	CRRI report on noise and vibration. He had assured that there will not be any increase
16.	Required Permission, Flat cost, implementation schedule	Mr. VK Aggarwal a) We have lost faith in NCRTC as all the residents of pocket Care affected by the project and NCRTC has not disclosed the compensation amoun payable to all the residents for expected distress.	no such compensation provisioned for indirectly affected residents. The compensation is only admissible to the displaced persons. For point b): SDMC & DDA have given permission for
		b) As per NCRTC plan, two piers are falling inside park of pocket C NCRTC has not beer applied/ taken for NOC from SERWA.	conducted towards this issue only. For point c): NCRTC has engaged a consultant and
		c) The cost of flats is inclusive of all the area inside the Siddhartha Extension colony including the park area The land occupied in the construction will result in	however it is the responsibility of the individual flat owner. For point e): Workflow chart shall be provided before the

S.No.	Issue	Disc	cussion/Suggestion of	Response/Measures taken by NCRTC
			reduction of cost of their flats.	by NCRTC
		d)	NCRTC is using a divide and rule policy to purchase the flats.	
		e)	Work chart of the project for completion of work to be provided by NCRTC in a simple way.	
17.	Disaster, Corridor of impact, structure safety, speed and frequency of train.	Mr. Ar a)	vind Tripathi Block 195-196 located in the close vicinity of the stabling yard alignment. Therefore, it is under potential danger due to any natural and manmade disaster.	For point a): Viaduct is designed by national & international experts, construction activity will be taken up based on approved design and drawing taking extra care of earthquake and wind forces.
		b)	Complete land of Siddhartha Ext. belongs to SERWA and not to any Govt. agency like DDA, SDMC etc.	For point b): SDMC & DDA have allotted land for construction and all consultative meeting are conducted towards this issue only.
		c)	A letter dated 27.06.2022 was written to NCRTC regarding representation of block 195-196, but no reply has been received till now.	For point c): The contents are under examination and a reply will be sent shortly. For point d): Corridor for purchase of property is based on the safety requirement of 5m on either side of the edge of the viaduct/parapet, the
		d)	What is the difference between 5 m COI and 12.5 m COI as mentioned in the draft EIA.	corridor of the direct impact that has been considered and studied is 10m on either side of the alignment. In total a strip of about 25m (10m on the left + 5m pier width + 10m on the right) i.e., 12.5 m either
		e)	The buildings of Siddhartha Extension are load bearing old structure. How will NCRTC ensure the	side of the center line has been studied as the direct impact zone. For point e): A study to assess
			structural safety due to vibration during construction period.	the stability of the structure is in progress. For point f): This will be replied
		f)	As per EIA report operation speed is 85 KMPH with frequency of 7 trains, whereas it has been said during	to in our response to your letter dated 27.06.2022.

S.No.	Issue	Discussion/Suggestion of community	Response/Measures taken by NCRTC
		meeting that train will run at very low speed. What is the factual data?	
18.	Meeting Venue	Mr. M.M Gupta, President SESCWF objected the organized consultation meeting in the Siddhartha Extension campus due to poor condition of its community center. He proposed to hold the meeting outside the colony.	The person was requested to suggest the place, date and time and expected number of participants for making arrangements by NCRTC.
19.	Meeting time	Mr. Raghuvanshi, President (SERWA) informed that he is Government Officer and most of the residents are service class. Therefore, he suggested holding a meeting on weekends. Further, he was requested to propose the venue in consultation with Mr. M.M Gupta.	Noted and shall be duly complied.
20.	Reply on letter	Mr. Mohan Ahuja complained that his RTI on the project was not replied by NCRTC.	Will be replied to within the prescribed time limits.
21.	Reply on letter	Mr. Arvind Tripathi complained that the letter dated 27.06.2022 has not been replied.	The contents are under examination and a reply will be sent shortly.

311. Residents are also communicating their grievances through CPGRAM/RTI/correspondence; details as given in Table 77. The response given by NCRTC is provided in **Appendix 15**.

Table 77: Details of grievances through CPGRAM/ and RTI

Sr. No	CPGRAM/RTI/Correspondence	Dated	Replied on
1	RTI	10.06.2022	07.07.2022
2	Correspondence from Siddhartha	27.06.2022	01.09.2022
3	CPGRAM Ref. PMOPG/E/2022/0173456	29.06.2022	01.09.2022
4	CPGRAM-PMOPG/E/2020/0656078	13.07.2020	14.09.2021
5	CPGRAM ref. DOURD/P/00326	24.08.2022	15.09.2022
6	CPGRAM ref. PMOPG/2022/0226346	27.08.2022	15.09.2022
7	RTI	26.08.2022	22.09.2022
8	CPGRAM ref. DOURD/P/00356	19.09.2022	27.09.2022

B. Information Disclosure

312. Information disclosure will follow the procedure for ADB Category A projects disclosure requirements. It is the policy of the ADB to have environmental and social assessment reports made available/accessible to the general public.

- 313. The project EA will be responsible for the disclosure of this EIA in compliance to ADB's Communication Policy 2011 and ADB's SPS 2009. The draft Environmental Impact Assessment Report will be disclosed in the English language in the office of NCRTC. The report will also be made available to interested parties on request from the office of the NCRTC. Since this is Category A subproject, the draft EIA report will be disclosed to the public through the ADB website, 120 days before the approval of the project by ADB Board. The draft EIA report will also be made available to all stakeholders as part of the consultation process required under the SPS 2009. The final report will also be disclosed on ADB website.
- 314. NCRTC will ensure that meaningful public consultations, particularly with project affected persons are undertaken through the entire project cycle, the design, construction and operation phases.

VIII. GRIEVANCE REDRESS MECHANISM

315. A project-specific grievance redress mechanism (GRM) has been established to receive, evaluate and facilitate the resolution of displaced people's concerns, complaints and grievances related to the implementation of the project, particularly regarding the environmental management plan will be acknowledged, evaluated, and respond about the social and environmental performance. The Grievance Redressal Committee (GRC) at PMO level i.e. at CPM-Delhi office will be available to redress any grievances from the "Project". The details of GRM structures are as given in EIA report for Delhi-Meerut RRTS line.

IX. ENVIRONMENTAL MANAGEMENT PLAN

A. Introduction

- 316. The Environmental Management Plan (EMP) is the synthesis of all proposed mitigation and monitoring actions, set to a time-frame with specific responsibility assigned and follow-up actions defined. The information for the proponent, the contractor and the regulatory agencies to implement the project along with institutional mechanisms and reporting system are given in main EIA report.
- 317. This EMP (Table 80) consists of a set of mitigation, monitoring and institutional measures to be taken for the project to avoid, minimize and mitigate adverse environmental and social impacts and enhance positive impacts. The plan also includes the actions needed for the implementation of these measures. The major components of the Environmental Management Plan are:
 - (i) Mitigation of potentially adverse impacts;
 - (ii) Environmental monitoring and monitoring of EMP implementation during project implementation and operation; and
 - (iii) Budget.
- 318. The office of Chief Project Manager, Delhi will be the Project Implementation Unit (PIU) for the implementation of the project
- 319. The external monitor consultant already engaged by NCRTC for the Delhi-Ghazibad-Meerut RRTS corridor will monitor and report the implementation of environmental safeguards aspects of the project. The external environment monitor will be responsible for independent monitoring of the EMP implementation and will submit semi-annual reports to NCRTC PIU.

B. Mitigation Measures

320. The identified environmental issues and suggested mitigation measures with institutional arrangements for implementation, supervision and monitoring have been provided in a matrix format as presented in Table 79 This matrix together with NCRTC's SHE Manual will be part of the contractor's bidding documents. Key anticipated potential impacts and suggested mitigation measures specific to the project are summarized in following paragraphs. These mitigation measures will be implemented as part of the project.

4.1 Impacts

- 321. The key anticipated adverse environmental impacts from Sarai Kale Khan Jangpura Stabling Yard RRTS line are:
 - (i) Loss of about 1272 trees for construction of connecting line and stabling yard.
 - (ii) Increased local air pollution during construction, excavation and operation of Batching Plant.
 - (iii) Noise and vibration due to excavation machines, and materials hauling
 - (iv) Increased noise and air pollution resulting from traffic volume during construction.
 - (v) Temporary impact on land and air environment due to locating construction camp:
 - (vi) Temporary impact on land, air and water environment due to establishing and operating construction plants (Concrete Plant and Diesel Generator [DG] sets);
 - (vii) Impact on air quality, water quality, drainage, road users due to construction activities of project;
 - (viii) Impact on land and water environment due to disposal of construction waste materials; and
 - (ix) Impact on occupational health and safety due to all onsite and offsite construction works.
 - (x) Impacts on community health and safety due to construction activities and transport activities.

4.2 Mitigation Measures

4.2.1 Compensation for Loss of Land and Displacement of People

322. The project will require the acquisition of about 18.9621 Ha. of Govt. land for the proposed Sarai Kale Khan - Jangpura Stabling Yard RRTS line. Out of 18.9621 Ha. of Govt 17.21 ha of land will be required for Stabling Yard at Jangpura and 1.7089 ha of land is required for the connecting line component. For this stabling yard, Ministry of Housing & Urban Affairs have already allotted 17.21 Ha. of land to NCRTC. Other departments have also agreed to transfer the balance land. All government land required for the project is available/approved in principle. 08 individual flats owned by 08 households in an apartment/building /flats are coming within the shadow of the viaduct and therefore require relocation/temporary shifting.

4.2.2 Compensation for Loss of Trees

323. It is found that 1272 nos. of tree are getting affected due to the project. Tree cutting permission obtained from Forest Department. As per guidelines for each tree felled, 10 plants will be planted. Emphasis will be given for the plantation of native trees. In total 12720 trees will be planted. Budget towards planting of trees have been included in the EMP cost.

4.2.3 Green Belt Development

324. In addition to the compensatory plantation green belt area will be developed under the elevated corridor using native shrubs, herbs and grasses. A central ribbon area will be planted

with small tree species which grows up to height of 4-5 m. Thus, the green belt will provide aesthetic view of elevated viaduct and also helps to serve as dust and noise absorbent barrier.

4.2.4 Water Supply and Sanitation

- 325. The water demand would be about 87 KLD and the same shall be supplied through municipal water supply or through groundwater after approval from concerned authority. It is also proposed to implement rainwater harvesting systems along Sarai Kale Khan Jangpura Stabling Yard line and at stabling yard. This will conserve considerable quantity of water, which in turn will reduce the load on the municipal water supply system.
- 326. Runoff from the construction site can be a source of water pollution. Cement based products/ dust carried by the runoff from the land surface can pollute surface water bodies. Surface covers are proposed to be spread on the land to prevent dust settlement on the land surface. Proper sanitary facility will be made available for the construction workers. The construction workers drinking water demand will be fulfilled only through ground water. Efforts shall be made to reduce the wastage of water during construction by encouraging water recycling techniques. During the operation phase, adequate water supply and sanitation facilities would be made available at the stabling yard.

4.2.5 Oil Pollution Control

327. There should be provision for the collection of oil and grease generated from construction equipment and sent for their treatments/ disposed through approved recyclers. Precautionary measures have been suggested to prevent these wastes moving in to ground or surface water bodies, as they are important sources of water for domestic use. Oil traps in the heavy machinery area are suggested to collect oil based materials. Similarly, sedimentation basins would be erected prior to the water discharge point to reduce the sedimentation load in the storm water. Since RRTS rail is operated through electricity, there will be less chance of oil pollution.

4.2.6 Noise Pollution Control

- 328. For elevated corridor, ballast less track structure is supported on two layers of rubber pads to reduce noise and vibrations. In addition, baffle wall as parapets will be constructed up to the rail level so as reduce sound levels. Noise at source will be controlled or reduced by incorporating suitable feature in the design of structures and layout of machines and by use of resilient mounting and dampers etc.
- To reduce the harmful effects, the Contractor shall ensure that all powered mechanical equipment used in the Works shall be effectively sound-reduced using the most modern techniques available including but not limited to silencers. The workers shall be provided with ear mufflers. The Contractor shall construct acoustic screens or enclosures around any parts of the Works from which excessive noise may be generated. The Contractor shall ensure that noise generated by work carried out by the Contractor and his sub-Contractors during daytime and night time shall not exceed the maximum permissible noise limits. In the event of a breach of this requirement, the Contractor shall immediately re-deploy or adjust the relevant equipment or take other appropriate measures to reduce the noise levels and thereafter maintain them at levels which do not exceed the said limits. Such measures may include without limitation the temporary or permanent cessation of use of certain items of equipment. Vehicles used for transportation of construction materials would be equipped with proper silencers. Careful planning has been made to operate the construction equipment to have minimal disturbances. The construction equipment would be run only during the daytime and their noise would be monitored as per CPCB standards. A comprehensive noise assessment should be carried out prior to start of construction work to identify requirements of noise barriers and other mitigation measures at sensitive receptors along the alignment.

4.2.7 Vibration Control

- 330. The vibration is generally caused from rail-wheel interaction. This will be reduced by minimizing any surface irregularities on the wheel and rail. To minimize the vibration, shock absorbing pad has to be provided and there has to be a distance between rail seat assembly and concrete plinth.
- 331. During piling and other construction activities, there may be possibility of vibration occurrence and the monitoring followed by modelling as defined in para 218, shall be carried out for couple of readings and can be interpreted accordingly whether is there any adverse impact on the surrounding buildings and other structures. In this regard, any authorized monitoring agency shall be employed to carry out the set of analysis.

4.2.8 Soil/Debris Control

- 332. The construction activities will generate large quantity of soil/debris causing soil erosion during excavation. This can be mitigated by utilizing around 35 % of excavated soil for land filling purposes. Excavated soil shall be promptly transported so as not to hurdle in the progress of work. Stockpiling material will not be allowed at sites and the excavated material shall be placed in the approved dumping sites. The generated muck will undergo a methodology for disposal plan and to be adopted throughout project phase. The excavated muck may not be stored at site area for more than 48 hours. Periodically the excavated muck shall be disposed maintaining thorough record.
- 333. The Contractor is required to develop, institute and maintain a Waste Management Program (WMP) during the construction of the project for his works, which may include:
 - (i) Identification of disposal sites
 - (ii) Identification of quantities to be excavated and disposed off
 - (iii) Identification of split between waste and inert material
 - (iv) Identification of amounts intended to be stored temporarily on site location of such storage.
 - (v) Identification of intended transport means and route.
 - (vi) Obtaining permission, where required, for disposal.
- Such a mechanism is intended to ensure that the designation of areas for the segregation and temporary storage of reusable and recyclable materials are incorporate into the WMP. The WMP should be prepared and submitted to the Engineer for approval. The Contractor shall handle waste in a manner that ensures they are held securely without loss or leakage thus minimizing potential for pollution. The Contractor shall maintain and clean waste storage areas regularly. The Contractor shall remove waste in a timely manner and disposed off at landfill sites after obtaining approval of the competent authorities namely Delhi Municipal Corporation etc. Burning of wastes is prohibited. The Contractor shall not burn debris or vegetation or construction waste on the site but remove it. The Contractor shall make arrangement to dispose of metal scrap and other saleable waste to authorized dealer and make available to the Employer on request, records of such sales. The Contractor selects suppliers having a voluntary and documented policy to reduce the volume and weight of packaging, and to select recyclable or biodegradable packaging. The Contractor establishes and maintains a waste register, which is at the disposal of the Engineer. This register will record all waste management operations: production, collection, transport, and treatment. The following aspects are documented in this register:
 - (i) Type of waste, using the nomenclature specified in this document
 - (ii) Waste quantities;

- (iii) Name and address of the third party waste management facilities receiving waste or parties taking possession of the substances no longer considered as waste:
- (iv) Name and address of waste transport contractors;
- (v) Planned waste treatment.
- 335. The contractor files and maintains at the disposition of the Engineer the waste manifests for the collection, transport, treatment and/or elimination of waste. The waste register is established and available as of the Contractors mobilization to the Worksite. This register will be archived for at least 1 year after the provisional acceptance of the works.
- 336. The excavated top fertile soil is suggested to be preserved and used later for gardening and lawn establishment. Soil erosion by runoff will be controlled by installing proper drainage systems using contour information. Since there is small quantity of soil is generating from the alignment area, it is suggested to avoid bringing soil from outside the project boundary and to use the excavated mounds for filling low laying area where it is necessary. Thus, both cost and time saving suggestions have been made in land leveling and soil transportation.

4.2.9 Rain Water Harvesting

- 337. Roof top rain water harvesting can be carried out from the elevated section and at stabling yard as well. The rooftop of the elevated viaduct and stabling yard will become catchment area for rain. Rain water will be collected and stored in a tank or diverted into artificial recharge tanks for further use for toilet flushing a floor washing etc.. This method is less expensive and very effective to augment the ground water level of the area. As per the rainfall characteristics, generally the annual rainwater harvesting potential for 1000 sqm roof area will be 7,68,000 liters.
- 338. To conserve and augment the storage of groundwater, it is suggested to construct rainwater harvesting structures of suitable capacity along the alignment and at stabling yard. The facility of rainwater harvesting and artificial recharge in the stabling yard will be designed based on the result of geo-technical study of the project area, as water level in the project area is high.
- 339. The excess storm water from the stabling yard campus will be guided and discharged into city storm water drain system after approvals from concerned authority. The storm water drainage system will be designed of capacity calculated with peak rainfall data.

4.2.10 Air Pollution Control

- 340. During the construction period, the impact on air quality will be mainly due to increase in PM₁₀ along haul roads and emission from vehicles and construction machinery. Though the estimation of air quality during construction shows some impact on ambient air quality, nevertheless certain mitigation measures which shall be adopted to reduce the air pollution are presented below:
 - (i) The Contractor shall take all necessary precautions to minimize fugitive dust emissions from operations involving excavation, grading, and clearing of land and disposal of waste. He shall not allow emissions of fugitive dust from any transport, handling, construction or storage activity to remain visible in atmosphere beyond the property line of emission source for any prolonged period of time without notification to the Employer.
 - (ii) The Contractor shall use construction equipment to minimize or control of air pollution. He shall maintain evidence of such design and equipment and make these available for inspection by Employer.

- (iii) Contractor's transport vehicles and other equipment shall conform to emission standards fixed by Statutory Agencies of Government of India or the State Government from time to time. The Contractor shall carry out periodical checks and undertake remedial measures including replacement, if required, so as to operate within permissible norms.
- (iv) The Contractor shall cover loads of dust generating materials like debris and soil being transported from construction sites. All trucks carrying loose material should be covered and loaded with sufficient free board to avoid spills through the tailboard or sideboards.
- (v) The temporary dumping areas shall be maintained by the Contractor at all times until the excavate is re-utilized for backfilling or as directed by Employer. Dust control activities shall continue even during any work stoppage.
- (vi) The Contractor shall place material in a manner that will minimize dust production. Material shall be minimized each day and wetted, to minimize dust production. During dry weather, dust control methods must be used daily especially on windy, dry days to prevent any dust from blowing across the site perimeter.
- (vii) The Contractor shall water down construction sites as required to suppress dust, during handling of excavation soil or debris or during demolition. The Contractor will make water sprinklers, water supply and water delivering equipment available at any time that it is required for dust control use. Dust screens will be used, as feasible when additional dust control measures are needed especially where the work is near sensitive receptors.
- (viii) The Contractor shall provide a wash pit or a wheel washing and/or vehicle cleaning facility at the exits from work sites such as construction depots and batching plants. At such facility, high-pressure water jets will be directed at the wheels of vehicles to remove all spoil and dirt.

4.2.11 Utility Restoration

- 341. The proposed Sarai Kale Khan Jangpura Stabling Yard connecting alignment is of small in length and mostly crosses arterial roads and railway trucks, which serve Institutional, Commercial and Residential areas. Only storm water drains, telephone cables, electrical transmission lines, electric poles, traffic signals etc. exists along the proposed alignment. These utility services are essential and have to be maintained in working order during different stages of construction by temporary / permanent diversions or by supporting in position. As such, these may affect construction and project implementation time schedule /costs, for which necessary planning / action needs to be initiated in advance. Prior to the actual execution of work at site, detailed investigation of all utilities and location will be undertaken well in advance by making trench pit to avoid damage to any utility. While planning for diversion of underground utility services e.g. sewer lines, water pipe lines, cables etc., during construction of RRTS alignment, the following guidelines could be adopted:
 - (i) Utility services shall be kept operational during the entire construction period and after completion of project. All proposals should, therefore, ensure their uninterrupted functioning.
 - (ii) The elevated viaduct does not pose any serious difficulty in negotiating the underground utility services, especially those running across the alignment. In such situation, the spanning arrangement of the viaduct may be suitably adjusted to ensure that no foundation need be constructed at the location, where utility is crossing the proposed RRTS alignment. In case of utility services running along the alignment either below or at very close distance, the layout of piles in the foundations shall be suitably modified such that the utility service is either encased within the foundation piles or remains clear of them.

4.2.12 Disaster Management

- 342. Any unexpected event occurring due to sudden failure of the system like leakage of gas, external threats, internal disturbances, earthquakes, fire and accidents is termed as disaster. A Management Cell is proposed to act at a quick response in any emergency encountered.
- 343. For the proposed RRTS project all relevant safety codes, acts and regulations such as Electricity Act, Explosive Act, Public Liability Insurance Act, Safety Codes, Policies and Guidelines laid down by Ministry of Railways should be observed during various stages of the project to minimize risk and disaster. Through good design, operation and maintenance and regular inspection any unexpected risks and disaster can be minimized. Hazard has to be controlled by minimizing and mitigating the risk and disaster.
- 344. To prevent any unexpected accidents, overall ramp safety management system approach is required that involves Risk Analysis and Risk Management. Risk Analysis involves establishing the organization's risk profile and risk management encompasses the various measures that can be implemented to minimize accidents, control loss and transfer risk by insurance on the basis of the identified risk profile of an organization. New safety assessment methods are needed to assess the safety of new concepts.
- 345. Workers need to be trained to mitigate the risk. In addition, workers should follow the safety rules. Emergency medical aid has to be adopted in the event of accidents involving the hazardous substance. Good sanitation practices should be followed such as proper water supply, sanitation, drainage, health care and human waste disposal facilities etc. In addition, efforts shall be made to avoid any water spills, adopt disease control measures and employment of local labour.
- 346. NCRTC's Safety, Health and Environment (SHE) Manual is part of Tender documents and the contractors will implement this SHE Manual. This SHE has been formulated in accordance with all applicable legislation and Indian statutory requirements listed as well as the international standards and guidelines including ILO and ISO certificate.

4.2.13 Development and implementation of Subplans

347. As part of the construction environmental management plan, contractors need to develop various sub plans as discussed in the EMP (item 10 during pre-construction stage). These plans are aimed at good environmental management practices and serve as guide documents. These sub plans will form part of construction EMP be consistent with the contractor's SHE plan and will be included in the bid documents. Table 78 present some of the key plans to be developed by contractor and responsible party for it's approval.

Table 78: Contractors' Subplans and Approval Party

	Plan	Description		Approval/Review			
	i idii			GC	ADB*		
1.	Camp Management Plan	The plan will provide a layout map of the campsite and clearly show the access road, entry and exit and different facilities inside the camp. Facilities inside the camp may include contractor's office, residential quarters, toilets, health center, construction plants, storage areas etc. The plan will include information on waste management, supply of water for drinking and bathing,	Yes	Yes	No		

Plan		Description	Approval/Review			
	riali	Description	PIU	GC	ADB*	
		waste water and drainage management, traffic movement routes etc.				
2.	Muck Disposal Plan	The plan shall describe sources of muck generation (piling work for viaducts etc), type and quantity of muck generated from various sources, use of muck generated, method collection and transportation, transportation routes, disposal site location and design, approvals required for disposal sites, and treatment method. Recommendations provided in the EIA must be considered.	Yes	Yes	Yes	
3.	Waste Management Plan	The plan shall describe waste streams and amounts, describe recycling/reuse methods for each material, identify the waste destinations and transport modes, including what materials are being segregated on site for reuse or recycling, specify responsibilities for managing and disposal of waste. Describe special measures for material use and handling. Describe communication and training to support and encourage participation from everyone on site.	Yes	Yes	No	
4.	Traffic Management Plan	The plan shall be designed to ensure that traffic congestion and traffic safety impacts due to construction activities and movement of construction vehicles, haulage trucks, and equipment is minimized. The plan shall be prepared in consultation with traffic officials. The plan shall identify traffic diversion and management issues, traffic schedules, traffic arrangements showing all detours/lane diversions, modifications to signalling at intersections, necessary barricades, warning/advisory signs, road signs, lighting, and other provisions to ensure that adequate and safe access is provided to motorists and other road users in the affected areas. Preconstruction access road surveys will also form part of the TMP. The plan shall also include locations for pedestrian crossings and conditions for the management of these crossings, including the use of flagmen.	Yes	Yes	Yes	
5.	Occupational and Community Health and Safety Plan	Consistent with international standards (e.g., World Bank Group Environmental, Health, and Safety Guidelines, 2007) and Labor Code of India. The Plan shall address health and safety hazards associated with construction activities (e.g., excavations, piling etc.), use of heavy equipment, transport of materials and other hazards associated with various construction	Yes	Yes	Yes	

Plan		Description	Approval/Review				
	Fiaii	Description	PIU	GC	ADB*		
		activities. The document to be read together with the Camp Management Plan. Recommendations provided in the EIA must be considered.					
6.	Labor and Working Conditions Management Plan	This will include: policy/legal framework information (including labor and OHS requirements of national legislation, ADB SPS 2009), workforce induction and information on rights, child and forced labor, equal opportunity, migrant workers, promotion of local employment opportunities, labor union, worker accommodation requirements, provision for retrenchment plans, workforce grievance mechanism, security personnel (Voluntary Principles on Security and Human Rights), etc. Contractor needs to ensure that the core labor requirements are cascaded down across the entire contracting chains, including sub-contractors and suppliers of core materials. The plan shall also be in compliance with IFC Guidance Note "Workers' accommodation: processes and standards".	Yes	Yes	≻es		
7.	Code of Conduct	The Contractor shall prepare a Code of Conduct that outlines camp rules articulating acceptable behaviours of the workforce with local communities. Associated induction training will be provided to ensure rules are well understood and enforced.	Yes	Yes	Yes		
8.	Emergency Response Plan	This plan shall prescribe measures to prevent, mitigate, respond to and recover from emergency events that could occur due to project activities such as accidents, spills of hazardous substances, fire, extreme weather events, and others; measures to prevent, mitigate, respond to and recover from emergency events that could occur due to project activities such as accidents during lunching (e.g., collapse, electrocution, etc.), release of toxic gas during excavation, spills of hazardous substances, fire, floods, and other events.	Yes	Yes	No		
9.	Construction Vibration Management Plan	Detailing the procedures for vibration surveys, monitoring and control. Such details shall include; procedures to complete condition surveys (for all properties indicated in this EIA), Measurement locations and methods; Method statements for works likely to induce vibrations, including programs of trial construction sections to determine the	Yes	Yes	Yes		

Plan	Description	App	roval/R	Review
Flaii	Description	PIU	GC	ADB*
	likely magnitude of vibrations at defined distances from the vibration source, in sufficient detail for the contractor to develop a final method for constructing the works without excessive vibration; Description of the instrumentation and equipment to be used; Copies of the instruction manuals and the laboratory calibration and test equipment certification; The resumes of the vibration monitoring technical support personnel, sufficient to define details of relevant experience; Procedures for data collection and analysis; Frequency of measurements; Means and methods of providing warnings when the specified construction vibration limits are reached; and Action plans to be implemented in the event the specified construction vibration limits are reached. The generalized plans of action shall comprise the positive measures by the Contractor to control vibrations using alternative construction methods.			
10. Storm Water Drainage Management Plan	This plan shall prescribe measures to prevent, mitigate, respond to storm water management at project site during construction that could occur due to project activities such as excavation works, stacking of material, extreme weather events, and others; measures to prevent, mitigate, flooding of project and site and nearby areas due to project activities. The plan should be prepared in consultation with local stakeholders and community considering rainfall and monsoon season.	Yes	Yes	Yes

^{*}Note: ADB will not technically approve these plans as there is no contractual relationship between ADB and the Contractor. ADB can however review, provide recommendations and give a 'No-Objection' if required.

C. Environmental Monitoring and Reporting Program

- 348. Environmental Monitoring Plan (EMoP) is a companion document of the EMP. EMoP contains parameters, location, sampling and analysis methods, frequency, and compared to standards or agreed actions that will indicate non-compliances and trigger necessary corrective actions. More specifically, the objectives of the EMoP are:
 - (i) Ensure that impacts do not exceed the established legal standards
 - (ii) Check the implementation of mitigation measures in the manner described in the EIA report
 - (iii) Monitor implementation of the EMP
 - (iv) Provide an early warning of potential environmental damage
 - (v) Check whether the proposed mitigation measures have been achieved the intended results, and or/ other environmental impacts occurred

349. The monitoring plan will be used for performance monitoring of the project. A monitoring plan defining all parameters to be monitored, with tentative location, project stages for measurements, implementation and institutional responsibility for different environmental components is prepared for all stages of project and presented in Table 79.

Table 79: Environmental Management Plan Matrix

Note: This EMP Matrix will form part of the contract document together with NCRTC's Safety, Health & Environment (SHE) Manual Conditions of Contract (CoC) for all contractors. This EMP has been aligned with the SHE CoC wherever possible, and in places, cross-referencing has been resorted to. GC – General Consultants; GoD- Government of Delhi; MOHUA – Ministry of Housing and Urban Affairs; NCRTC – National Capital Region Transport Corporation.

	Activity/Valued		Impact		Mitigation Measure	Responsibility			
E	nvironment Component					Implementation	Supervision		
	A. DESIGN AND PRE-CONSTRUCTION STAGE								
			I.	Ph	ysical environment				
	Surface water quality and quantity. Location of alignment/ stabling yard near rivers and streams Ground water quality and quantity. Generation of sewage, other wastewater and hazardous liquids from operation of stabling yard. Excessive use of ground water for project operations.	-	Pollution of river from release of raw sewage and untreated wastewater Pollution of ground water from release of raw sewage and untreated waste- water from the stabling yard. Depletion of ground water resources because of the Sarai Kale Khan - Jangpura Stabling Yard line and stabling yard.	-	Inclusion of septic tanks or other sewage treatment system within the design of the station facility. Inclusion of septic tanks/ other sewage treatment system the design of station. Inclusion of septic tanks/ other sewage treatment systems in the design of the stabling yard. Inclusion of waste-water treatment plants equipped with provisions to trap oil, grease and lubricants etc. in the design of the project. Water supply system in stabling yard plan to include water conservation	PIU	MOHUA/NCRTC MOHUA/NCRTC		
3.	Land degradation and pollution. Generation of solid waste, trash and other wastes from operation of the project.	-	Pollution and degradation of land near the alignment and stabling yard	-	and recycling schemes such as rainwater harvesting, recycling of treated waste water. Water supply plan to account for availability of local water resources and avoiding adding stress. The project component design to include a proper waste management plan including linking up with local municipal waste management systems	PIU	MOHUA/NCTRC		

	Activity/Valued		Impact		Mitigation Measure	Responsibility	
E	nvironment Component		•		5	Implementation	Supervision
			II.	Bi	ological environment		
	Trees, terrestrial and aquatic vegetation	trees - Loss shrub	of additional s and grasses	-	Preparation of compensatory plantation at the ratio of 1:10 in coordination with Forestry officials. Allocation of adequate budget to support 1:10 compensatory plantation Locally suitable tree species to be proposed along the station borders in coordination with local forestry officials. Additional greening plan to be prepared for the total length under the elevated corridor Additional measures will be taken to transplant the mature trees along the alignment.	PIU, PMO	MOHUA/NCRTC, GNCTD
5.	Aquatic fauna (fishes, migratory birds) and ecologically important areas. Project alignment does not crosses nor located in the vicinity of any ecologically important area	- No impac	direct negative ets are anticipated.	-	Extra measures to be taken to ensure that solid and untreated liquid waste from these station do not enter the Nalla near Barapulla Flyover.	PIU, PMO	NCRTC/MOHUA
			III.	S	Social environment		
6.	Govt. land and private/buildings/flats.	ha o individ 08 h apartr are o	sition of 18.9621 f Govt. land. 08 dual flats owned by ouseholds in an ment/building /flats coming within the ow of the viaduct re	-	LA will be carried out as per the provision of GOI and ADB policies. Acquisition or relocation or temporary shifting of 8 flats will be done as per NCRTC direct purchase policy and mutual agreement with the flat owners	PIU, PMOs, GC, Resettlement NGO,	GoUP/MOHUA

Activity/Valued	Impact	Mitigation Measure	Responsibility	
Environment Component	-		Implementation	Supervision
	relocation/temporary shifting.			
7. Public property/infrastructure/ utility structures. Shifting of electric lines, water pipes, sewage lines, gas pipes and telecom lines	 Inconveniences to local public due to disruption of utility services 	 Develop utility shifting plan with provision for backup utility services when main lines are being removed in coordination with utility authorities and allocate adequate budget for implementing the plan Shifting utilities following the utility shifting plan. Closely coordinate with utility authorities to expedite shifting and avoid delays and inconveniences to public Keep public updated through public meetings and local media on schedule for shifting of utilities and project grievances redress measures Ensure project grievance redress mechanism is functioning Promptly respond to complaints related to utilities 	PIU, PMOs, GC, / Contractor	MOHUA/NCRTC/ GoUP
8. Noise. Finalizing noise reducing features in design of the tracks, trains and stabling yard	 Disturbance to residents living near alignment from operation of trains and stabling yard Potential disturbances to 7 locations of receptors identified within impact zone of construction 1 sensitive receptor will be moderately impacted where noise levels will 	 Conduct further noise level monitoring to reconfirm the findings and recommendations before construction stage Recommend additional measures to mitigate increased noise levels of >3dBA for 1 sensitive receptor to ensure standards are met. Review railway track design and refine design to include noise reducing design features 	PMO, GC, Noise & Vibration Consultant	PMO, GC

Activity/Valued	Impact	Mitigation Measure	Responsibility	
Environment Component			Implementation	Supervision
	increase by >3dBA from baseline levels	 Review rolling stock design and refine design to include noise reducing design features Include provision and budget for installing noise barriers near severely impacted sensitive receptors 		
9. Vibration. Finalizing design features of the tracks, trains and stabling yard to maintain minimal vibration levels during operation	Cracks and damages in structures located near rail alignment particularly structures located near the pilling works Disturbance and annoyance to people living and working near the rail alignment	 Conduction of pre-construction building inventory to identify structures that are weak and at risk of getting damaged Develop and implement building support and rehabilitation measures for weak buildings identified Monitoring by contractor followed by pre-construction modelling; Track design to include floating slab track bed, elastomeric pad and rail pad Review railway track design and revise design to further reduce operational vibration Rolling stock to be equipped with air springs and vertical hydraulic damper Review rolling stock specifications and revise it to include requirements for further reducing operational vibration Prepare vibration monitoring plan to be implemented during construction and set overall trigger limits with more stringent limit of 0.1 in/sec near sensitive receptors 	& Vibration	PMO, GC

Activity/Valued	Impact	Mitigation Measure	Responsibility	
Environment Component	•		Implementation	Supervision
Occupational health and safety for RRTS operational staff. Finalizing occupation health and safety features in design of trains, tracks and associated stabling yard.	 Unsafe and hazardous working conditions inside the tracks and stabling yard. Accidents and injuries to operational staff 	 Include health and safety features in design of stations, tracks and trains Station and Stabling yard to have adequate numbers of toilets separate for male and female staff Train design to include emergency features such as emergency brake and exit Prepare health and safety plan for the project 	PIÙ, PMO	NCRTC/MOHUA
11. Community health and safety. - Finalizing community health and safety plan during project construction works - Finalizing health and safety features in design of trains, tracks and stabling yard.	local community people due to poor health and safety standards of project construction works	- Before construction works begin, the contractor will prepare the following plans for approval by the GC, PIU and/or ADB (refer to table 74). These plans must be consistent with requirements of the SHE. 1) Camp management plan including health and safety, resource supply, waste management etc. 2) Muck disposal plan 3) Waste Management plan 4) Traffic management plan 5) Occupational and community Health and Safety plan 6) Labor and working conditions management plan 7) Code of Conduct for construction workers 8) Emergency response plan 9) Construction noise and vibration management plan 10) Strom Water Management Plan In addition to the above the PIU must prepare a public	Contractor	PIU, GC, External monitor

Activity/Valued	Impact	Mitigation Measure	Responsibility	
Environment Component			Implementation	Supervision
•		communications plan to regularly keep the public informed on the project The project design to include passenger friendly and safety features such as: clear signage on entry, exit, prohibited areas etc; clear public announcements; presence of adequate housekeeping and customer service staff; automatic fare collection system Station and trains to have emergency response system and facilities such as emergency escape routes, fire alarm, fire extinguisher etc. Security surveillance systems including CCTV		
	B.	CONSTRUCTION STAGE		
	l.	Physical environment		
Excavation works for elevated sections. (total of 12960 m³ of material will be excavated) Operation of equipment, machinery and construction vehicles Hauling of excavated material	 Generation of dust from excavation works; transport of excavated material (in uncovered trucks), re-suspension of dust from road surface Generation of exhaust and emissions from operation of equipment and machinery 	 Water sprinkling to be carried out as per SHE Conditions of Contract at regular interval (to be mutually decided by the contractor and NCRTC) The trucks/dumpers carrying the excavated material will be covered using tarpaulin/similar covering materials. Truck tires will be washed to remove excess soil clinging to it. Regular maintenance of construction equipment and 	Contractor	PIU, PMO, GC, External Monitor

Activity/Valued	Impact	Mitigation Measure	Responsibility	
Environment Component			Implementation	Supervision
Surface water quality and quantity Use of water for project – construction Release of construction waste (solid and liquid) into nearby water bodies	 Pollution of water bodies due to release/disposal of liquid and solid waste generated from construction activities and campsites Worsening of the quality of the already highly polluted Nalla near Barapulla flyover 	machinery; have up to date pollution under control (PUC) for all vehicles - Avoid unnecessary idling of equipment and vehicles - Proper disposal of all solid wastes generated from construction activities will be selected in coordination with the local municipal and environmental authorities. - Monitoring of waste-water generated from the stations during the initial stages of project operation to confirm that the water does not contain any harmful pollutants.	Contractor	GC, External Monitor
		 Creation of settling ponds for cleaning of polymer muck generated from piling works before releasing waste-water into the environment No disposal of untreated waste water in the Nalla near Barapulla flyover. 		
14. Ground water quality and quantity Generation of domestic solid and liquid waste from construction camps Release of chemicals, fuels, lubricants and other hazardous wastes Generation of sewage from construction camps Generation of waste water from construction camps, batching plant,	 Pollution of ground water due to release of sewage Pollution of ground water due to release of waste -water contaminated with fuels, oils, chemicals from construction camps and construction sites 	 Provide septic tanks/soak pit connected to toilet in construction camps 	Contractor	PMO, GC, External Monitor

Activity/Valued	Impact	Mitigation Measure	Responsibility	
Environment Component	<u> </u>		Implementation	Supervision
casting yard and other				
construction sites				
15. Land degradation/		- Implement the muck disposal		PIU, PMO, GC,
pollution	degradation of areas	management plan	NCRTC for	External Monitor
- Generation of about	located near the	- Implement the waste management		
12960 cum of excavated	construction sites,	plan for managing C&D waste and	waste	
material and muck and	construction camps,	domestic wastes from construction		
about 5000 cum of C&D	casting yards	camps		
waste		- Use excavated material and muck		
- Generation of domestic		for filling of the stabling yard to the		
solid and liquid waste		extent possible		
from construction camps		- Establish and operate C&D		
- Release of chemicals,		processing plants		
fuels, lubricants and other		- Re-use the C&D waste for project		
hazardous wastes		construction works to the extent		
- Generation of sewage		possible		
from construction camps		- In coordination with local authorities		
- Generation of waste		identify suitable areas for disposing		
water from construction		muck and C&D waste		
camps, batching plant,		- Preserve top soil of the yard areas		
casting yard and other		and reuse the soil for landscaping		
construction sites		purposes		
		- Minimize stock piling and temporary		
		storage of excavated material and		
		muck near construction sites		
		- Prohibit dumping of any excavated		
		materials, C&D waste and wastes		
		from construction camps in any		
		unauthorized locations		
		- Handle hazardous wastes and		
		materials in compliance with the		
		Hazardous waste rules 2007 and		
		hazardous chemicals rules		
	II.	Biological environment		

aquatic vegetation - Clearing and removal of trees for constructing the rail alignment and stabling yard	and some vegetative cover (shrubs and grasses) Killing of animals and	-	Implement the compensatory plantation plan at the ratio of 1:10 in coordination with Forestry officials. Maintain the newly planted sapling by regular watering and protection from cattle Implement additional greening (potted plants, vertical gardens etc.) of stations and alignment along elevated corridor	Implementation Forestry Department, Delhi Development Authority (DDA), Delhi PIU	NCRTC, external monitor
aquatic vegetation - Clearing and removal of trees for constructing the rail alignment and stabling yard	and some vegetative cover (shrubs and grasses) Killing of animals and	-	plantation plan at the ratio of 1:10 in coordination with Forestry officials. Maintain the newly planted sapling by regular watering and protection from cattle Implement additional greening (potted plants, vertical gardens etc.) of stations and alignment along elevated corridor	Department, Delhi Development Authority (DDA), Delhi PIU	monitor
17. Terrestrial fauna - K	•	-	Transfer neets to other trace nearby		
(mammals, birds, binsects) with a contract of the contract of	during removal of trees	-	if there are any nests in trees to be removed Contractor's workers to be banned from any illegal hunting or killing of animals and birds	Forestry Department, PMO	PIU, PMO, GC, External Monitor
	No negative impacts are anticipated.	-	Avoid construction of the piers inside a caisson in the section crossing waste water drain (Nalla) near Barapulla flyover, if feasible Carry out hydraulic piling or bore piling not impact hammering for establishing piers in the water Avoid constructing inside the Nalla during the rainy season to minimize siltation If any wildlife species are found in the construction site, they will be carefully transferred to safe locations under the guidance of the Environment Expert (external monitor) and the local forestry/wildlife agency.	Contractor	PIU, PMO, GC, External Monitor

Activity/Valued	Impact	Mitigation Measure	Responsibility	
Environment Component		-	Implementation	
 19. Government Land and Private buildings/Flats Acquiring 18.9621 ha of Govt. land Acquisition or relocation or temporary shifting of 8 flats as per NCRTC direct purchase policy and mutual agreement with the flat owners 	 Damage to property Disgruntled affected people Filing of complaints against the project Negative media coverage 	 Regular information dissemination through information leaflets, local media and other means Conduct regular public consultation Closely coordinate with local district officials to expedite payment of compensation and provide required support Maintain a fully functioning GRM and keep public and affected people inform on channels to submit grievances LA will be carried out as per the provision of GOI and ADB policies. Acquisition or relocation or temporary shifting of 8 flats will be done as per NCRTC direct purchase policy and mutual agreement with the flat owners 	PIU, PMOs, GC, Resettlement NGO, District Collector	GNCTD /MOHUA
20. Public property/infrastructure/ utility structures	 Inconveniences to local public due to disruption of utility services Filing of complaints by local public affected by disrupted utility services Health impacts to local public caused by disruption of electricity and water especially during the extremely hot summer months Damage to private property from utility shifting activities 	<u> </u>	PIU, PMOs, GC, / Contractor	MOHUA/NCRTC/ GNCTD

Activity/Valued	Impact	Mitigation Measure	Responsibility	
Environment Component			Implementation	Supervision
		- Promptly respond to complaints related to utilities		
21. Noise. - Construction activities using heavy equipment - Movement of heavy trucks transporting construction materials - Increased traffic caused by traffic jams and honking on the road to project alignment - Operation of construction camps, casting yard, batching plant	 Disturbance to large numbers of people living in communities near the project construction site Significant increase of noise >3dB(A) for 1 sensitive receptors located near project sites Filing of complaints by the local community 	 Use of modern equipment that are less noise generating Add noise mufflers to noisy equipment Install acoustic screens and enclosures around noisy activities Avoid using multiple noisy equipment at the same time Monitor noise levels at construction sites to check compliance with WB-EHS and GOI standards If noise levels are exceeded, contractor will immediately make adjustments to construction activity to bring noise levels within standards Operate heavy duty noisy equipment only during night time hours in non-residential areas that have offices and commercial activities during the daytime hours 	Contractor	PIU, PMO, GC, External Monitor
 22. Vibration. Construction activities using heavy equipment Movement of heavy trucks transporting construction materials Operation of construction camps, casting yard, batching plant 	 Disturbance to large numbers of people living in communities near the project construction site Damage to properties and utility structures including identified 5 locations of receptors near construction site Filing of complaints by the local community 	 Implement approved vibration monitoring plan with special emphasis on weak structures that were identified during preconstruction Ensure vibration levels don't exceed 0.1 in/sec near 5 identified locations of receptors Carry out Hydraulic or bore piling method which generates a maximum vibration of 0.1 in/sec will be used to prevent damages to 	Contractor, PIU, PMO	PIU, PMO, GC, External Monitor

Activity/Valued	Impact	Mitigation Measure	Responsibility	
Environment Component	-		Implementation	Supervision
	- Injury and death of workers caused by hazardous working conditions such as working at heights, inside tunnels - Illnesses and health problems of workers due to several reasons listed below - Lack of proper facilities for clean drinking water, toilets, waste management and poor hygienic condition in camp sites - Working in extreme temperatures (>40□C) - Prolonged dusty	structures. No impact piling will be done Rehabilitate or compensate for damaged properties Within 30 days upon issuance of Notice to Proceeds the contractor will appoint a Health and Safety Officer (HSO) and environmental focal person; HSO will engage with NCRTC-Environment Specialist to discuss the EMP including need for revisions and reporting formats and timeline; EMP will be consistent with SHE requirements As part of updated EMP for approval by GC prepare a contract specific health and safety plan consistent with the EMP and SHE requirements HSO will submit for NCRTC approval an action plan to secure all permits and approvals required for operation of construction plants and	Implementation	Supervision PIU, PMO, GC, External Monitor
	9	equipment and specific activities such as handling hazardous materials - HSO will submit for approval of NCRTC the construction camp		
	chemicals and materials - Lack of proper PPE	layout before its establishment - Provision of PPE to all workers - Install fall prevention and protection measures at all construction sites such as: installing guardrails with mid rails, provision of safety harness.		

Environment Component - Mandatory and regular safety briefings for all workers - Only qualified to operate heavy equipment and machinery - Avoid works during extreme temperatures (>40□(C) and have heat stress management procedures - Regular sprinkling of water in dusty work sites - Limit exposure of workers to noise levels greater than 85dB(A) to less than 8 hours. Provide ear protection devices to workers carrying out noisy work - Working hours to be limited to national labor regulation limits - Provision proper storage facilities of hazardous chemicals and materials and protection facilities for workers handling them - Construction camps to be provided with safe drinking water, waste management facilities, proper toilets and hygienic environment and good housing material - Employment of full-time medical staff at construction camps and medical supplies to be well stocked. Ambulance to be available at	Activity/Valued	Impact	Mitigation Measure	Responsibility	
briefings for all workers Only qualified to operate heavy equipment and machinery Avoid works during extreme temperatures (>40 \(\text{\text{\$\cuperbox}}\) and have heat stress management procedures Regular sprinkling of water in dusty work sites Limit exposure of workers to noise levels greater than 85dB(A) to less than 8 hours. Provide ear protection devices to workers carrying out noisy work Working hours to be limited to national labor regulation limits Provision proper storage facilities of hazardous chemicals and materials and protection facilities for workers handling them Construction camps to be provided with safe drinking water, waste management facilities, proper toilets and hygienic environment and good housing material Employment of full-time medical staff at construction camps and medical supplies to be well stocked. Ambulance to be available at	Environment Component			Implementation	Supervision
- Well-stocked first aid kit to be available at all construction sites		Impact	 Mandatory and regular safety briefings for all workers Only qualified to operate heavy equipment and machinery Avoid works during extreme temperatures (>40□C) and have heat stress management procedures Regular sprinkling of water in dusty work sites Limit exposure of workers to noise levels greater than 85dB(A) to less than 8 hours. Provide ear protection devices to workers carrying out noisy work Working hours to be limited to national labor regulation limits Provision proper storage facilities of hazardous chemicals and materials and protection facilities for workers handling them Construction camps to be provided with safe drinking water, waste management facilities, proper toilets and hygienic environment and good housing material Employment of full-time medical staff at construction camps and medical supplies to be well stocked. Ambulance to be available at campsite at all times Well-stocked first aid kit to be 		Supervision

Activity/Valued	Impact	Mitigation Measure	Responsibility	
Environment Component			Implementation	Supervision
		treating workers with serious injuries or illnesses - Regular health checks for construction workers		
24. Community health and safety.	 Accidents and injuries to people living near the construction sites Inconveniences to communities living near construction sites for example due blocking of access routes, disruption of utility services due to excavation works Inconveniences caused to traffic plying on the road near project alignment due to traffic jams or unsafe conditions caused by project construction Extra burden on local resources such as water supply, electricity because of their use in construction sites and camps Health problems such as malaria, COVID-19, HIV/AIDs, and STDs brought by construction workers 	all local complaints - Conduct health screening of construction workers before recruitment to ensure no workers with contagious diseases including COVID-19, HIV, AIDs and STDs are recruited	Contractor, PIU, PMO	PIU, PMO, GC, External Monitor

Activity/Valued	Impact	Mitigation Measure	Responsibility	
Environment Component			Implementation	Supervision
	 Social conflicts between workers and local communities Complaints from local people against the project 	demarcation of prohibited zones such as areas where overhead construction works are going on, or areas where underground tunneling works are going on		
25. Physical cultural resources (PCR)Chance find procedures	- Destruction of historical artifacts that maybe buried along the alignment	- If any artifacts are found during excavation works, immediately inform the Archaeology Department and follow their guidance on next steps	PMO, Contractor, GC	GC, External Monitor
	C.	OPERATION STAGE		
	l.	Physical environment		
26. Surface water quality and quantity.	- Pollution of already heavily polluted Nalla near Barapulla flyover from release of raw sewage and untreated waste- water	 Inclusion of septic tanks or other sewage treatment system within the design of the stabling yard facility. 	NCRTC	MOHUA, External Monitor
27. Ground water quality and quantity Generation of sewage and contaminated waste water from the stabling yard	- Pollution of ground water due to release of sewage and untreated waste-water containing fuels, oils, chemicals from the stabling yard -	 Maintain functional septic tanks in stabling yard or linkage with municipal sewage pipes and municipal sewage treatment systems. Implement water conservation measures such as waste-water recycling and rainwater harvesting in the yard If using ground water for the stations and depots seek required approval from CGWA and ensure quantities of water extracted is in accordance with approved limits 	NCRTC	MOHUA, External Monitor

Activity/Valued	Impact	Mitigation Measure	Responsibility	
Environment Component			Implementation	Supervision
		- Water supply plan to account for availability of local water resources and avoiding adding stress		
28. Land degradation/pollution - Operation of the stabling yard	- Pollution and degradation of land near the project alignment due to improper disposal of waste generated in the yard including hazardous chemicals, solvents, fuels and other materials	 Stabling yard wastes to be disposed at nearest land fill sites or linked with the municipal waste management system management systems and waste recycling agencies Only treated waste-water from the Sarai Kale Khan - Jangpura Stabling Yard line and associated facilities to be released into the environment No disposal of solid or liquid wastes, sewage and hazardous chemicals, fuels and lubricants from the project components in the surrounding environment 	NCRTC	MOHUA, External Monitor
	II.	Biological environment		
29. Trees and vegetation	- Net loss in biodiversity because of the project	 Maintain the trees planted through regular watering and protection from cattle Ensure a survival rate of at least 85% for the trees planted during construction stage Maintain the green spaces (potted plants, vertical gardens etc.) created in the elevated station and alignment 	NCRTC	MOHUA, External monitor
III. Social environment				
Operation of trains and working in stabling yard	 Disturbance and annoyance to residents living near the elevated section and station 	 Monitor noise levels at identified sensitive receptors during first year of operation 	NCRTC	MOHUA, External Monitor

Activity/Valued	Impact	Mitigation Measure	Responsibility	
Environment Component			Implementation	Supervision
31. Vibration . Operation of trains and station	annoyance to people	 near the yard Conduct public consultations with communities living near the yard to check if the RRTS operations are disturbing them Check whether noise barriers are effective in reducing noise levels as anticipated for 1 receptor near train alignment Identify and implement additional noise reducing measures near sensitive receptors where incremental noise levels are still >3dB(A) from baseline levels Inform general public on noise management measures taken under the project Monitor vibration levels generated by train operations with specific 	NCRTC	MOHUA, External Monitor
	living and working near the rail alignment	emphasis at identified sensitive receptors and weak structures during first year of operation - Continue monitoring vibration levels as the number of trains and frequency increases - If any damages to structures are noticed due train operation immediately take remedial measures such as strengthening the structure or relocating and compensating the owner of the building		

Activity/Valued	Impact	Mitigation Measure	Responsibility	
Environment Component		-	Implementation	Supervision
32. Occupational health and safety of operations staff for managing trains, tracks and yard.	 Accidents and injury to staff Health problems for staff caused by hazardous working conditions 	 Prepare emergency preparedness and response plan for stabling yard and trains Conduct regular drills for staff in implementing emergency response plan Provision of PPE to operations staff including loco drivers, station staff, track engineers, electric technicians Conduct regular training to staff health and safety Deploy adequate security personnel in yard 	NCRTC	MOHUA, External Monitor
 33. Community health and safety Operation of the trains Operation of the yard 	 Accidents and injuries to passengers using the train and yard Collision of trains and derailment, fire power outages, stopping of train services Stress on local resources (water, electricity etc.) due to extraction on these resources for operating the trains and stabling yard facility 	 Automatic brake application included as a safety feature in locos Backup generators of adequate capacity will be provided for uninterrupted lighting, signaling, telecommunications, fire fighting, lift operation etc. Station design to include passenger friendly and safety features such as: clear signage on entry, exit, prohibited areas etc; clear public announcements; presence of adequate housekeeping and customer service staff; automatic fare collection system Station and trains to have emergency response system and facilities such as emergency escape routes, fire alarm, fire extinguisher etc. 	NCRTC	MOHUA, External Monitor

Activity/Valued	Impact	Mitigation Measure Responsibility		
Environment Component	-		Implementation	Supervision
		 Regular safety drills for operational staff on emergency response procedures Internal environment control system for trains and stations Security surveillance systems including CCTV Supply of treat ground water for public use in yard Installation of rain-water harvesting facilities in the station to help conserve water Installation of rain-water harvesting and waste water recycling facilities in the yard to help conserve water Release of treated waste water from the yard into the environment 		

Table 80: Environmental Monitoring Plan

Environment al Features	Aspect to be Monitored	Time and Frequency of Monitoring	Location	Monitoring Cost (INR)	Responsible party (Implementation/ Supervision)
Pre-Construct	tion stage				
Noise	Noise levels	24 hours continuous noise monitoring at sensitive locations	Project Site (3 locations)	3000*3*=9000	Contractor & NCRTC
Air	Emission of dust and particulate matter as PM2.5 and PM10, NOx and SOx, CO	24 hours continuous monitoring once	Project Site (2 locations)	8000*2=16000	Contractor & NCRTC
Vibrations	PPV mm/s	Once prior to start of construction.	At key structure locations (1 Location,	50000	Contractor & NCRTC

Environment al Features	Aspect to be Monitored	Time and Frequency of Monitoring	Location	Monitoring Cost (INR)	Responsible party (Implementation/Supervision)
			Siddhartha Extn.)		
			Sub-Total	75000	
Construction	<u>. </u>				
Noise	Noise levels in dB(A)	Quarterly (12 samples in total on hourly basis for 24 hours)	Project Site (3 locations of baseline monitoring)	3000*12 =36000	Contractor & NCRTC
Air	Emission of dust and particulate matter as PM2.5 and PM10, NOx and SOx, CO	Quarterly (6 samples in total hourly basis for 24 hours)	Project Site (2 locations of baseline monitoring)	8000*6=48000	Contractor & NCRTC
Water	DO, Turbidity, Conductivity, pH, E.Coli, TSS, Oil and Grease and TDS	Quarterly (4 samples in total)	Ground water at construction camps	4000*4=16000	Contractor & NCRTC
Occupational Health and Safety	As specified in project OHS plan prepared by Contractor	Project site Weekly	Project Site	Project Cost	Contractor & NCRTC
			Sub-Total	100000	
Operation Sta	ge				
Occupational Health and Safety	As specified in project OHS plan prepared by Contractor	Line and Stabling yard Monthly	Project Site	Project Cost	NCRTC
Water	DO, Turbidity, Conductivity, pH, E.Coli, TSS, Oil and Grease and TDS	Six monthly	Ground water at Stabling yard	4000*6*1=24000	NCRTC
	DO, BOD, COD, heavy metals, Turbidity, Conductivity, pH, E.Coli, TSS, Oil and Grease and TDS	Six monthly	Effluent from Station locations and depot	4000*6*1=24000	NCRTC
Noise	Noise levels in dB(A)	At least 2 times in a year for 3 years	Alignment, Stabling yard	3000*3*2 =18000	NCRTC

Environment al Features	Aspect to be Monitored	Time and Frequency of Monitoring	Location	Monitoring Cost (INR)	Responsible party (Implementation/ Supervision)
Air	Emission from DG sets (SPM, NOx and SOx)	At least 2 times in a year for 3 years	Project site	8000*3*2=48000	NCRTC
Vibrations	PPV (in/sec)	Once within in 6 months operation start.	At key structure locations (1 Location, Siddhartha Extn.)	50000	NCRTC
			Sub-Total	164000	
			Grand Total	264000	

Note: the cost estimate is tentative.

D. **Environmental Management Budget and Resources**

350. The cost of all compensation and rehabilitations works will be an integrated part of the overall project cost, which will be borne by the project. The preliminary estimated cost⁷ of the environmental management plan including implementation and monitoring is US\$ 0.51 million (INR 41.22 million) as detailed in Table 81.

Table 81: Cost of EMP Implementation*

SI. No.	Item/Particular	Cost Rs. Lakh
1.	Tree Plantation 12720 trees @ Rs.2000/- per tree	254.40
2.	Green Belt at Stabling yard	15.00
3.	Noise barriers	130.20
4.	Environmental monitoring (Air, Noise, vibration, Water, Waste Water, Solid waste, during construction and operation)	2.64
5	Additional fees, if payable ,to already engaged external monitor consultant	10.00
	Total	412.24

[•] Note: (i). Cost estimate is tentative and subject to change following detailed design provisions. (ii). Cost of provisioning of Ballastless track for noise and vibration reduction is Rs. 1200 Lakh per kilometer

⁷ This EMP budget estimate shall be updated as per requirement based on recommendations in Shadow Study of viaduct in Siddhartha Extension and other requirements, if any.

X. CONCLUSION AND RECOMMONDATION

A. Conclusions

- 351. The proposed Sarai Kale Khan Jangpura Stabling Yard RRTS line and the stabling yard are not located in any environmentally sensitive or protected areas. The alignment neither passes through nor lies within 250m from any of the state or nationally protected archaeological monument. About 1272 trees will be cut, these will be compensated at the rate of 10 trees for every tree removed. Best efforts will be made to transplant trees. Hence, no significant ecological impacts are envisaged.
- 352. Key environmental risks under the project include: 1) health and safety risks for the construction workers and local residents living along the project alignment and traffic that will play on the existing road and 2) noise and vibration impacts during construction and operation of the RRTS. The first risk will exist only during project construction stage and adequate health and safety requirements have been included in the EMP and SHE manual to mitigate it. Noise and vibration impacts will be fully mitigated.
- 353. Analysis of noise impacts show that 7 location of receptors during construction stage and operation stage are at risk of experiencing an increase in noise levels greater than 3 dB(A) from baseline levels. A number of mitigation measures on use of most modern (less noisy equipment), adjusting timing of use of noisy equipment, use of mufflers on noisy equipment and installation of acoustic screens have been proposed to minimize construction related noise. During operation, noise barriers that will reduce noise levels from $20 22 \, dB(A)$ are proposed to be installed near the 1 sensitive receptor to avoid an increase in long term noise levels beyond $3 \, dB(A)$.
- 354. Preliminary analysis of vibration impacts following the FTA guidelines show that adverse impacts are expected mainly during construction stage. About 5 receptors are at risk of experiencing vibration levels above the threshold for causing damage during construction stage. To mitigate this risk, it is recommended that only bored piling (not impact piling) is used for boring works. Vibration impacts from operation of the RRTS is expected to be fully mitigated through integration of vibration dampening features in the rail tracks such as floating slab track bed, elastomeric pads and rail pads. In addition, the rolling stock will be made of stainless steel bodies equipped with air springs and vertical hydraulic damper.
- 355. Best available technology and best management practices are built-in to the project design. All project components will be implemented and monitored in line with the ADB's SPS 2009 requirements and standards of India. The proposed project institutional set up includes adequate personnel to implement, monitor and report on environment safeguards.
- 356. Based on the various modelling analysis and related studies, it can be concluded that the project component is compliant with SR1, Policy Principle 2 requirements on socioeconomic impacts.

B. Recommendations

357. The construction of connecting line viaduct is included in already awarded contract package no.6 for the elevated section in Delhi area which includes NCRTC's SHE manual and requires the contractor to prepare contract specific EMP. The same is the case with the already awarded contract package for the construction of multi-story staff quarters . In future bidding packages, NCRTC shall ensure that the SHE manual and requirement to prepare a contract specific EMP is included in the bidding documents.

358. Although there are no major changes in the Project design and location are anticipated, this EIA may need updating for any change in design prior to start of civil works or during construction stage.

APPENDICES

Provided in a Separate Volume (Volume 2 – Appendices)

Environmental Impact Assessment (Final)

PUBLIC

December 2023

India: Delhi–Meerut Regional Rapid Transit System Investment Project

Addendum to Environment Impact Assessment Report–Stabling Yard at Jangpura and Connecting Line from Sarai Kale Khan RRTS station to Stabling yard

Appendixes - Part 1

This Final EIA has been disclosed for the relevant stakeholders. There are ongoing consultations under the ADB Accountability Mechanism, 2012 with some community people who are not in the Corridor of Direct Impact, however, this EIA addresses the impacts associated with sensitive receptors falling within the Corridor of Indirect Impact and has also considered the mitigation measures accordingly in the design.

Prepared by the National Capital Region Transport Corporation for the Asian Development Bank (ADB).

This environmental impact assessment is a document of the borrower. The views expressed herein do not necessarily represent those of ADB's Board of Directors, Management, or Staff, and may be preliminary in nature. Your attention is directed to the "terms of use" section of ADB's website.
In preparing any country program or strategy, financing any project, or by making any designation of or reference to a particular territory or geographic area in this document, ADB does not intend to make any judgments as to the legal or other status of any territory or area.

Appendix 1: Rapid Environmental Assessment (REA) Checklist

Instructions:

- (i) The project team completes this checklist to support the environmental classification of a project. It is to be attached to the environmental categorization form and submitted to the Environment and Safeguards Division (SDES), for endorsement by Director, SDES and for approval by the Chief Compliance Officer.
- (ii) This checklist focuses on environmental issues and concerns. To ensure that social dimensions are adequately considered, refer also to ADB's (a) checklists on involuntary resettlement and Indigenous Peoples; (b) poverty reduction handbook; (c) staff guide to consultation and participation; and (d) gender checklists.
- (iii) Answer the questions assuming the "without mitigation" case. The purpose is to identify potential impacts. Use the "remarks" section to discuss any anticipated mitigation measures.

Country/Project Title:

IND / Stabling yard RRTS connecting line from Sarai Kale Khan – Stabling Jungpura

Sector Division:

SATC

Screening Questions	Yes	No	Remarks
A. Project Siting Is the project area adjacent to or within any of the following environmentally sensitive areas?			The Project involves construction of 1.35km RRTS line.
Cultural heritage site		Х	
Protected Area		Х	
Wetland		Х	
■ Mangrove		Х	
Estuarine		Х	
Buffer zone of protected area		Х	
Special area for protecting biodiversity		Х	
B. Potential Environmental Impacts Will the Project cause			
 encroachment on historical/cultural areas; disfiguration of landscape by road embankments, cuts, fills, and quarries? 		Х	The topography of the project area is mainly plain. There is no encroachment of historical places.
 encroachment on precious ecology (e.g. sensitive or protected areas)? 		Х	Only cutting of 1272 trees is involved. Attempts have been made to minimize the cutting of trees.

Screening Questions	Yes	No	Remarks
 alteration of surface water hydrology of waterways crossed by roads, resulting in increased sediment in streams affected by increased soil erosion at construction site? 		Х	The proposed RRTS alignment does not crosses any major water body. It crosses a Nalla (Open Sewer Drain) near Barapulla flyover.
 deterioration of surface water quality due to silt runoff and sanitary wastes from worker- based camps and chemicals used in construction? 		х	Adequate sanitary facilities will be provided at construction camps, which will be set-up away from habitat and water bodies. No harmful ingredients are likely to be used in the construction activities. As such, no impact on surface water quality is anticipated due to construction.
 increased local air pollution due to rock crushing, cutting and filling works, and chemicals from asphalt processing? 	X		Localised air pollution level is likely to increase for short duration during construction period due to construction vehicle movement and concrete batching and processing. The concrete batching plant (casting yard) will be located away from habitat areas with adequately high stack for effective dispersion of likely emissions. Dust separation measures like spraying of water on unpaved vehicle movement areas are proposed to minimise the dust generation.
risks and vulnerabilities related to occupational health and safety due to physical, chemical, biological, and radiological hazards during project construction and operation during project construction and operation?	x		Workers may get exposed to dust and noise during construction activities. However, the exposure levels are likely to be short and insignificant. Workers will be provided requisite Personal Protective Equipment to minimize such exposure and associated harmful occupational health effects. As such, no occupational health hazard is anticipated during operation phase.
noise and vibration due to blasting and other civil works?		х	No blasting is involved. No significant noise generation is expected during construction activities except normal construction equipment's operational noise. These noise levels will be impulsive in nature and its impact will be confined within few meters of either side of the project alignment. All stationary noise making sources equipment like DG set, compressors will be installed with acoustic enclosures. Provision of noise barriers will be made wherever noise level is likely to increase beyond the prescribed ambient noise levels
dislocation or involuntary resettlement of people?	х		Yes. The project-affected persons are expected to be very less. The Govt. land acquisition will be done as per Govt Policy; acquisition or relocation or temporary shifting of 8 flats will be done as per NCRTC direct purchase policy and mutual agreement with the flat owners.
dislocation and compulsory resettlement of people living in right-of-way?	Х		Compensation as per Govt.

Screening Questions	Yes	No	Remarks
 disproportionate impacts on the poor, women and children, Indigenous Peoples or other vulnerable groups? 		Х	No such impact is anticipated.
other social concerns relating to inconveniences in living conditions in the project areas that may trigger cases of upper respiratory problems and stress?		Х	No such social concern is expected. Concern may arise during construction stage due to increase in ambient air pollution level, which is expected to be localized and temporary in nature. This aspect will be effectively controlled with the proposed dust suppression and other mitigation measures.
hazardous driving conditions where construction interferes with pre-existing roads?	х		Hazardous driving condition may arise around construction areas. To minimize the impact suitable traffic management plan will be designed and implemented by the contractor to prevent any hazardous driving condition in above situations.
poor sanitation and solid waste disposal in construction camps and work sites, and possible transmission of communicable diseases (such as STI's and HIV/AIDS) from workers to local populations?		X	Proper provisions for sanitation, health care (drinking water supply and periodic health check-ups) and solid waste disposal facilities will be made at each construction camp. Awareness will be created amongst the workers about hygiene and health protection.
 creation of temporary breeding habitats for diseases such as those transmitted by mosquitoes and rodents? 		Х	No such condition is anticipated.
 accident risks associated with increased vehicular traffic, leading to accidental spills of toxic materials? 		Х	Adequate safety measures will be adopted to avoid accidents during construction and operation stages. Measures, like signage, speed control; crash barriers will be taken close to sensitive locations such as schools, temple or hospitals.
 increased noise and air pollution resulting from traffic volume? 		X	Increase in noise and air pollution is expected during construction phase but is likely to be confined within few meters of either side of the project alignment. Adequate mitigation measures will be adopted to minimise the same. During operation stage, RRTS will provide a comfortable travel and provide pollution free alternate mode for commuters.
increased risk of water pollution from oil, grease and fuel spills, and other materials from vehicles using the road?	Х		This possibility is minimal but cannot be ruled out. Controlled construction activities and proper drainage system will reduce this possibility.
social conflicts if workers from other regions or countries are hired?		Х	Most of the workers will be hired locally.
 large population influx during project construction and operation that causes increased burden on social infrastructure and services (such as water supply and sanitation systems)? 		Х	Most of the workers will be hired locally. The small construction camps are unlikely to cause any significant burden on social infrastructure and services.

Appendix 1: Rapid Environmental Assessment (REA) Checklist

Screening Questions	Yes	No	Remarks
 risks to community health and safety due to the transport, storage, and use and/or disposal of materials such as explosives, fuel and other chemicals during construction and operation? 		x	The construction material (aggregate from approved quarries, borrow earth, bitumen) will be sourced from nearby and approved sources. No explosive or chemicals are likely to be used. Bitumen waste if any generated during construction and garbage from stations will either be recycled or disposed of in controlled manner.
 community safety risks due to both accidental and natural causes, especially where the structural elements or components of the project are accessible to members of the affected community or where their failure could result in injury to the community throughout project construction, operation and decommissioning. 		X	No such impacts are anticipated. Adequate awareness will be created amongst people and workers through information disclosure, safety signage and public consultation about safety aspects.

A Checklist for Preliminary Climate Risk Screening

Country/Project Title: IND / RRTS connecting line from Sarai Kale Khan to Stabling Yard, Jungpura

Sector: Transport

Subsector: Urban Transport

Division/Department: SATC / SARD

Screening Questions			Remarks ¹
Location and Design of project	Is siting and/or routing of the project (or its components) likely to be affected by climate conditions including extreme weather-related events such as floods, droughts, storms, landslides?	0	The topography of project area is plain. There is no presence of Aravali ridges in project corridor and surroundings although these are prominent in other parts of NCR region. The project region falls in Zone IV i.e. a region of high seismic hazard zone. The region experiences extreme cold and extreme hot temperatures during winter and summer seasons respectively. The impacts can be mitigated by adopting IS codes in design of different components of RRTS. The area is not subject to natural hazards like tropical cyclone winds, storm surges, tsunami or volcanic eruptions.

.

¹ If possible, provide details on the sensitivity of project components to climate conditions, such as how climate parameters are considered in design standards for infrastructure components, how changes in key climate parameters and sea level might affect the siting/routing of project, the selection of construction material and/or scheduling, performances and/or the maintenance cost/scheduling of project outputs.

	Would the project design (e.g. the clearance for bridges) need to consider any hydro-meteorological parameters (e.g., sea-level, peak river flow, reliable water level, peak wind speed etc)?	1	Project design will consider hydrometeorological parameters to lessen the impact of RRTS on flooding.
Materials and Maintenance	Would weather, current and likely future climate conditions (e.g. prevailing humidity level, temperature contrast between hot summer days and cold winter days, exposure to wind and humidity hydro-meteorological parameters likely affect the selection of project inputs over the life of project outputs (e.g. construction material)?	1	Project inputs will likely be assessed in view of diverse future climate conditions in the regions.
	Would weather, current and likely future climate conditions, and related extreme events likely affect the maintenance (scheduling and cost) of project output(s)?	1	Extreme events will likely affect the maintenance of the project.
Performance of project outputs	Would weather/climate conditions, and related extreme events likely affect the performance (e.g. annual power production) of project output(s) (e.g. hydro-power generation facilities) throughout their design life time?	1	Extreme events will likely affect the performance of the project.

Options for answers and corresponding score are provided below:

Response	Score		
Not Likely	0		
Likely	1		
Very Likely	2		

Responses when added that provide a score of 0 will be considered <u>low risk</u> project. If adding all responses will result to a score of 1-4 and that no score of 2 was given to any single response, the project will be assigned a <u>medium risk</u> category. A total score of 5 or more (which include providing a score of 1 in all responses) or a 2 in any single response, will be categorized as high-risk project.

	Result	of Initial	Screening	(Low.	Medium.	. Hiah):	Medium
--	--------	------------	-----------	-------	---------	----------	--------

Other Comments:				
_				
Propared by:	VVVVV			

Appendix 2: Details of Environmental Monitoring



ULTRA TESTING

(An ISO 9001:2015, OHSAS 45001:2018, 14007-2015 (EMS) Certified) Laboratory: C-43, Sector-88, Phase-11, Noida: Ph.: No.: +91-9971912476, 9350952231 E-mail: ultraresearchlab@gmail.com Website: http://www.ultralabnoida.com



TEST REPORT

Ambient Air Quality Analysis Discipline/Group-Chemical/Atmospheric Pollution

Report Code: AAQ-13012021-01

Date :19/01/2021

Issued To

ES SAFEGUARDS COMPLIANCE SERVICES PVT. LTD. 501.SKYLAND APARTMENTS.SECTOR-56

GURGAON-122001

Project Name

Delhi-Meerut RRTS Alignment in NCR Region

Sample Drawn On

: 12/01/2021 To 13/01/2021

Sample Drawn By

; UTRL

Sample Description

: Ambient Air : Near Stabling Yard

Sampling Location Latitude/ Longitude

: N 28° 34' 39.4", E 77" 15' 04.7"

Analysis Duration

: 13/01/2021 To 19/01/2021

Average Flow Rate of PM10 (m3/min.) Average Flow Rate of Gases (Ipm)

- 1.20

Sampling Instrument Used

: Respairable Dust Sampler (PM10) Fine Particulate : Sampler (PM2.5) With Gaseous Attachment.

Ambient Temperature : 16°C Weather Condition : Clear

S.No	Parameters	Test Method	Result	Units	Limits as per NAAQS
1	Particulate Matter (PM ₁₀)	IS:5182 (Part-23)	244.98	μg/m³	100.0
I	Particulate Matter (PM23)	JS:5182 (Part-24)	139.97	pg/m³	60.0
3	Sulphur Dioxide (as SO ₂)	15:5182 (Part-2)	27.56	μg/m³	80,0
4	Nitrogen Dioxide (as NO ₂)	1S:5182(Part-6)	38.08	μg/m³	80.0
5	Carbon monoxide(as CO)	IS:5182(Part-10)	0.69	ring /m ³	4.0
6	Lead(as Pb)	1S:5182 (Part-22)	< 0,1	μg/m³	1.0
7	Ozone (as O ₃)	IS:5182 (Part-9)	20.47	μg/m³	180.0
8	Ammonia (as NH ₁).	1S:5182 (Part-25)	26,44	μg/m³	400.0

End Of Report

The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.

This test report will not be used for any publicity/legal purpose.

The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by

et can not be used as evidence in a court of law without the written approval of the lab.

For Ultra Testing & Research Laboratory

(Authorized Sig



ULTRA TESTING & RESEARCH LABORATORY

(An ISO 9001:2015, OHSAS 45001;2018, 13001;2015 (EMS) Certified)
Laboratory: C-43, Sector-88; Phase-II, Midda, U.P.
Ph.: No.: +91-9971912476, 9350952231
E-mail: ultraresearchlab@gmail.com
Website: http://www.ultralabnoida.com

TEST REPORT

	Ambient Air Quality Analysis
Report Code: AAQ-13012021-01	Date :19/01/2021
Issued To	ES SAFEGUARDS COMPLIANCE SERVICES PVT. LTD.
	501,SKYLAND APARTMENTS,SECTOR-56
	GURGAON-122001
Project Name	Delhi-Meerut RRTS Alignment in NCR Region
Sample Drawn On	: 12/01/2021 To 13/01/2021
Sample Drawn By	UTRL
Sample Description	: Ambient Air
Sampling Location	: Near Stabling Yard
Latitude/ Longitude	: N 28° 34' 39.4", E 77° 15' 04.7"
Analysis Duration	: 13/01/2021 To 19/01/2021
Weather Condition	: Clear

	TEST RESULT							
S.No	Parameters	Test Method	Result	Units	Limits as per NAAQS			
9	Nickel (as Ni)	CPCB Guideline	< 1.0	ng/m³	20.0			
10	Mercury (as Hg)	USEPA Method	<0.1	μg/m3				
H	Arsenic (as As)	CPCB Guideline	< 0.1	ng/m³	6.0			
12	Hydrocarbon (as HC)	IS:5182 (Part-17)	< 1.0	ppm	*			
13	Hydrogen Fluoride(as HF)	IS:5182 (Part-13)	×1.0	ppm				

Notes

End Of Report

- The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
- This test report will not be used for any publicity/legal purpose.
- The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

The Report can not be used as evidence in a court of law without the written approval of the lab.

Checked By

For Ultra Testing & Research Daborator



Issued To.

ULTRA TESTING & RESEARCH LABORATORY

(An ISO 9001:2015, OHSAS 45001:2018, 1400/92015 (EMS) Certified)

Laboratory: C-43, Sector-88, Phase-II, Nordinal Ph.: No.: +91-9971912476, 9350952231 E-mail: ultraresearchlab@gmall.com Website: http://www.ultralabnoida.com



Date :19/01/2021

TEST REPORT

Ambient Air Quality Analysis	
e/Group-Chemical/Atmosphasia Palla	45

Report Code: AAQ-13012021-02

ES SAFEGUARDS COMPLIANCE SERVICES PVT. LTD.

501,SKYLAND APARTMENTS,SECTOR-56

GURGAON-122001

Project Name Delhi-Meerut RRTS Alignment in NCR Region

Sample Drawn On 12/01/2021 To 13/01/2021

Sample Drawn By : UTRL Sample Description : Ambient Air Sampling Location . Near Saraikalekhan

Latitude/ Longitude N 28" 34' 58.1" . E 77" 15' 37.3" Analysis Duration : 13/01/2021 To 19/01/2021

Average Flow Rate of PM₁₀ (m³/min.) : 1.30 Average Flow Rate of Gases (Ipm)

Sampling Instrument Used Respairable Dust Sampler (PM10) Fine Particulate

Sampler (PM2.5) With Gaseous Attachment.

Ambient Temperature : 16°C Weather Condition : Clear

TEST RESULT							
S.No	Parameters	Test Method	Result	Units	Limits as per NAAQS		
-)	Particulate Matter (PM ₁₀)	IS:3182 (Part-23)	263.15	μtg /m ³	100.0		
2	Particulate Matter (PM23)	15:5182 (Part-24)	152.67	μg/m³	60.0		
3	Sulphur Dioxide (as SO ₂)	IS:5182 (Part-2)	30.51	μg/m³	80.0		
4	Nitrogen Dioxide (as NO ₂)	(S:5182(Part-6)	41.81	μg/m³	80.0		
5	Carbon monoxide(as CO)	1S:5182(Part-10)	1.15	mg/m³	4.0		
6	Lead(as Pb)	IS:5182 (Part-22)	< 0.1	μg/m³	1.0		
7	Ozone (as O ₃)	IS:5182 (Part-9)	23.16	μg/m³	180.0		
8	Ammonia (as NH ₃)	1S:5182 (Part-25)	20.11	un /m³	400.0		

Note:-

End Of Report

TECHNICAL (Authorized Signific)

The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only,

This test report will not be used for any publicity/legal purpose.

The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by

ort can not be used as evidence in a court of law without the written approval of the lab.

For Ultra Testing & Research Laboratory



ULTRA TESTING & RESEARCH LABORATORY

(An ISO 9001;2015, OHSAS 45001;2018, 1400L;2015 (EMS) Certified)
Laboratory: C-43, Sector-88, Phase-II, Nonla, U.P.
Ph.: No.: +91-9971912476, 9350952231
E-mail: ultraresearchlab@gmail.com
Website: http://www.ultralabnoida.com

TEST REPORT

Ambient Air Quality Analysis							
Report Code: AAQ-13012021-02	Date :19/01/2021						
Issued To	: ES SAFEGUARDS COMPLIANCE SERVICES PVT. LTD.						
	501,SKYLAND APARTMENTS,SECTOR-56						
	GURGAON-122001						

Project Name : Delhi-Meerut RRTS Alignment in NCR Region Sample Drawn On : 12/01/2021 To 13/01/2021

Sample Drawn By : UTRL
Sample Description : Ambient Air
Sampling Location : Near Stabling Yard

Latitude/ Longitude : N 28" 34' 58.1", E 77" 15' 37.3" Analysis Duration : 13/01/2021 To 19/01/2021

Weather Condition : Clear

	TEST RESULT								
S.No	Parameters	Test Method	Result	Units	Limits as per NAAQS				
0	Nickel (as Ni)	CPCB Guideline	< 1.0	ng/m³	20.0				
10	Mercury (as Hg)	USEPA Method	<0.1	µg/m3	-				
11	Arsenic (as As)	CPCB Guideline	S 0.1	ng/m³	6,0				
12	Hydrocarbon (as HC)	IS:5182 (Part-17)	< 1.0	ppm					
13	Hydrogen Fluoride(as HF)	IS:5182 (Part-13)	< 1.0	ppm	lije.				

Note:

End Of Report

MANAGEL

- The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
- 2 This test report will not be used for any publicity/legal purpose.
- 3 The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

Assuring you of best our services at all times.

The Report can not be used as evidence in a court of law without the written approvates the lab.

For Ultra Testing & Research Daboratory

151



ULTRA TESTING & RESEARCH LABORATORY

(An ISO 9001:2015, OHSAS 45001:2015, 19004:2015 (EMS) For lifted)
Laboratory: C-43, Sector-88, Phase-II, Notice, U.P. Ph.: No.: +91-9971912476, 9350952231 E-mail: ultraresearchlah@gmnil.com Website: http://www.ultralabnolda.com

TEST REPORT

Metrological Report

Discipline/Group-Chemical/Atmospheric Pollution

Report Code: M-13012021-01

Issue Date: 18/01/2021 ISSUED TO ES SAFEGUARDS COMPLIANCE SERVICES PVT. LTD.

501.SKYLAND APARTMENTS.SECTOR-S6

GURGAON 122001

Project Name : Delhi-Meenit RRTS Alignment in NCR Region

Monitoring Date † 12/01/2021 To 13/01/2021

Sample Drawn By : UTRL

Sampling Hours : 10 00 am -10 am (24 Hours)

Sampling Location 2 Sarai Kale Khan hatitude & Logitude 4 N 28°35'5.6" , E 077°15'34.4"

Sample	e Description	f .		; Weather Monito	nring					
Test Parameter										
S.Ne.	1 me	Wind Direction	Wind speed Km/h	Temprature of	Humidity %	Rainfall (CM)				
	10:00:00	SW	4	14	75	-0				
1	11 00 00	SW	3	16	62	- 0				
3	12:00:00	WSW	5	17	51	0				
4	13:00:00	WSW	4	19	57	-0				
5	14:00:00	SW	2	18	61	Ü				
6	5:00:00	SW	- 9	19	62	6				
9	6:00:00	SW	6	18	63	0				
8	7:00:00	SW	2	18	67	0				
9	8:00:00	WSW	1	17	74	()				
10:	19:00:00	WSW	3	16	81	0				
41	20:00:00	SW	4	14	87	tl.				
1/2	21:00:00	SW	5	13	92	.0				
13	22:00:00	SW	3	13	94	0				
14	23:00:00	SW	5	12	94	0 -				
15	00:00:00	SW	4	12	94	0				
16	01:00:00	SW	3	31	95	Ð				
17	02:00:00	SW	4	- 11	95	0				
18	03:00:00	SW	2	11	94	-0				
19	04:00:00	SW	5	10	93	0				
20	05 00 00	WSW	8	10	92	0				
31	06:00:00	WSW		9	90	0				
22	07 09 00	WSW	3	9	89	0				
23	08:00:00	SW	1	1.1	89	Ø				
24	09.00:00	5W	4	12	86	0				

Note:

End Of Report

The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the alread tests only.

this test report will not be used for any publicity/legal purpose

as samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the

The Report can not be used as avidence in a court of law without the written approval of the ARESEAR

For Ultra Testing & Research Laborator

Checked By Assuring you of best threservices at all times. Authorized Signatory



ULTRA TESTING & RESEARCH LABORATORY

(An ISO 9001;2015, OHSAS 45001;2018, 1400F02015 (EMS) Certified) Laboratory; C-43, Sector-88, Phase-II, Northind P.

Ph.: No.: +91-9971912476, 9350952231 E-mail: ultraresearchlab@gmail.com Website: http://www.ultralabnoida.com



TEST REPORT

Water Sample Analysis Discipline/Group-Chemical/Water

Report Code: W-13012021-01

ISSUED TO

Issue Date: 19/01/2021 : ES SAFEGUARDS COMPLIANCE SERVICES PVT. LTD.

501,SKYLAND APARTMENTS,SECTOR-56

GURGAON-122001

Project Name

: Delhi-Meerut RRTS Alignment in NCR Region

Sample Drawn On Sample Drawn By

: 13/01/2021 UTRL

Sample Description

Ground Water

Sampling Location

Sample Collected from Saraikalekhan Project Site

Latitude/Longitude Sample Quantity

N 28° 34' 58.2" E 77" 15' 37.4" : 2.0 Litre

Sampling Procedure Analysis Duration

: 1S 3025(Part-01)

= 13/01/2021 to 19/01/2021

S.No	Parameter	Test Method	Results	Units	Acceptable Limit	Permissible Limit in the Absence of Alternate Source
1	pH	IS:3025(Part-11)	7.18	-	6.5-8.5	3.7
2	Conductivity	IS:3025(Part-14)	3172	μs/cm.	-	
3	Colour	(S:3025(Part-04)	<5.0	Hazen	5	15
4	Odour	IS-3025(Part-05)	Agreeable	- 6	Agreeable	Agreeable
5	Taste	IS:3025(Part-07)	Agreeable	. 75	Agreeable	Agreeable
6	Turbidity	IS-3025(Part-10)	<1.0	NTU	1	5
7	Total Hardness (as CaCO ₅)	IS:3025(Part-21)	610	mg/l	200	600
8	Calcium(as Ca)	IS:3025(Part-40)	128.00	mg/l	75	200
9	Magnesium(as Mg)	IS:3025(Part-46)	70.47	mg/I	30	100
10	Chloride(as Cl)	1S:3025(Part-32)	381.58	mg/1	250	1000
11	Iron(as Fe)	1S:3025(Part-53)	0.77	mg/l	0.3	No Relaxation
12	Fluoride(as F)	1S:3025(Part-60)	0.37	mg/l	I.	1.5
13	Free Residual chlorine	IS:3025(Part-26)	<0.1	mg/l	0.2	1
14	Total Dissolved Solid	IS:3025(Part-16)	1840	mg/I	500	2000
15	Phenolic Compound (as C ₆ H ₅ OH)	IS: 3025 (Part-43)	<0.001	mg/l	0.001max	0.002 Max
100	Anionic Detergents (ne MBAS)	Annex K of IS 13428	<0.1	mg/I	0.2	1.0

Assuring you of best ourservices at all times.

TECHNICAL MANAGER



ULTRA TESTING & RESEARCH LABORATORY

(An ISO 9001:2015, OHSAS 45001:2018, 1400382015 (EMS) Certified) Laboratory: C-43, Sector-88, Phase-II, Noldbiels P. Ph.: No.: +91-9971912476, 9350952231

Ph.: No.: +91-9971912476, 9350952231 E-mail: ultraresearchlab@gmail.com Website: http://www.ultralabnoida.com



TC-8198

			Cor	ad. To report	W-13012021-01	(Page 2 of 2)
17	Bicarbonate	IS:3025(Part-51)	683.20	mg/l		
18	Sodium (as Na)	IS:3025(Part-45)	270.25	mg/l	340	
19	Potassium (as K)	IS:3025(Part-45)	3.77	mg/l	G.	
20	Sulphate (as SO ₄)	1S:3025(Part-24)	258.14	mg/l	200	400
21	Nitrate (as NO ₃)	IS: 3025 (Part-34)	14.88	mg/l	45	No Relaxation
22	Alkalinity	IS:3025(Part-23)	560	mg/l	200	600
23	Chloramines (as Cl ₂)	1S:3025(Part-26)	< 1.0	mg/l	4	No Relaxation
24	Cadmium (as Cd)	IS-3025(Part-41)	< 0.001	mg/I	0.003	No Relaxation
25	Lead (as Pb)	1S:3025(Part-47)	< 0.01	mg/l	0.01	No Relaxation
26	Total Chromium	Annex J of IS-13428	< 0.01	mg/l	0.05	No Relaxation
27	Copper (as Cu)	IS:3025(Part-42)	< 0.01	mg/l	0.05	1.5
28	Total Ammonia	IS: 3025 (Part-34)	<0.5	mg/l	0.5	No Relaxation
29.	Nickel (as Ni)	IS:3025(Part-54)	<0.01	mg/l	0.02	0.2
30	Zinc	IS:3025(Part-49)	1.89	mg/I	5	15
3)	Manganese (as Mn)	IS:3025(Part-59)	<0.1	mg/l	0.1	0,3
32	Boron (as B)	1S:3025(Part-57)	0.17	mg/l	0.5	- 1
33	Selenium (Se)	IS:3025(Part-56)	<0.01	mg/l	0.01	No Relaxation
34	Sulphide (as H ₂ S)	1S:3025(Part-29)	<0.05	mg/I	0.05	No Relaxation
35	Arsenic (as As)	1S:3025(Part-37)	< 0.01	mg/l	0.01	0.05

End Of Report

Notes-

- The results given above are related to the tested sample, for various parameters, as observed at the time of sampling.
 The customer asked for the above tests only.
- 2 This test report will not be used for any publicity/legal purpose.
- The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

4 The Report can not be used as evidence in a court of law without the written approval of the lab.

Aromy Nocked By

FOR ULTRA TESTING CORESE AND LABORATORY

(Authorities Signatur



ULTRA TESTING & RESEARCH LABORATORY

(An ISO 9001:2015, OHSAS 45001:2018, 14002-2015 (FMS) Certified) Laboratory: C-43, Sector-88, Phase-II, Wilda, U.P. Ph.: No.: +91-9971912476, 9350952231 E-mail: ultraresearchlab@gmail.com

Website: http://www.ultralahuoida.com

TEST REPORT

		Water Sample Analysis
Report Code:	W-13012021-01	Issue Date: 19/01/2021
ISSUED TO		: ES SAFEGUARDS COMPLIANCE SERVICES PVT, LTD.
		501,SKYLAND APARTMENTS,SECTOR-56
		GURGAON-122001

Project Name : Delhi-Meerut RRTS Alignment in NCR Region Sample Drawn On 13/01/2021

Sample Drawn By UTRL Sample Description : Ground Water

Sampling Location : Sample Collected from Saraikalekhan Project Site

Latitude/ Longitude N 28° 34' 58.2", E 77° 15' 37.4"

Sampling Procedure : IS 3025(Part-01) 13/01/2021 to 19/01/2021 Analysis Duration

		Results	as per IS 105	500:2012		
S.No	Parameter	Test Method	Results	Units	Acceptable Limit	Permissible Limit in the Absence of Alternate Source
Paran	acters Concerning Tox	ic Substances:				
36	Molybdenum (as Mo)	IS-3025(Part-2)	< 0.01	mg/l	0.07	No Relaxation
37	Mercury(as Hg)	1S-3025(Part-48)	<0.001	mg/l	100.0	No Relaxation
38	Barium (as Ba)	Annex F of IS 13428	<1.0	mg/l	0.7	No Relaxation
39	Aluminum (as Al)	1S: 3025 (Part-55)	<0.01	mg/l	0.03	0.2
40	Silver (as Ag)	Annex J of IS 13428	<0.0)	mg/l	0.1	No Relaxation
41	Polychlorinated biphenyls	APHA 6630	<0.0001	mg/l	0.0005	No Relaxation
42	Polynuclear aromatic hydrocarbons	APHA 6440	<0.0001	mg/f	0,0001	No Relaxation
43	Mineral Oil	1S: 3025 (Part-39)	< 0.5	mg/l	0.5	No Relaxation
44	Cyanide	IS-3025(Part-27)	< 0.01	mg/l	0.05	No Relaxation

45 E.Coli IS:1622 Absent E.Coli/100m Absent Absent 46 Coli form IS:1622 MPN/100 ml Absent Absent Absent

"*End of Report"

The results given above are related to the tested sample, for various parameters, as observed at the time of sampling.

The customer asked for the above tests only.

This test report will not be used for any publicity/legal purpose.

The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the

(Authors

omer.
RESE
Report can not be used as evidence in a court of law without the written approval of the

FOR ULTRA THE WAR RESE RCHEABORATORY MANAGER



ULTRA TESTING & RESEARCH LABORATORY

(An ISO 9001;2015, OHSAS 45001;2018, 1400Fig015 (EMS) Certified) Laboratory: C-43, Sector-88, Phase-II, Nordaut, P. Ph.; No.: +91-9971912476, 9350952231

E-mail: ultraresearchlab@gmail.com Website: http://www.ultralabnoida.com



TEST REPORT

Ambient Noise Report

Discipline/Group-Chemical/Atmospheric Pollution

N-13012021-01 Report Code: Issue Date: 18/01/2021 ISSUED TO

: ES SAFEGUARDS COMPLIANCE SERVICES PVT. LTD. 501, SKYLAND APARTMENTS, SECTOR-56

GURGAON-122001

Project Name : Delhi-Meerut RRTS Alignment in NCR Region

Monitoring Date : 12/01/2021 To 13/01/2021

Sample Drawn By : UTRE

Sampling Location : Sarai Kale Rhan (ISBT) Latitude & Logitude : N 28°35'5.6", E 077°15'34.4"

Sample Description. : Ambient Noise

Sampling Time Every 60 minutes (24 Hours)

Sampling Protocol : UTRL/STP/Noise

Weather Condition : Clear

Analysis Duration. : 13/01/2021 To 18/01/2021

			TEST	RESULT		
S.No	Time(Hrs)	Day	Time (07.00-22.0	(Regulation & Co.	ne Noise Pollution ntrol)Rules, 2010 of C / CPCB)	
	-	- Min abox	I M. WAS	1 (8)		ommercial
-	07500-00	Min dB(A)	Max dB (A)	Leq dB(A)	DAY*	NIGHT*
2	07:00:00	70.6	85.7	82.8		
2	08:00:00	69.1	89.4	86.4		
3	09:00:00	76.7	93.1	90.2		
4	10:00:00	75.6	99,8	96,8		
5	11:00:00	70,2	96.3	93.3		
6	12:00:00	74.1	89.1	86.2		
7	13:00:00	71.7	85.2	82.4		
8	14:00:00	73.5	80.3	78.1		
9	15:00:00	70.2	88.0	85.1		
10	16:00:00	69.7	90.2	87.2	65	
11	17:00:00	72.5	93.0	90.0	0,5	55
12	18:00:00	73.4	97.2	94.2		
13	19:00:00	74.1	92.7	89.7		
14	20:00:00	69.6	90.1	87.1		
15	21:00:00	67.1	87.7	84.7		
	Leg 10			93.8		
-		Leq 50		87.1		
-		Leq 90		82.6		/
-	Leq	Day Mean dB(A)	90.0		

Contd. To report Code: N-13012021-01

TECHNICA MANAGER



ULTRA TESTING & RESEARCH LABORATORY

(An ISO 9001:2015, OHSAS 45001:2018, 1400P92015 (EMS) Certified) Laboratory; C-43, Sector-88, Phase-II, Nordiral',

Ph.: No.: +91-9971912476, 9350952231 E-mail: ultraresearchlnb@gmail.com Website: http://www.ultralabnoida.com



Conid. To report Code: N-13012021-01

Page (2 Of 2)

	Leq	Night Mean dB(/	1)	77.3			
Leq 50 Leq 90		73.0					
		Leg 50		Leq 50	Leg 50		
_		Leq 10		80.0			
24	06:00:00	69.7	83.2	80.4		7	
21	05:00:00	68.8	82.7	79.9	50.00	33.0	
22	94:00:00	59.6	78.5	75.5	65.0	55.0	
21	03:00:00	60.2	77:1	74.2			
20	02:00:00	61.5	75.9	73.0			
19	01:00:00	62.1	75.4	72.6			
18	00:00:00	60.3	77.2	74.3			
17	23:00:00	61.8	81.5	78.5			
16	22:00:00	66,5	81.8	78.9			

IFC/World Bank's EHS Guidelines for Noise Level

Ends Of Report

	Residential	Commercial/Industrial
Day Time: Leg dB (A)	55	70
Night Time: Leg dB (A)	45	70
Maria Mariana and Company	- 10	70

Note: MoEFCC - Ministry of Environment Forest and Climate Change;

CPCB - Central Pollution Control Board

- The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
- This test report will not be used for any publicity/legal purpose.
- The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

The Report can not be used as evidence in a court of law without the written approval of the lab

Assuring you of best ourservices at all times.

For Ultra Testing & Research



ULTRA TESTING & RESEARCH LABORATORY

(An ISO 9001:2015, OHSAS 45001:2018, 14007:2015 (EMS) Certified)
Laboratory: C-43, Sector-88, Phase-II, Nordagal, P.
Ph.; No.: +91-9971912476, 9350952231
E-mail: ultraresearchlab@gmail.com

Website: http://www.ultralabnoida.com



TEST REPORT

Ambient Noise Report

Discipline/Group-Chemical/Atmospheric Pollution

Report Code: N-13012021-02 Issue Date: 18/01/2021

: ES SAFEGUARDS COMPLIANCE SERVICES PVT. LTD. 501,SKYLAND APARTMENTS,SECTOR-56

GURGAON-122001

Project Name : Delhi-Meerut RRTS Alignment in NCR Region

Monitoring Date : 12/01/2021 To 13/01/2021

Sample Drawn By : UTRL

Sampling Location : Sidarth Nagar Extension (At top Roof)

Latitude & Logitude : N 28"34'53.0", E 077° 15'22.5"

Sample Description : Ambient Noise

Sampling Time Every 60 minutes (24 Hours)

Sampling Protocol : UTRL/STP/Noise Weather Condition : Clear


Analysis Duration : 13/01/2021 To 18/01/2021

TEST RESULT

S.No	No Time(Hrs)	Day	Day Time (07.00-22.00)		Limits as per The Noise Pollu (Regulation & Control)Rules, 2 MoEFCC / CPCB)	
		No. (1974)	1		Zone -R	esidential
	00.0000	Min dB(A)	Max dB (A)	Leq dB(A)	DAY*	NIGHT*
1	07:00:00	55.9	69.4	66.6		1
2	08:00:00	59.5	70.2	67.5	1	
3	.09:00:00	58.7	72,7	69.9		
4	10:00:00	57.8	70.6	67.8		45
5	11:00:00	58.5	73.1	70.2		
(y	12:00:00	59,7	72.7	69.9		
7	13:00:00	58.2	73.6	70.7		
8	14:00:00	60.7	70.1	67.6		
9	15:00:00	63.7	79.3	76.4	V	
10	16:00:00	56.5	70.7	67.9	55	
11:	17:00:00	57.8	72.1	69.2	33	
12	18:00:00	58.6	70.6	67.9		
13	19:00:00	57.1	69.7	66.9		
14	20:00:00	58,7	68.6	66.0		
15	21:00:00	55.9	66.2	63.6		
	Leq 10 Leq 50			70.5		
-				67.9		
		Leq 90		66.2		
	Leq	Day Mean dB(A)	70.0		

Const. To report Code: N-13012021-02

TECHNICA MANAGER





ULTRA TESTING X RESEARCH LABORATORY

(An ISO 9001:2015, OHSAS 45001:2018, 1400192015 (EMS) Certified) Laboratory: C-43, Sector-88, Phase-II, Northwal, P. Ph.: No.: +91-9971912476, 9350952231

Ph.: No.: +91-9971912476, 9350952231 E-mail: ultraresearchlab@gmail.com Website: http://www.ultralabnoida.com



TEST REPORT

Ambient Noise Report

Discipline/Group-Chemical/Atmospheric Pollution

Report Code: N-13012021-03 Issue Date: 18/01/2021
ISSUED TO : ES SAFEGUARDS COMPLIANCE SERVICES DUE 1 TO

: ES SAFEGUARDS COMPLIANCE SERVICES PVT. LTD. 501,SKYLAND APARTMENTS,SECTOR-56

GURGAON-122001

Project Name : Delhi-Meerut RRTS Alignment in NCR Region

Monitoring Date ; 12/01/2021 To 13/01/2021

Sample Drawn By : UTRL

Sampling Location : Sidarth Nagar Extension
Latitude & Logitude : N 28°34'52.7",E 77° 15'19.3"

Sample Description : Ambient Noise

Sampling Time Every 60 minutes (24 Hours)

Sampling Protocol : UTRL/STP/Noise

Weather Condition : Clear


Analysis Duration : 13/01/2021 To 18/01/2021

TEST RESULT

S.No	Time(Hrs)	Day Time (07.00-22.00)			(Regulation & Co.	ne Noise Pollution ntrol)Rales, 2010 of C / CPCB)
	_	100 100			Zone +R	tesidential
-		Min dB(A)	Max dB (A)	Leq dB(A)	DAY*	NIGHT*
	07:00:00	58.2	76.5	73.6		
2	08;00;00	39.7	79.6	76.6		
3	09:00:00	56.2	78.4	75.4		
4	10:00:00	58.7	78.2	75.2		45
5	11:00:00	58.4	80.1	77.1		
6	12:00:00	56,5	78.4	75.4		
7	13:00:00	57.1	79.7	76.7		
8	14:00:00	58.9	76.4	73.5		
9	15:00:00	58,5	75.4	72.5		
10	16:00:00	58.1	80.5	77.5	55	
11	17:00:00	60,4	78.5	75.6	20	45
12	18:00:00	57.5	85.4	82.4		
13	19:00:00	58.6	77.7	74.7		
14	20:00:00	59.5	83,5	80.5		
15	21:00:00	59,4	82.2	79.2		
Leq 10			80.0			
Leq 50			75.6			
-		Leq 90		73.5		
	Leq	Day Mean dB(A)	77.1		

Contd. To report Code: N-13012021-03

TECHNICAL MANAGER





ULTRA TESTING & RESEARCH LABORATORY

(An ISO 9001:2015, OHSAS 45001:2018, 1400102015 (EMS) Certified)
Laboratory: C-43, Sector-88, Phase-II, Noitrada, P.
Ph.: No.: +91-9971912476, 9350952231
E-mail: ultraresearchlab@gmail.com
Website: http://www.ultralabnoida.com

IS) Certified)

Issue Date: 18/01/2021

TECHNICAL MANAGER

TEST REPORT

Ambient Noise Report

Discipline/Group-Chemical/Atmospheric Pollution

Report Code: N-13012021-04

ISSUED TO : ES SAFEGUARDS COMPLIANCE SERVICES PVT, LTD.

501, SKYLAND APARTMENTS, SECTOR-56

GURGAON-122001

Project Name : Delhi-Meerut RRTS Alignment in NCR Region

Monitoring Date : 12/01/2021 To 13/01/2021

Sample Drawn By : UTRL

Sampling Location : Stabling Yard

Latitude & Logitude : N 28°34'38.7", E 077°15'04.1"

Sample Description : Ambient Noise

Sampling Time Every 60 minutes (24 Hours)

Sampling Protocol : UTRL/STP/Noise


Weather Condition : Clear

Analysis Duration : 13/01/2021 To 18/01/2021

TEST	RESID	LT
W. WART W.	WEST.	

S.No		Day Time (07.00-22,00)			Limits as per The Noise Pollution (Regulation & Control)Rules, 2010 of MoEFCC / CPCB) Zone -Residential			
		1	07:00:00	59.6	75.3	72.4		
2	08:00:00	58.3	74.7	71.8				
3	09:00:00	56.5	78.1	75.1				
4	10:00:00	53.7	76.4	73.4				
5	11:00:00	55.2	78.7	75.7				
6	12:00:00	59.7	79.3	76.3		45		
7.	13:00:00	60.8	80.4	77.4	P			
8	14:00:00	58.3	78.1	75.1	1			
9	15:00:00	59.6	74.2	71.3				
10	16:00:00	57.2	70.4	67.6				
11	17:00:00	53.5	71.6	68.7	.55			
12	18:00:00	56.8	73.4	70,5				
13	19:00:00	50.7	70.7	67,7				
14	20:00:00	48.9	69.7	66.7				
15	21:00:00	48.1	67.1	64.1				
Leq 10			76.1					
Leq 50			71.8					
Leq 90				67.1				
Leq Day Mean dB(A)			73.0					

Could. To report Code: N-13012021-04





ULTRA TESTING & RESEARCH LABORATORY

(An ISO 9001;2015, OHSAS 45001;2018, 1400F0015 (EMS) Certified) Laboratory: C-43, Sector-88, Phase-II, Northal P. Ph.: No.: +91-9971912476, 9350952231

E-mail: ultraresearchlab@gmail.com Website: http://www.ultralabnoida.com



TEST REPORT

Surface Water Sample Analysis Discipline/Group-Chemical/Water

Report Code: WW-13012021-01

ISSUED TO

Issue Date: 19/01/2021

Contd. To report Code: QVW-13012021501

TECHNICAL MANAGER

ES SAFEGUARDS COMPLIANCE SERVICES PVT. LTD.

501,SKYLAND APARTMENTS,SECTOR-56 GURGAON-122001

Project Name : Delhi-Meerat RRTS Alignment in NCR Region

Sample Drawn On

: 13/01/2021

Sample Drawn By

: UTRL

Sample Description

: Surface Water

Sampling Location

: Sample Collected from Saraikalekhan (Nala)

Latitude/Longitude

N 28" 34' 57.6", E 77" 15' 34.3"

Sampling Procedure

: 1S 3025(Part-01)

Sample Quantity

: 2.0 Litre

Analysis Duration

: 13/01/2021 To 19/01/2021

RESULTS									
S.No	Parameter	Test Method	Results	Units	Tolerance Limit as per IS:2296				
					Class A	Class B	Class C	Class D	Class 1
_	pH	IS:3025(Part-11)	7.47		6.5-8.5	6.5-8.5	6.5-8.5	6.5-8.5	6.5-8.5
2	Odour	IS-3025(Part-05)	Obj.	-	Unobj.			-44	410 012
3	Colour	IS:3025(Part-04)	<5.0	Hazen	10	300	300	-	-
-4	Turbidity	15:3025(Part-10)	68.3	NTU	-	-	-	-	-
5	Conductivity @25°C	IS:3025(Part-14)	1388	µs/em.		4	1 2 7	1000	2250
6	Total Suspended Solid	IS:3025(Part-17)	144	mg/f	- 2	-	-	1000	
7	Total Alkalinity (as CaCO ₃)	IS:3025(Part-23)	310	mg/l	190	4	12	-	-
	Biological Oxygen Demand (Max.)	IS:3025(Part-44)	16	mg/l	2	3	3	12	-
	Dissolved Oxygen (as O ₂) Min.	18:3025(Part-38)	5,8	mg/l	6	5	4	4	2
10	Calcium(as Ca)	IS:3025(Part-40)	56.00	mg/l	80	1.0	-	3.	-
11	Magnesium(as Mg)	IS:3025(Part-46)	34.02	mg/l	24		-		-
12	Chloride(as Cl),Max	IS:3025(Part-32)	136.98	mg/I	250	-2	4	- 1	600
-	Iron(as Fe),Max	IS:3025(Part-53)	2.90	mg/l	0.3		50	-	-
	Fluoride(as F),Max	IS:3025(Part-60)	0.12	mg/l	1.5	1.5	1.5	-2-	-
	Phenolic Compound as C. H;OH)	IS: 3025 (Part-43)	<0.001	mg/l	0.002	0.005	0.005	(14
10 1	3 carbonate	IS:3025(Part-51)	378.20	mg/l	- 4-	-	RESEA		

Appendix 2: Details of Environmental Monitoring



ULTRA TESTING & RESEARCH LABORATORY

(An ISO 9001;2015, OHSAS 45001;2018, 1400192015 (EMS) Certified) Laboratory; C-43, Sector-88, Phase-II, Nonhard, P. Ph.: No.: +91-9971912476, 9350952231

E-mail: ultraresearchlab@gmail.com Website: http://www.ultralabnoida.com



Contd To report Cude: WW-13012021-01

17	Total Hardness (as CaCO ₁)	IS:3025(Part-21)	280.00	mg/t	300	-		1 7	,
18	Sulphate (as SO ₄)Max	IS:3025(Part-24)	88.17	mg/l	400		400	-	1000
19	Phosphate (as P)	IS:3025(Part-31)	6.80	mg/l	-				1000
50	Sodium (as Na)	1S:3025(Part-45)	97.19	mg/l	-		1	-	-
21	Free Ammonia	IS: 3025 (Part-34)	<1.0	mg/l			-	1.2	-
99	Total Dissolved Solid	IS:3025(Part-16)	916	mg/l	500	-	1500	7.100	2100
23	Oil & Grease	IS:3025(Part-39)	5.60	mg/l	-		0.1	0.1	2.100
24	Manganese (as Mn)	IS:3025(Part-59)	<0.1	mg/I	0.5	-	-	0.12	
25	Total Chromiun (as Cr)	15:3025(Part-52)	< 0.05	mg/I	0.05	0.05	0.05		
26	Zinc (as Zn)	1S:3025(Part-49)	1.46	mg/l	15	4102	15		
27	Potassium (as K)	IS:3025(Part-45)	4.27	mg/l			- 10		
28	Nitrate (as NO ₃),Max	IS: 3025 (Part-34)	8.49	mg/l	20		50		
29	Cadmium (as Cd)	1S-3025(Part-41)	<0.01	mg/I	0.01		0.01		-
10	Lead (as Pb)	IS:3025(Part-47)	< 0.01	mg/I	0.1		0.1		-
31	Total Nitrogen(as N)	IS: 3025 (Part-34)	27.16	mg/I	-2	-	0.1	-	-
32	Boron (as B)	IS:3025(Part-57)	0.15	mg/l	-			-	2
33	Copper (as Cu)	IS:3025(Part-42)	< 0.01	mg/l	1.5	-	1.5		
34	Chemical Oxygen Demand (asO ₂)	IS-3025(Part-58)	152.00	mg/l		4)	162	18	A
35	Arsenic (as As)	IS:3025(Part-37)	<0.01	mg/l	0.05	0.2	0.2	12	
	a et a					**End Of	Report**		

Remarks:-

Class A-Drinking water without conventional treatment but after disinfection.

Class B-Water for outdoor bathing.

Class C-Drinking water with conventional treatment followed by disinefection.

Class D-Water for fish culture and wild life propagation.

Class E-Water for irrigation, industrial cooling and control waste disposal.

Note:

The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.

This test report will not be used for any publicity/legal purpose.

The lest samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

The Report can not be used as evidence in a court of law without the written approval of the lab.

FOR ULTRA TESTING & RESEARCH L

TECHNICAL

Assuring you of best durservices at all times.

Appendix 2: Details of Environmental Monitoring



ULTRA TESTING &-RESEARCH LABORATORY

(An ISO 9001:2015, OHSAS 45001:2018, 1-4004:2015 (EMS) Certified) Laboratory: C-43, Sector-88, Phase-II, Aniph. U.P. Ph.: No.: +91-9971912476, 9350952231

E-mail: ultraresearchlab@gmail.com Website: http://www.ultralabnoida.com

TEST REPORT

Surface Water Sample Analysis

Report Code: WW-13012021-01 Issue Date: 19/01/2021

ISSUED TO : ES SAFEGUARDS COMPLIANCE SERVICES PVT. LTD.

50LSKYLAND APARTMENTS, SECTOR-56 GURGAON-122001

Project Name Delhi-Meerut RRTS Alignment in NCR Region

Sample Description : Surface Water

Sampling Location : Sample Collected from Saraikalekhan (Nala)

Analysis Duration : 13/01/2021 To 19/01/2021

			RE	SULTS					
J.J.	1 2 2 2 2 2	Lating and	400	5, 6	T	olerance	Limit as p	per 18:229	6
S.No	Parameter	Test Method	Results	Units	Class A	Class B	Class C	Class D	Class E
36	Aluminum (as Al)	IS: 3025 (Part-55)	<0.01	mg/l	1			1.9	
17	Mercury(as Hg)	IS-3025(Part-48)	< 0.001	mg/l	0.001		540	-	34
38	Cyanide	IS-3025(Part-27)	< 0.01	mg/l	0.05	0.05	0.05		- 2
19	Sodium Absorption Ratio	APHA	2.53	- ×	54.5	-	- X		26
-10	Total Coli Form	IS:1622	8.1×10 ³	MPN/100ml	50	500	5000	-	1200

End Of Report

Remarks:-

Class A-Drinking water without conventional treatment but after disinfection.

Class B-Water for outdoor bathing.

Class C-Drinking water with conventional treatment followed by disinefection,

Class D-Water for fish culture and wild life propagation.

Class E-Water for irrigation, industrial cooling and control waste disposal.

Note:

- 1 The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
- 2 This test report will not be used for any publicity/legal purpose.
- 3 The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.
- The Report can not be used as evidence in a court of law without the written approval of the lab.

For ULTRA TESTING & RESEARCH LABOR TOP

TECHNICA

(Author)zed Signator

Assuring you of best our services at all times.

Appendix 3: Noise Analysis

Noise During Construction

Construction noise and vibration often generates complaints from the community, even when construction is for a limited timeframe. Public concerns about construction noise and vibration increase considerably with lengthy periods of heavy construction on major projects as well as prevalence of nighttime construction (often scheduled to avoid disrupting workday road and rail traffic). Noise and vibration complaints typically arise from interference with people's activities, especially when the adjacent community has no clear understanding of the extent or duration of the construction. Misunderstandings can arise when the community thinks a contractor is being insensitive, and the contractor believes it is performing the work in compliance with local ordinances.

Noise impacts from construction may vary greatly depending on the duration and complexity of the project. Qualitative Construction Noise Assessments may be required for projects with less than a month of construction time in a noise-sensitive area. Quantitative Construction Noise Assessments may be required for projects with a month or more of construction in noise-sensitive areas or if particularly noisy equipment will be involved.

Typical noise levels from representative equipment are included in Table 1. The levels are based on an EPA Report,(1) measured data from railroad construction equipment taken during the 1976 Northeast Corridor Improvement Project, the FHWA Roadway Construction Noise Model, and other measured data.

Table 1: Construction Equipment Noise Emission Levels

Equipment	Typical Noise Level 50 ft from Source, dBA
Air	
Compressor	80
Backhoe	80

¹ U.S. Environmental Protection Agency, "Noise from Construction Equipment and Operations, Building Equipment and Home Appliances," NTID300.1, 31 December 1971.

Equalizer 82 Ballast Tamper Compactor 82 Concrete Mixer Mixer 85 Concrete Pump Pump 82 Concreter Vibrator Vibrator 76 Crane, Derrick B8 Crane, Mobile B3 Dozer Generator 82 Grader 85 Impact Wrench Wrench 85 Jack Hammer 88 Loader 80 Paver 85 Pile-driver (Impact) (Impact) 101 Pile-driver (Sonic) 95 Pneumatic Tool 85 Pump 77 Rail Saw 90 Rock Drill 95 Roller 85 Saw 76 Scarifier 83 Scraper 85	Ballast	
Ballast Tamper 83 Compactor 82 Concrete Mixer 85 Concrete Pump 82 Concreter Vibrator 76 Crane, Derrick 88 Crane, Mobile 83 Dozer 85 Generator 82 Grader 85 Impact Wrench 85 Jack Hammer 88 Loader 80 Paver 85 Pile-driver (Impact) 101 Pile-driver (Sonic) 95 Pneumatic Tool 85 Pump 77 Rail Saw 90 Rock Drill 95 Roller 85 Saw 76 Scarifier 83 Scraper 85 Shovel 82 Spike Driver 77 Tie Cutter 84 Tie Handler 80 Tie Inserter 85		82
Tamper 83 Compactor 82 Concrete Mixer 85 Concrete Pump 82 Concreter Vibrator 76 Crane, Derrick 88 Crane, Mobile 83 Dozer 85 Generator 82 Grader 85 Impact Wrench 85 Jack Hammer 88 Loader 80 Paver 85 Pile-driver (Impact) 101 Pile-driver (Sonic) 95 Pneumatic Tool 85 Pump 77 Rail Saw 90 Rock Drill 95 Roller 85 Saw 76 Scarifier 83 Scraper 85 Shovel 82 Spike Driver 77 Tie Cutter 84 Tie Handler 80 Tie Inserter 85		02
Compactor Concrete Mixer Mixer 85 Concrete Pump 82 Concreter Vibrator 76 Crane, Derrick 88 Crane, Mobile 83 Dozer 85 Generator 82 Grader 85 Impact Wrench 85 Jack Hammer 88 Loader Paver 85 Pile-driver (Impact) (Impact) Pile-driver (Sonic) Pass Pneumatic Tool 85 Pump 77 Rail Saw 90 Rock Drill 95 Roller 85 Saw 76 Scarifier 83 Scraper 85 Shovel 82 Spike Driver 77 Tie Cutter 77 Tie Cutter 85		83
Concrete Mixer Mixer Concrete Pump 82 Concreter Vibrator 76 Crane, Derrick 88 Crane, Mobile 83 Dozer 85 Generator 82 Grader Wrench Jack Hammer 88 Loader Paver 85 Pile-driver (Impact) Pile-driver (Sonic) Pneumatic Tool 85 Pump 77 Rail Saw 90 Rock Drill 95 Roller 85 Saw 76 Scarifier 83 Scraper 85 Shovel 82 Spike Driver 77 Tie Cutter 77 Tie Cutter 85 Concreter 76 Concreter 88 88 88 88 88 88 88 88 88	•	
Mixer Concrete Pump 82 Concreter Vibrator 76 Crane, Derrick 88 Crane, Mobile 83 Dozer 85 Generator 82 Grader 85 Impact Wrench 85 Jack Hammer 88 Loader 80 Paver 85 Pile-driver (Impact) 101 Pile-driver (Sonic) 95 Pneumatic Tool 85 Pump 77 Rail Saw 90 Rock Drill 95 Roller 85 Saw 76 Scarifier 83 Scraper 85 Shovel 82 Spike Driver 77 Tie Cutter 84 Tie Handler 80 Tie Inserter 85		02
Pump 82 Concreter Vibrator 76 Crane, Derrick 88 Crane, Mobile 83 Dozer 85 Generator 82 Grader 85 Impact Wrench 85 Jack Hammer 88 Loader 80 Paver 85 Pile-driver (Impact) 101 Pile-driver (Sonic) 95 Pneumatic Tool 85 Pump 77 Rail Saw 90 Rock Drill 95 Roller 85 Saw 76 Scarifier 83 Scraper 85 Shovel 82 Spike Driver 77 Tie Cutter 84 Tie Handler 80 Tie Inserter 85		85
Concreter Vibrator Crane, Derrick 88 Crane, Mobile 83 Dozer 85 Generator 82 Grader 85 Impact Wrench 85 Jack Hammer 88 Loader Paver 85 Pile-driver (Impact) Pile-driver (Sonic) Paump 77 Rail Saw 90 Rock Drill 95 Roller 85 Saw 76 Scarifier 83 Scraper 85 Shovel 82 Spike Driver 77 Tie Cutter 86	Concrete	
Vibrator Crane, Derrick 88 Crane, Mobile 83 Dozer 85 Generator 82 Grader 85 Impact Wrench 85 Jack Hammer 88 Loader 80 Paver 85 Pile-driver (Impact) 101 Pile-driver (Sonic) 95 Pneumatic Tool 85 Pump 77 Rail Saw 90 Rock Drill 95 Roller 85 Saw 76 Scarifier 83 Scraper 85 Shovel 82 Spike Driver 77 Tie Cutter 84 Tie Handler 88	Pump	82
Crane, Derrick 88 Crane, Mobile 83 Dozer 85 Generator 82 Grader 85 Impact Wrench 85 Jack Hammer 88 Loader 80 Paver 85 Pile-driver (Impact) 101 Pile-driver (Sonic) 95 Pneumatic Tool 85 Pump 77 Rail Saw 90 Rock Drill 95 Roller 85 Saw 76 Scarifier 83 Scraper 85 Shovel 82 Spike Driver 77 Tie Cutter 84 Tie Handler 80 Tie Inserter 85	Concreter	
Derrick 88 Crane, Mobile 83 Dozer 85 Generator 82 Grader 85 Impact Wrench 85 Jack Hammer 88 Loader 80 Paver 85 Pile-driver (Impact) 101 Pile-driver (Sonic) 95 Pneumatic Tool 85 Pump 77 Rail Saw 90 Rock Drill 95 Roller 85 Saw 76 Scarifier 83 Scraper 85 Shovel 82 Spike Driver 77 Tie Cutter 84 Tie Handler 80 Tie Inserter 85		76
Crane, Mobile 83 Dozer 85 Generator 82 Grader 85 Impact Wrench 85 Jack Hammer 88 Loader 80 Paver 85 Pile-driver (Impact) 101 Pile-driver (Sonic) 95 Pneumatic Tool 85 Pump 77 Rail Saw 90 Rock Drill 95 Roller 85 Saw 76 Scarifier 83 Scraper 85 Shovel 82 Spike Driver 77 Tie Cutter 84 Tie Handler 80 Tie Inserter 85		
Dozer 85 Generator 82 Grader 85 Impact Wrench Wrench 85 Jack Hammer 88 Loader 80 Paver 85 Pile-driver (Impact) (Impact) 101 Pile-driver (Sonic) (Sonic) 95 Pneumatic 77 Rail Saw 90 Rock Drill 95 Roller 85 Saw 76 Scarifier 83 Scraper 85 Shovel 82 Spike Driver 77 Tie Cutter 84 Tie Inserter 85		
Generator 82 Grader 85 Impact Wrench 85 Jack Hammer 88 Loader 80 Paver 85 Pile-driver (Impact) 101 Pile-driver (Sonic) 95 Pneumatic Tool 85 Pump 77 Rail Saw 90 Rock Drill 95 Roller 85 Saw 76 Scarifier 83 Scraper 85 Shovel 82 Spike Driver 77 Tie Cutter 84 Tie Handler 80 Tie Inserter 85	Crane, Mobile	83
Grader 85 Impact Wrench 85 Jack Hammer 88 Loader 80 Paver 85 Pile-driver (Impact) 101 Pile-driver (Sonic) 95 Pneumatic Tool 85 Pump 77 Rail Saw 90 Rock Drill 95 Roller 85 Saw 76 Scarifier 83 Scraper 85 Shovel 82 Spike Driver 77 Tie Cutter 84 Tie Handler 80 Tie Inserter 85		
Impact Wrench 85 Jack Hammer 88 Loader 80 Paver 85 Pile-driver (Impact) 101 Pile-driver (Sonic) 95 Pneumatic Tool 85 Pump 77 Rail Saw 90 Rock Drill 95 Roller 85 Saw 76 Scarifier 83 Scraper 85 Shovel 82 Spike Driver 77 Tie Cutter 84 Tie Handler 80 Tie Inserter 85	Generator	82
Wrench 85 Jack Hammer 88 Loader 80 Paver 85 Pile-driver (Impact) 101 Pile-driver (Sonic) 95 Pneumatic Tool 85 Pump 77 Rail Saw 90 Rock Drill 95 Roller 85 Saw 76 Scarifier 83 Scraper 85 Shovel 82 Spike Driver 77 Tie Cutter 84 Tie Handler 80 Tie Inserter 85		85
Jack Hammer 88 Loader 80 Paver 85 Pile-driver (Impact) 101 Pile-driver (Sonic) 95 Pneumatic Tool 85 Pump 77 Rail Saw 90 Rock Drill 95 Roller 85 Saw 76 Scarifier 83 Scraper 85 Shovel 82 Spike Driver 77 Tie Cutter 84 Tie Handler 80 Tie Inserter 85		
Loader 80 Paver 85 Pile-driver (Impact) 101 Pile-driver (Sonic) 95 Pneumatic Tool 85 Pump 77 Rail Saw 90 Rock Drill 95 Roller 85 Saw 76 Scarifier 83 Scraper 85 Shovel 82 Spike Driver 77 Tie Cutter 84 Tie Handler 80 Tie Inserter 85	Wrench	85
Paver 85 Pile-driver (Impact) 101 Pile-driver (Sonic) 95 Pneumatic Tool 85 Pump 77 Rail Saw 90 Rock Drill 95 Roller 85 Saw 76 Scarifier 83 Scraper 85 Shovel 82 Spike Driver 77 Tie Cutter 84 Tie Handler 80 Tie Inserter 85	Jack Hammer	88
Pile-driver (Impact) 101 Pile-driver (Sonic) 95 Pneumatic Tool 85 Pump 77 Rail Saw 90 Rock Drill 95 Roller 85 Saw 76 Scarifier 83 Scraper 85 Shovel 82 Spike Driver 77 Tie Cutter 84 Tie Handler 80 Tie Inserter 85	Loader	80
(Impact) 101 Pile-driver (Sonic) 95 Pneumatic Tool 85 Pump 77 Rail Saw 90 Rock Drill 95 Roller 85 Saw 76 Scarifier 83 Scraper 85 Shovel 82 Spike Driver 77 Tie Cutter 84 Tie Handler 80 Tie Inserter 85		85
Pile-driver (Sonic) 95 Pneumatic Tool 85 Pump 77 Rail Saw 90 Rock Drill 95 Roller 85 Saw 76 Scarifier 83 Scraper 85 Shovel 82 Spike Driver 77 Tie Cutter 84 Tie Handler 80 Tie Inserter 85		
(Sonic) 95 Pneumatic 85 Tool 85 Pump 77 Rail Saw 90 Rock Drill 95 Roller 85 Saw 76 Scarifier 83 Scraper 85 Shovel 82 Spike Driver 77 Tie Cutter 84 Tie Handler 80 Tie Inserter 85		101
Pneumatic Tool 85 Pump 77 Rail Saw 90 Rock Drill 95 Roller 85 Saw 76 Scarifier 83 Scraper 85 Shovel 82 Spike Driver 77 Tie Cutter 84 Tie Handler 80 Tie Inserter 85		
Tool 85 Pump 77 Rail Saw 90 Rock Drill 95 Roller 85 Saw 76 Scarifier 83 Scraper 85 Shovel 82 Spike Driver 77 Tie Cutter 84 Tie Handler 80 Tie Inserter 85		95
Pump 77 Rail Saw 90 Rock Drill 95 Roller 85 Saw 76 Scarifier 83 Scraper 85 Shovel 82 Spike Driver 77 Tie Cutter 84 Tie Handler 80 Tie Inserter 85		0.5
Rail Saw 90 Rock Drill 95 Roller 85 Saw 76 Scarifier 83 Scraper 85 Shovel 82 Spike Driver 77 Tie Cutter 84 Tie Handler 80 Tie Inserter 85		
Rock Drill 95 Roller 85 Saw 76 Scarifier 83 Scraper 85 Shovel 82 Spike Driver 77 Tie Cutter 84 Tie Handler 80 Tie Inserter 85	•	
Roller 85 Saw 76 Scarifier 83 Scraper 85 Shovel 82 Spike Driver 77 Tie Cutter 84 Tie Handler 80 Tie Inserter 85		
Saw 76 Scarifier 83 Scraper 85 Shovel 82 Spike Driver 77 Tie Cutter 84 Tie Handler 80 Tie Inserter 85		
Scarifier 83 Scraper 85 Shovel 82 Spike Driver 77 Tie Cutter 84 Tie Handler 80 Tie Inserter 85		
Scraper 85 Shovel 82 Spike Driver 77 Tie Cutter 84 Tie Handler 80 Tie Inserter 85		
Shovel 82 Spike Driver 77 Tie Cutter 84 Tie Handler 80 Tie Inserter 85	Scarifier	83
Spike Driver 77 Tie Cutter 84 Tie Handler 80 Tie Inserter 85	Scraper	85
Tie Cutter 84 Tie Handler 80 Tie Inserter 85	Shovel	
Tie Handler 80 Tie Inserter 85	Spike Driver	77
Tie Inserter 85	Tie Cutter	84
	Tie Handler	80
Truck Q4	Tie Inserter	85
	Truck	84

Predicted Noise levels during construction:

The FTA general transit noise assessment procedure was adopted for

construction noise levels predictions. Equivalent noise levels were calculated for each instrument by the following equation:

$$L_{eq.equip} = L_{emission} + 10\log(Adj_{Usage}) - 20\log(\frac{D}{50}) - 10G\log(\frac{D}{50})$$

where:

 $L_{eq,equip} = L_{eq(t)}$ at a receiver from the operation of a single piece of equipment over a specified time period, dBA

 $L_{emission}$ = noise emission level of the particular piece of equipment at

the reference distance of 50 ft, dBA

 Adj_{Usage} = usage factor to account for the fraction of time that the equipment is in use over the specified time period

D = distance from the receiver to the piece of equipment, ft
 G = a constant that accounts for topography and ground effects

Then decibel addition of two noisiest equipment operating at the same time was performed.

The equivalent noise levels for the two noisiest pieces of equipment(worst case scenario), to be used in each phase of construction, were determined. The equivalent noise levels were summed using decibel addition to get the combined equivalent noise levels. The noise levels were compared with FTA's General Assessment Criteria for Construction Noise and India's National Ambient Noise Standards as given in below table.

1	1-Hour Leq (dBA)							
Land Use	FTA's (Assess Criteria Constru Noise	ment for	Nationa	B (India) al Ambient Standards				
	Day	Night	Day	Night				
Residential	90	80	55	45				
Commercial	100	100	65	55				
Industrial	100	100	75	70				

There are total 7 sensitive receptors identified with in 150m from the centre line along the proposed RRTS. The combined noise (existing noise and construction noise) levels during construction are with in criteria set by FTA for construction noise for 6 receptors but much higher then the National Ambient Noise Standards (CPCB limits) except at one location i.e. Siddharth Apartments

at chainage of km 1.5. So necessary mitigation measures should be adopted during each phase of construction activity. 6 sensitive recepots will be severly impacted during construction. The details of severly impacted sensitive receptors is given in Table 2. The predicted noise levels (without mitigation measures) during construction at different sensitive receptors can be calculated by following curve:




Table 2: Noise levels at sensitive receptors along the proposed RRTS alignment during Construction

S.No	Descriptio LHS	LHS/	Chainage	Offset	Coord	inates	Section		Existi ng Nois e	Noise level during	Combined	Increase in Noise level due to constructio	Type of
	n	RHS	in KM	in feet	X (Latitude)	Y (Longitude)	Туре	Landuse L		construction , Leq (hr) dBA		n without mitigation measures Leq(h) or Ldn (dBA)	Impact
1	ISBT	RHS	0+900	165	28°35'6.83"N	77°15'31.18"E	Elevated	Commercial	89.9	76.6	90.1	0.2	No Impact
2	Barapulla Flyover & Nalla Crossing	Crossin g	1+350	20	28°34'56.10"N	77°15'25.82"E	Elevated	Commercial	89.9	94.5	95.8	5.9	Severly Impacted
3	Siddharth Apartments	LHS & RHS	1+480	23.1	28°34'53.88"N	77°15'22.43"E	Elevated	Residential	69.5	95	95	25.5	Severly Impacted
4	Railway Crossing	Crossin g	1+680	20	28°34'50.75"N	77°15'16.64"E	Elevated	Commercial	77.1	94.5	94.6	17.5	Severly Impacted
5	Highway Crossing	Crossin g	1+810	20	28°34'46.35"N	77°15'10.93"E	Elevated	Commercial	77.1	94.5	94.6	17.5	Severly Impacted
6	Hindustan Prefab Limited	RHS	1+830	165	28°34'43.70"N	77°15'7.43"E	Elevated	Commercial	73	76.6	78.2	5.2	Severly Impacted
7	Hindustan Prefab Limited	RHS	2+000	20	28°34'31.66"N	77°15'8.41"E	Elevated	Commercial	73	94.5	94.5	21.5	Severly Impacted

Noise levels during operation of Sarai Kale Khan - Jungpura Stabline Yard RRTS line:

The universal descriptor used for environmental noise is the A-weighted sound level. It describes the level of noise measured at a receiver at any moment in time and is read directly from noise-monitoring equipment, with the weighting switch set on "A." Typical A-weighted maximum sound levels for high-speed ground transportation and other sources are shown in Figure 1. The high-speed ground transportation sources are described further in Section 2.2.

Other **High-Speed Train** Sources Sources dBA Outdoor Indoor 100 Rock Drill TR08 at 250 mph/TGV at 180 mph -Shop Tools TR08 at 200 mph 90 Jack Hammer Acela at 150 mph Heavy Truck, 55mph Metro Train, 50 mph Acela at 100 mph 80 Bus, 55 mph TR08 at 100 mph/TGV at 50 mph -Auto, 55 mph Food Blender Lawn Mower 70 Clothes Washer Commercial 60 Air Conditioner Air Conditioner 50 Refrigerator 40 All at 50 ft All at 50 ft All at 3 ft

Figure 1: Typical A-Weighted Maximum Sound Level for High-speed rail system

SOURCES OF HIGH-SPEED TRAIN NOISE

The total wayside noise generated by a high-speed train passby consists of several individual noise- generating mechanisms, each with its own characteristics of source location, strength, frequency content, directivity, and speed dependence. These noise sources can be generalized into three major regimes:²

Regime I: propulsion or machinery noise

Regime II: mechanical noise resulting from wheel-rail interactions and/or guideway vibrations

Regime III: aerodynamic noise resulting from airflow moving past the train, including the pantograph (a jointed framework conveying a current to a train from overhead wires).

For a conventional train with a maximum speed of up to approximately 125 mph, propulsion and mechanical noise are sufficient to describe the total wayside noise. The aerodynamic noise component begins to be an important factor when the train speed exceeds approximately 160 mph.

The general equation for the prediction of the A- weighted sound level at various distances from the track can be expressed as follows:

LA = LA(ref) + Cd + Ca + Cg + Cb

Where:

L_A(ref) = a known A-weighted sound level at some reference distance ref from the source

C_d = adjustment factor for attenuation because of divergence

C_a = adjustment factor for excess attenuation because of atmospheric absorption

C_g = adjustment factor for excess attenuation from ground effects

C_b = adjustment factor for excess attenuation because of obstacles such as barriers, berms, and buildings.

Sometimes a portion of the source-to-receiver path is not through the air but rather through the ground or through structural components of the receiver's building. These are called Ground-borne and structure-borne noise propagation.

For train noise, however, the rolling noise from wheel-rail interactions, as well as

² B. Barsikow and B. Müller. *Wayside Noise Generated by the German High-Speed Transport Systems, ICE and Transrapid*, 72nd Annual Meeting of the Transportation Research Board, Washington, DC, 1993.

some types of aerodynamic noise, is complicated because the sources do not radiate sound equally well in all directions. This unequal radiation is known as source directivity, which is a measure of the variation in a source's radiation with direction. Studies have shown that wheel- rail noise can be modeled by representing the source as a line source (or continuous row of point sources) with dipole directivity.³ A dipole radiation pattern has also been observed in the turbulent boundary layer near the sides of a train.⁴ Typically, a dipole source radiates a directivity pattern such that the sound pressure is proportional to the cosine of the angle between the source orientation and the receiver. Consequently, wheel-rail noise is propagated more efficiently to either side of a moving train than in front, above, or behind it.

In addition to geometric spreading, sound energy is attenuated by molecular absorption by the air. Although this effect is often neglected for urban rail transit projects where noise impacts are typically limited to distances of one-quarter mile or less, atmospheric absorption can become more significant for high-speed rail projects, particularly where noise projections are required for receptors located at greater distances in open areas with low ambient sound levels. In such cases, it is appropriate to include attenuation for atmospheric absorption to avoid over predicting noise levels and impacts from high-speed train operations. Sound absorption in the air is a function of temperature, humidity, and atmospheric pressure as well as the frequency content of the sound. For the purpose of predicting sound attenuation as a result of atmospheric absorption (Ca), the methods contained in the American National Standards Institute Standard S1.26-1995 or the International Standards Organization (ISO) Standard 9613-2 can be applied. For purposes of rough estimation, atmospheric absorption can be taken to be 1 dBA per 1,000 ft for "standard day" conditions (temperature of 59 °F and relative humidity of 70 percent), assuming that the A-weighted sound level for trains is most influenced by noise in the 500- to 1,000-hertz frequency range.

Land Use Category for FTA Criteria

³ E. J. Rathe. Railway noise propagation. Journal of Sound and Vibration, 51, 371-388 (1977).

⁴ W. F. King. "On the boundary layer contribution to wayside noise generated by high-speed tracked vehicles," Inter-Noise '94 Proceedings, pp. 175-180 (1994).

Table 3: Land Use Category for FTA Criteria

Land Use	Land	Maia				
Categor	Use Type	Noise Matric, dBA	Description of Land Use Category			
y	High Sensitivit	Outdoor, Leq	Land where quiet is an essential element of its intended purpose. Example land uses include preserved land for serenity and quiet, outdoor amphitheatres and concert pavilions, and national historic landmarks with considerable outdoor use. Recording studios and concert halls are also included in this category. The noise metric, Leq(1hr) is used for all category 1 and 3 land uses where			
1	у	(1hr)	nighttime sensitivity is not a factor.			
2	Residenti al	Outdoor, Ldn	This category is applicable all residential land use and buildings where people normally sleep, such as hotels and hospitals. The noise metric L _{dn} is a used for all category 2 land uses where nighttime sensitivity is a factor. This noise metric includes a 10- dB penalty for nighttime noise.			
	Institution	Outdoor, Leq	This category is applicable to institutional land uses with primarily daytime and evening use. Example land uses include schools, libraries, theaters, and churches where it is important to avoid interference with such activities as speech, meditation, and concentration on reading material. Places for meditation or study associated with cemeteries, monuments, museums, campgrounds, and recreational facilities are also included in this category. Category 3 land uses are considered less noise-sensitive than			
3	al	(1hr)	category 1 land uses.			
For transit analyses, L _{eq(1hr)} is computed for the noisiest hour of transit- related						

For transit analyses, L_{eq(1hr)} is computed for the noisiest hour of transit- related activity during which human activities occur at the noise- sensitive location.

Parks – Most parks used primarily for active recreation such as sports complexes and bike or running paths are not considered noise-sensitive. However, some parks (even some in dense urban areas) are primarily used for passive recreation

such as reading, conversation, or meditation. These places, which may be valued as havens from the noise and rapid pace of everyday city life, are treated as noise-sensitive, and are included in land use category 3. Consult the state or local agency with jurisdiction over the park on questions about how the park is used, and visit the park to observe its use, if possible.

Screening Distances for Noise Assessment: As per the FTA guideline for screening distances, screening distance should be taken as 200 feet for Regime II and 350 feet for Regime III for the projects running along the existing highway corridor. As a factor of safety and on conservative side, a screening distance of 350 feet from centerline of the alignment is considered in this study for noise impact analysis.

Noise Source Levels for RRTS

The general equation relating SEL to speed for each speed regime at the reference distance (50 ft) is defined as:

SEL=
$$SEL_{ref}$$
 + K log (S/S_{ref}) + 10 log (len/len_{ref})

where S = train speed in miles per hour, SEL_{ref} = Reference sound exposure level, S_{ref} = Reference speed, K = Speed constant

The sound exposure level for RRTS with a speed of 100 mph (160 kmph) at a distance of 50 feet was calculated and is given below:

Table 4: Noise Exposure Level at 50 feet for 160 kmph RRTS

	Without Noise Barrier						
	Regime 1 (Propulsion Noise)	Regime 2 (Rolling Noise)	Remarks				
SEL _{ref} ,dBA	86	93					
К	3	17					
S, mph	100	100					
S _{ref} , mph	20	90					

Appendix 3: Noise Analysis

L _{ref} , feet	70	664	
L _{en} , feet	144.32	432.96	
SEL ,dBA	91.24	91.92	
Shielding Correction	4	4	Will change due to topography of the tracks
V, trains per hour	15	15	
Hourly L _{eq} at 50 ft	71.40	72.08	
Daytime L _{eq} at 50 ft	71.40	72.08	
Daynight L _{eq} at 50 ft	66.63	67.31	
L _{dn} at 50 ft	70.61	69.74	
Total Hourly L _{eq} at 50 ft	74.76		Propulsion and Rolling combined
Total L _{dn} at 50 ft	73.21		Propulsion and Rolling combined

The combined noise levels were calculated based on existing noise levels and project noise levels at sensitive receptors. Noise impacts are analysed for each sensitive receptor with in screening distance. There are 4 sensitive receptors which will be severely impacted if mitigation measures are adopted. So, mitigation measures proposed in EMP should be properly implemented to reduce the project noise impacts at these sensitive receptor locations.

The combined noise levels were calculated based on existing noise levels and project noise levels at sensitive receptors. Noise impacts are analysed for each sensitive receptor with in screening distance. There are 1 sensitive receptors which will be impacted if proper mitigation measures are not adopted.

Table 5: Project Noise Impacts at sensitive receptors during Operation

S.No.	Description	LHS/RHS	Chainage in km	Offset in feet	Existing Noise	Noise due to RRTS Operation	Combined Noise	Increase in Noise level during operation without mitigation measures Leq(h) or Ldn (dBA)	Expected reduction in noise by noise barrier (dBA)	Residual noise level after mitigation (noise barrier)
1	ISBT Sarai Kale Khan	RHS	0+900	165	89.9	53.4	89.9	0.0	NA	NA
2	Barapulla Flyover & Nalla Crossing	Crossing	1+350	20	89.9	67.2	89.9	0.0	NA	NA
3	Siddhartha Extn.	LHS & RHS	1+480	23.1	69.5	66.3	70.7	1.7	20	50.7
4	Railway Crossing	Crossing	1+680	20	77.1	67.2	77.4	0.4	NA	NA
5	Highway Crossing	Crossing	1+810	20	77.1	67.2	77.4	0.4	NA	NA
6	Hindustan Prefab Limited	RHS	1+830	165	73	53.4	73.0	0.0	NA	NA
7	Hindustan Prefab Limited	RHS	2+000	20	73	67.2	73.7	1.0	NA	NA

Appendix 4: CRRI Study on Noise and Vibration

CHAPTER 1: INTRODUCTION

1.1 BACKGROUND

National Capital Region Transport Corporation (NCRTC) – a Joint Sector company of Govt of India and States of Delhi, Haryana, Rajasthan and U.P., under the administrative control of Ministry of Housing and Urban Affairs, is mandated for implementing the Regional Rapid Transit System (RRTS) project across the NCR of India, ensuring a balanced and sustainable urban development through better connectivity and access.

Delhi – Meerut Corridor

Delhi–Meerut Regional Rapid Transit System (Delhi–Meerut RRTS) is an 82 km long under-construction, semi-high speed rail corridor connecting Delhi-Ghaziabad-Meerut. It is one of the three rapid-rail corridors planned under Phase-I of Regional Rapid Transport System (RRTS) project of National Capital Region Transport Corporation (NCRTC). With maximum speed of 160 km/h (99.42 mph), the distance between Delhi and Meerut will be covered in around 62 min (1.03 h).[4] The project will cost ₹30,274 crore (US\$4.4 billion) and is expected to start operations by 2025.

The estimated 82 km long Delhi-Meerut Corridor would be passing through one of the most densely populated sections of the National Capital Region connecting Delhi to Uttar Pradesh.

The corridor would be beneficial for the development of the region and help connect the large number of townships and centres of economic activity that are already planned along this corridor.

One yard has been finalised in Jangpura, which is passing through Siddhartha Extension. Limited train will go to yard at Jangpura from Sarai Kale Khan via Siddhartha Extension.

- Total length in Siddhartha Extension = 125m
- Number of train pass by less than 25 Numbers in 24 hours
- Speed of the train will be less than 80km/h at Siddhartha Extension




Fig No. 1.1: Route Alignment Delhi-Meerut




Fig No. 2.2: Train Alignment




Fig no. 1.3: Total Length of Alignment in Siddhartha Extension




Fig No. 1.4: Horizontal distance between railway track and Siddhartha Extension building

1.2 NEED OF THE STUDY

The increasing railway network to cater the increasing travel demand in Delhi & NCR leads to certain externalities in the form of noise pollution. The newly proposed NCRTC Delhi-Meerut alignment passes in some portion in close vicinity to the residential colonies causing concern among its residents. Continuous operation of train during daytime as well as night time is bound to cause annoyance and sleep disturbances among the residents, but if number of pass by trains is very limited that noise exposure due to train may be negligible. In order to mitigate the extreme effects of the train it becomes imperative that suitable meditative measures in the form of noise barrier be proposed and implemented.

1.3 OBJECTIVES AND SCOPE

Objectives

- 1. To monitor the various noise parameters (L1, L10, L50, L90, SEL, Leq, Lmax, Lmin)at mentioned locations along the Siddhartha extension corridor
- 2. Noise mapping
- 3. Noise mitigation measures, if required

1.4 METHODOLOGY

Figure 1.5 shows the methodology adopted for the study. Primary data collection involved photography along the entire corridor along with Noise data may be collected along the corridor. Secondary data was collected from the NCRTC. Based on the estimates arrived at, suitable remedial measures in the form of Noise Barriers are proposed.




Fig 1.5 Methodology

1.5 INSTRUMENTATION

Instrumentation:

Sound book for noise measurement and sound recording.

Table 1.4 Details of Instrumentation used

S.No	Instrument/	Make	Model	Serial No	Calibratio	n Details
	Sensor				Calibrati on Date	Calibrati on due date
1	Multi-channel analyser	Sinus Germany	Sound book MK28BE	07316/6CK CA53945	July 2020	August 2021
2	Multi-channel analyser	Sinus Germany	Sound book Quadro E	06297/3FK CA44860	February 2020	March 2021
3	Microphone (2 Nos)	GRAS	46AE	240439/246 233 etc	May 2010	June 2021

CHAPTER 2: LITERATURE REVIEW

2.1 BACKGROUND

2.1 Noise

In simple terms, noise is unwanted sound. Sound is a form of energy which is emitted by a vibrating body and on reaching the ear causes the sensation of hearing through nerves. Noise may be continuous or intermittent. Sounds produced by all vibrating bodies are not audible. The frequency limits of audibility are ranging from 20 Hz to 20,000 Hz. Therefore, noise may be of high frequency or of low frequency which is undesired for a normal hearing. For example, the typical cry of a child produces sound, which is mostly unfavourable to normal hearing and considered as a noise. The discrimination and differentiation between sound and noise also depends upon the habit and interest of the person/species receiving it, the ambient conditions and impact of the sound generated during that particular duration of time. There could be instances that, excellently rendered musical concert for example, may be felt as noise and exceptional music as well during

the course of the concert. Sounds of frequencies less than 20 HZ are called infrasonic and greater than 20,000 Hz are called ultrasonic.

The sources of noise may vary according to daily activities. The sources may be domestic (movement of utensils, cutting and peeling of fruits/vegetables etc.) natural (shores, birds/animal shouts, wind movement, sea tide movement, waterfalls etc.), commercial (vendor shouts, marriages, laboratory, machinery etc.), transportation (road traffic, rail traffic and air traffic), industrial (generator sets, boilers, plant operations, trolley movement, pumps, motors etc.). Transportation vehicles are the worst offenders, with aircraft, railroad stock, trucks, buses, automobiles, and motorcycles all producing excessive noise.

2.2 Impact of Noise

Annoyance

It creates annoyance to the receptors due to sound level fluctuations. The periodic sound due to its irregular occurrences causes displeasure to hearing and causes annoyance.

Physiological effects

The physiological features like breathing amplitude, blood pressure, heart-beat rate, pulse rate, blood cholesterol are affected.

Loss of hearing

Long exposure to high sound levels cause loss of hearing. This is mostly unnoticed, but has an adverse impact on hearing function.

Human performance

The working performance of workers/human will be affected as they will be losing their concentration.

Nervous system

It causes pain, ringing in the ears, feeling of tiredness, thereby effecting the functioning of human system.

Sleeplessness

It affects the sleeping thereby inducing the people to become restless and lose concentration and presence of mind during their activities

Damage to material

The buildings and materials may get damaged by exposure to infrasonic / ultrasonic waves and even get collapsed.

2.3 Noise Monitoring - An Overview

The noise is measured in terms of sound pressure levels (SPL) and common unit of measurement is decibel, dB. The community (ambient) noise levels are measured in the A - weighted SPL, abbreviated dB(A). This scale resembles the audible response of human ear. Sounds of frequencies from 800 to 3000 HZ are covered by the A - weighted scale, dB(C) and dB(Z). The variations in the emission of noise levels in a particular environment can be accessed from the statistical distribution of noise levels in that environment (Fig 2.1). The statistical distribution curve defines the terms such as L₁₀, L₅₀ and L₉₀ etc. The Sound levels exceeding 10%, 50% and 90% of the total time intervals during a particular period are designated as L₁₀, L₅₀ and L₉₀ respectively. From figure, it can be seen that, 90% of the sound levels are about 64 dB(A). Local disturbances increased the sound levels (L₁₀) to 76 dB(A), i.e., during 10% of the total time. L₉₀ represents the background noise levels.




Fig. 2.1: Statistical distribution of noise levels, L₁₀, L₅₀ and L₉₀


The commonly used values of n for the n-percent exceeded level, Ln, are 10, 50 and 90. L_{10} is the level exceeded for 10% of the time. For 10% of the time, the sound or noise has a sound pressure level above L_{10} . For the rest of the time, the sound or noise has a sound pressure level at or below L_{10} .

 L_{50} is the level exceeded for 50% of the time. It is statistically the mid-point of the noise readings. It represents the median of the fluctuating noise levels.

L₉₀ is the level exceeded for 90% of the time. For 90% of the time, the noise level is above this level. It is generally considered to be representing the background or ambient level of a noise environment.

For a varying sound, L_{10} is greater than L_{50} which in turn is greater than L_{90} . The following graph illustrates L_{10} , L_{50} and L_{90} (Fig. 2.2).

Appendix 4: CRRI Study on Noise and Vibration



Please note that $L_{10} > L_{50} > L_{90}$ for the same sound or noise.

Fig. 2.2: Elaboration of statistical distribution of noise levels, L₁₀, L₅₀ and L₉₀

Leq the time averaged sound level; L_{max}, the maximum sound pressure level; L_{Peak} the maximum peak pressure level; L_E the sound exposure level; L_n the statistical levels for the measurement (6 different L_n values). The Broadband measurements are weighted with time and frequency according to the set-up of the instrument. The Broadband measurement can be weighted with A, C or Z frequency weighting. The Time Weightings of F, S and I can be applied to the Broadband measurements as required. The duration of the measurement can either be manual, selected from a pre-set list or defined by the user as required. The measurements can also be set to automatically repeat a set number of times. This function can be essential for environmental noise applications where the measurement duration is for example 1 hour throughout a 24 hour period. The instrument can be set to measure for 1 hour and to repeat until 24 measurements have been stored.

A-frequency-weighting is mandated by the international standard IEC 61672 to be fitted to all sound level meters. A-weighting is only really valid for relatively quiet sounds and for pure tones as it is based on the 40-phon <u>Fletcher–Munson curves</u> which represented an early determination of the <u>equal-loudness contour</u> for human hearing. The old B- and D-frequency-weightings have fallen into disuse, but many sound level meters provide for

C frequency-weighting and its fitting is mandated — at least for testing purposes — to precision (Class one) sound level meters. D-frequency-weighting was specifically designed for use when measuring high level aircraft noise in accordance with the IEC 537 measurement standard. The large peak in the D-weighting curve is not a feature of the equal-loudness contours, but reflects the fact that humans hear random noise differently from pure tones, an effect that is particularly pronounced around 6 kHz. This is because individual neurons from different regions of the cochlea in the inner ear respond to narrow bands of frequencies, but the higher frequency neurons integrate a wider band and hence signal a louder sound when presented with noise containing many frequencies than for a single pure tone of the same pressure level. Following changes to the ISO standard, D-frequency-weighting should now only be used for non-bypass engines and as these are not fitted to commercial aircraft but only to military ones A-frequency-weighting is now mandated for all civilian aircraft measurements.

Z or ZERO frequency-weighting was introduced in the International Standard IEC 61672 in 2003 and was intended to replace the "Flat" or "Linear" frequency weighting often fitted by manufacturers. This change was needed as each sound level meter manufacturer could choose their own low and high frequency cut-offs (–3dB) points, resulting in different readings, especially when peak sound level was being measured. As well, the C-frequency-weighting, with –3dB points at 31.5Hz and 8 kHz did not have a sufficient band pass to allow the sensibly correct measurement of true peak noise (Lpk).

B- and D-frequency-weightings are no longer described in the body of the standard IEC 61672: 2003, but their frequency responses can be found in the older IEC 60651, although that has been formally withdrawn by the International Electro-technical Commission in favor of IEC 61672: 2003. The frequency weighting tolerances in IEC 61672 have been tightened over those in the earlier standards IEC 179 and IEC 60651 and thus instruments complying with the earlier specifications should no longer be used for legally required measurements.

The most commonly used Frequency Weightings that you will see on a modern sound level meter or noise dosimeter are 'A', 'C' and 'Z' and below is a brief explanation of each

of these.

It is very important that you measure the noise levels using the correct frequency weighting as it is not possible to convert from one to another after the measurement has been made. This is why a sound level meter such as the <u>Cirrus optimus</u> will measure all three Frequency Weightings at the same time, saving you time and removing the risk of measuring the wrong parameter.

'C' Weighting

'C' Weighting is a standard weighting of the audible frequencies commonly used for the measurement of Peak Sound Pressure level.

Measurements made using 'C' weighting are usually shown with dB(C) to show that the information is 'C' weighted decibels or, for example, as LCeq, LCPeak, LCE etc. where the C shows the use of 'C' Weighting.

'Z' Weighting

Z weighting is a flat frequency response between 10Hz and 20kHz ±1.5dB excluding microphone response.

Measurements made using 'Z' weighting are usually shown with dB(Z) to show that the information is 'Z' weighted decibels or, for example, as LZeq, LZFmax, LZE etc. where the Z shows the use of 'Z' Weighting.




Fig. 2.3: Frequency Weighting Curves - 'A', 'C' & 'Z'

Addition and Subtraction of different Noise

More than one sound at their levels may be added or subtracted as figures given below:




Fig. 2.4a: Addition of sound pressure levels




Fig. 2.4b: Subtraction of sound pressure levels

A. 2.4.1: Addition graph




Fig. 2.4c: Addition of infinite sound pressure levels

Addition of many dB values is done using the following equation:

$$L_{Total} = 10 \log (10^{0.1 L1} + 10^{0.1 L2} + 10^{0.1 L3} + 10^{0.1 Ln})$$


For equal levels the curve for adding values can be used.

2.4.2: Sound Transmission Loss

In case of Line Source:



In case of Point Source:



• When the two train will pass at same point than 3 dB(A) noise will increase. Near Siddhartha Extension, it's very rare that two trains will cross each other. Maximum time in peak, train will be started in morning from depot, and will enter in night. Non peak hour train will go to depot and peak hour it will be back from depot.

CHAPTER-3: DATA COLLECTION

NOISE AND VIBRATION DATA COLLECTION

Noise data have been collected along the corridor. The data collection is shown in Fig 3.1.to 3.10 The photo shows the noise sensors used during monitoring carried out at the site below proposed NCRTC corridor listed below. One noise sensor was used for noise measurement. Noise data has been collected below proposed corridor and shown below as listed:

At Indian railway track – Figure 3.1 to figure 3.8 At gate number-3 – Figure 3.9 to figure 3.10

Noise monitoring at Railway Track:



Photo 3.1 Gate No.3, Siddhartha Extension front of Building

Photo 3.2: Track Interchange in



Photo 3.3 Noise Monitoring at Railway Track



Photo 3.4 Noise Monitoring at Railway Track Railway Track

Photo 3.5 Noise Monitoring at



Photo 3.6 Noise Monitoring at Railway Track



Photo 3.7 Noise Monitoring at Railway Track



Photo 3.8 Noise Monitoring at Railway Track

Environmental Impact Assessment (Final)

PUBLIC

December 2023

India: Delhi–Meerut Regional Rapid Transit System Investment Project

Addendum to Environment Impact Assessment Report–Stabling Yard at Jangpura and Connecting Line from Sarai Kale Khan RRTS station to Stabling yard

Appendixes - Part 2

This Final EIA has been disclosed for the relevant stakeholders. There are ongoing consultations under the ADB Accountability Mechanism, 2012 with some community people who are not in the Corridor of Direct Impact, however, this EIA addresses the impacts associated with sensitive receptors falling within the Corridor of Indirect Impact and has also considered the mitigation measures accordingly in the design.

Prepared by the National Capital Region Transport Corporation for the Asian Development Bank (ADB).

This environmental impact assessment is a document of the borrower. The views expressed herein do not necessarily represent those of ADB's Board of Directors, Management, or Staff, and may be preliminary in nature. Your attention is directed to the "terms of use" section of ADB's website.
In preparing any country program or strategy, financing any project, or by making any designation of or reference to a particular territory or geographic area in this document, ADB does not intend to make any judgments as to the legal or other status of any territory or area.

Noise monitoring at Gate -3




Photo 3.9 Noise Monitoring at Gate No. 3



Photo 3.10 Noise Monitoring at Gate No. 3

Noise Data Collection:







Fig No. 3. 4: Sonogramme Analysis

TRAIN HONKING






Fig No. 3. 7: Water fall Analysis





Fig No. 3.8: Sonogramme Analysis







Fig No. 3.12: Sonogramme Analysis

SIDDHARTHA EXTENSION GATE 3






Fig No. 3. 15: Water fall Analysis






Fig No. 3.16: Sonogramme Analysis

Appendix 4: CRRI Study on Noise and Vibration





CHAPTER 4: DESIGN OF NOISE BARRIER

4.0 DESIGN OF NOISE BARRIER

4.1 Noise Barrier

A noise barrier is an exterior structure designed to protect sensitive <u>land uses</u> from <u>noise pollution</u>. Noise barriers are the most effective method of mitigating <u>roadway</u>, railway, and industrial noise sources – other than cessation of the source activity or use of source controls. Noise barriers, often referred to as 'Sound abatement walls' are commonly constructed using steel, concrete, masonry, wood, plastics, poly carbonate, acrylic, insulating wool, or composites. Some noise barriers may consist of a masonry wall or earthwork, or a combination thereof (such as a wall atop an earth <u>berm</u>). Noise barriers fall

in one of the two categories: absorptive and reflective. Absorptive barriers, as the name suggests, absorb sound energy emanating from the source of sound. A porous surface material and sound-dampening content material is said to be absorptive. This means little noise is reflected back towards the source or elsewhere. Barriers without any added absorptive treatment or design, such as block, concrete, polycarbonate sheet, glass, acrylic sheet, wood or metal, are considered reflective. This means, in the case of metro rail applications for example, that sound energy actually bounces from one side of the metro track to the other. Reflective barriers may either be on one side or on both sides of the track. Noise barriers can be extremely effective tools for noise pollution abatement. These can be given various shapes like parabolic, partial curve, inclined or even straight to meet desired aesthetic appeal or different land-use pattern. The top may be provided various shapes like 'T', inverted 'L' or 'F' depending on the noise abatement requirement. Because sound levels are measured using a logarithmic scale, a reduction of nine decibels is equivalent to elimination of about 80 percent of the unwanted sound. Cost and aesthetics play a role in the final choice of any noise barrier.

Critical locations vis-à-vis noise levels have been identified and related Google images have been digitized in MapInfo, GIS software. Thereafter design of noise barriers for affected location has been designed based on the present and future prediction of noise levels. While designing the noise barriers the privacy aspect has also been considered. The noise and privacy issues are addressed at the elevated corridor. Hence, 125m distance, noise barrier has been suggested along the viaduct.

4.1.1: Acoustic Treatment of Elevated corridors

The noise generated by elevated rail can undergo multiple reflections between the parapet side walls and the train surfaces and finally escape into the surrounding. To reduce this effect the side walls of the viaduct can be treated with Micro-perforated aluminum noise barrier with combination of polycarbonate sheet as shown in drawing. This is required in the selected length of portion of elevated corridor where noise barriers have been suggested as shown in Fig no. 1.3. from gate no.3 to existing railway track.

4.1.2: Erection of Sound Barriers

Noise barriers are used to control the sound propagated into the community by blocking the direct sound propagation path. In case of absorptive type, the barrier consists of a 100mm thick Al alloy backing sheet fixed on suitable frame work and 1mm micro-perforated aluminum sheet on the parapet of the viaduct. Outer side of the barrier shall have an Aluminum sheet of suitable color with coefficient of retro- reflection equal to zero candles/lux/sq.m.

The reflective type barrier will consist of at least 15mm thick polycarbonate sheet, which shall be fixed on a frame work on the parapet of the viaduct. It could be a panel of 2m x 2m depending upon the requirement of height. The frame should be sturdy enough to withstand design wind pressure. The poly carbonate sheet could be in light colored as per the requirements of visibility and privacy.

A modular construction technique can be adopted for both the above cases and prefabricated units can be fixed on the framework at sensitive locations.

4.3 Cost Analysis

POSTS

DESCRIPTION		RATE
BASIC COST OF STEEL-JSPL		42000
GST	18%	7560
FREIGHT UPTO FAB YARD		4000
LANDED COST AT FAB.		
LOCATION		53560
FABRICATION		8000
GALVANIZING		16000
TOTAL		77560
RATE/KG		77.56

POSTS

1 0010								
		LENGTH		RATE	TOTAL			
DESCRIPTION	KG/M	(m)	WEIGHT(kg)	(Rs.)	(Rs.)			
POSTS	23	3.6	83	78	6422			
BASE PLATE	63	0.6	38	78	2932			
CLEATS, GUSSETS, COVERS								
ETC			35	78	2715			
PAINTING			145	13	1885			

ANCHOR BOLTS	8	250	2000
GROUT	52	6.5	2704
SCREWS	8	5.5	44
SUB TOTAL			18701
GST		18.00%	
SUB TOTAL			18701
MISC			
FREIGHT TO SITE	145	4	580
SUB TOTAL			19281
OCTROI		5.00%	0
TOTAL			19281
COST/SQM			2142.37

POSTS							
DESCRIPTION	KG/M	LENGTH	WEIGHT	RATE	TOTAL		
POSTS	23	3.6	83	78	6422		
BASE PLATE	63	0.6	38	78	2932		
CLEATS, GUSSETS, COVERS ETC			35	78	2715		
PAINTING			145	13	1885		
ANCHOR BOLTS			8	250	2000		
GROUT			52	6.5	2704		
SCREWS			8	5.5	44		
SUB TOTAL					18701		
GST				18.00%	3366		
SUB TOTAL					22068		
MISC							
FREIGHT TO SITE			145	4	580		
SUB TOTAL					22648		
OCTROI				5.00%			
TOTAL					22648		
COST/SQM					2516.40		

ALUMINIUM

DESCRIPTION	UNIT	RATE (Rs.)
BASIC COST OF ALUMINIUM	M.Ton	210000
GST	18.00%	37800
FREIGHT UPTO FAB YARD	M.Ton	4000
LANDED COST AT FAB.		
LOCATION	M.Ton	251800
FABRICATION	M.Ton	15000
OTHER		
TOTAL	M.Ton	266800
RATE/KG		266.8

MICRO PERFORATED SHEET

		DATE
		RATE
DESCRIPTION	UNIT	(Rs.)
LANDED COST (CIF)OF		
MICRO PERFORATED		
ALUMINIUM SHEET	SQM	1700
IMPORT DUTIES,		
CLEARANCES ETC	0.00%	0
SUB TOTAL		1700
GST	0.00%	0
FREIGHT UPTO FAB YARD	SQM	0
LANDED COST AT FAB.		
LOCATION	SQM	1700
FABRICATION	SQM	0
OTHER		
TOTAL	SQM	1700
RATE/SQM		1700
RATE/KG		629.63

ABSORPTIVE PANEL (MICRO PERFORATED)

DESCRIPTION	UNIT	HEIGHT (m)	LENGTH (m)	WEIGHT (kg)	RATE	TOTAL (Rs.)
PANEL SHEET (FRONT)	KG	0.5	3.0	4.66	630	2934
PANEL SHEET (REAR)	KG	0.5	3.0	7.39	267	1972
CAPS	KG	0.1	0.5	0.53	267	143
PAINTING	SQM			4.62	180	832
ABSORBENT MATERIAL	SQM	0.5	3.0			0
GASKETS	Mtr			2	100	200
SCREWS	No			22	5	110
ASSEMBLY	No					100
SUB TOTAL						
GST					18.00%	
SUB TOTAL						6290
MISC						
FREIGHT TO SITE	No					150
SUB TOTAL						6440
OCTROI					5.00%	
SUB TOTAL						6440
CONTRACTOR OVERHEADS AND PROFIT					15%	965.99
TOTAL						7405.95
COST/SQM						4937.30

ABSORPTIVE PANEL (MICRO PERFORATED)

			O I LIVI OI			
DESCRIPTION	UNIT	HEIGHT (m)	LENGTH (m)	WEIGHT (kg)	RATE	TOTAL (Rs.)
PANEL SHEET (FRONT)	KG	0.5	3.0	4.66	630	2934
PANEL SHEET (REAR)	KG	0.5	3.0	7.39	267	1972
CAPS	KG	0.1	0.5	0.53	267	143
PAINTING	SQM			4.62	180	832
ABSORBENT MATERIAL	SQM	0.5	3.0			0
GASKETS	Mtr			2	100	200
SCREWS	No			22	5	110
ASSEMBLY	No					100
SUB TOTAL						6290
GST					18.00%	1132
SUB TOTAL						7422
MISC						
FREIGHT TO SITE	No					150
SUB TOTAL						7572
OCTROI					5.00%	379
SUB TOTAL						7951
CONTRACTOR OVERHEADS AND PROFIT					15%	1192.61
TOTAL						9143.37
COST/SQM						6095.58

PC / PMMA (15mm thickness) WITH FRAME

DESCRIPTION	Unit	RATE
BASIC COST OF PMMA 15MM	SQM	4450
GST	18%	801
CESS ON EXCISE DUTY		0
SALES TAX AGAINST C FORM		
/VAT		0
FREIGHT UPTO FAB YARD		50
LANDED COST AT FAB.		
LOCATION		5301
RATE/SQM of PMMA 15mm		5301

DESCRIPTION	Unit	RATE
BASIC COST OF STEEL		42000
GST	18%	7560
FREIGHT UPTO FAB YARD		3500
LANDED COST AT FAB.		
LOCATION		53060
FABRICATION		8000
GALVANIZING		16000

TOTAL	77060
RATE/KG steel frame	77.06

TRANSPARENT PANEL

		HEIGHT	LENGTH	WEIGHT	RATE	TOTAL
DESCRIPTION		(m)	(m)	(Kg)	(Rs.)	(Rs.)
PC/PMMA SHEET		0.5	3.0		5301	7952
FRAME METAL		0.5	3.0	34	77	2647
FASTENERS				16.0	10	160
PAINTING				5	250	1250
GASKETS				10	200	2000
ASSEMBLY						100
SUB TOTAL						14108
GST					18.00%	2539
SUB TOTAL						16647
MISC						
FREIGHT TO SITE						150
SUB TOTAL						16797
OCTROI					5.00%	0
TOTAL						16797
	COS	T/SQM				11198

TRANSPARENT PANEL

DESCRIPTION	HEIGHT (m)	LENGTH (m)	WEIGHT (Kg)	RATE (Rs.)	TOTAL (Rs.)
PC/PMMA SHEET	0.5	3.0	, ,,	5301	7952
FRAME METAL	0.5	3.0	34	77	2647
FASTENERS			16.0	10	160
PAINTING			4	250	875
GASKETS			10	200	2000
ASSEMBLY					100
SUB TOTAL					13733
GST				18.00%	
SUB TOTAL					13733
MISC					
FREIGHT TO SITE					150
SUB TOTAL					13883
OCTROI				5.00%	0
TOTAL					13883
COST/SQM					9255

Noise Barrier BOQ					
Length - (m)	250		_		
Item Description	Unit	Rate/Item (in Rs.)	Qty (Nos)	Amount (Rs.)	Qty (SQM)
Post (UC 152x23 - (3000mm+600)	No	18701	126	2356326	756
Absorptive Panel (1.2mmx500mmx3000mm)	No	6290	500	3145000	750
Transparent Panel (15mmx500mmx3000mm)	No	14108	250	3527000	125
Flashings, packing etc	No	600	1000	600000	
Grout at alignment	No	300	150	45000	
Sub Total				9673326	
Contractor overheads and profit	%	12%		1160799	
Octroi	%	5%		0	
Sub Total				10834125	
GST	%	18%		1950142	
Installation / SQM	SQM	725		543750	
Total with GST				13328017	
Total without GST				11377875	

Rate per m^2 = Total Cost with GST / Quantity = 13328017/756= 17360/ m^2 (For both types of noise Barrier mentioned below)

4.4 Specifications

Description	Unit	Rate/unit Rs.	Quantity	Total in Rs.
Micro perforated Mono-absorbent panels and Transparent panels must confirm to be certified panels. Structural steel for post, plates etc., should be hot dip galvanised with a coat of primer and two coats of epoxy finish paint of approved shade. 1. From Gate no. 3 to railway track 125m length	SQM	17360/-	250x3.0 = 750m ²	13020000/-
Total Length = 125m both sides at the height of 2.5m and semi circular shape half meter on top, hence total height consider 3m. Height of Noise Barrier = 3m straight & 0.5m Loop = 3.5m				
Tota	I Rs.	1	1	13020000/-

Technical Specifications:


Noise barrier shall compose of certified and tested panels by competent agencies.


2. Material Specifications:

- Posts are UC 152 or equivalent type welded to a 20mm thick base plate with all required gussets, cleats etc duly hot dig galvanized with a coat of primer and two coats of epoxy finish paint. Posts are fastened to the flyover with M 20 anchors and chemical grout.
 - Mono absorbent Micro-Perforated Aluminum panels 0.5m x3.0m of 1.0 mm thick front & 1.2mm thick back/top/bottom aluminum material duly assembled with self-drilling GI screws or riveted. Aluminum panels shall be powder coated.


- Sound proofing transparent panels shall be made of 15mm thick PC Sheet (of size 0.5 x 2.0m) duly encased in a bolted steel frame with EPDM rubber gasket. The steel frame is to be hot dip galvanized with a coat of primer and two coats of epoxy finish paint.
- Anchors bolts and connection bolts must be hot dip galvanized.
- Steel: S 235JR (EN 100025)/ IS 2062/IS5986 or equivalent.
 Aluminum: ALU 1050A/ALU 3004/ALU 3105 or equivalent.
 Galvanization: EN 1461/IS 4759 or equivalent.
 Anchors & connection Bolts: Conforming to IS1367 grade 8.8 or equivalent.
 Chemical grout: RE 500 make or equivalent.
- Others:

Detailed drawings must be submitted by the bidder before fabrication of noise barriers for onward approval by CRRI.






ELEVATION




SECTION B-B




UNIVERSAL COLUMN (POST) - SECTION


DETAIL - F



DETAIL - C


Appendix 4: CRRI Study on Noise and Vibration





SECTION A-A

Appendix 4: CRRI Study on Noise and Vibration



DETAIL - C

CHAPTER 5: CONCLUSIONS & RECOMMENDATIONS

CONCLUSIONS:

Surveys in tandem with noise monitoring were conducted various locations falling all along the elevated metro corridor to understand the prevailing traffic scenario and the noise and vibration generated. Besides these surveys inventory of the residential areas along the corridor has been conducted.

Total Height of rail = 24.04m

Top Floor roof to viaduct height = 8.37m

Building height = 15m

Roof to parapet wall height = 11.04m

Third floor door/ window to height of parapet wall = 11+3 = 14m

Distance of rail to parapet =2m

Total distance = 14+2 = 16m

There will not be primary sound impact on roof of building; it will be affected by secondary sound.




Fig No. 5.1: Cross-Section of Building

Secondary Noise transfers to building top have been classified with diagram.

BRIGHT ZONE (PRIMARY NOISE)




Fig No. 5.1a: Secondary Noise transfers to building





Fig No. 5.2: Siddhartha Extension portion

5.1: In case of Point Source:




- Height of Rail Level is 24m from ground and 8.37m from roof level. Via duct is sufficient to stop the noise generated by rail and wheel.
- Maximum noise will go to upward direction in the form of primary noise, while secondary noise will reach to roof level.
- Total exposure of noise level will be less than 45 dB(A), because number of train has been taken 25 and duration of train is 10 second.
- Existing noise at rail due to honking is around 100 dB(A) at 5m distance. Hence its contribution to building is at 70m -80m will be 76 dB(A). (Shown in chapter 3)
- But if train is not honking then noise at 5m distance is 69 dB(A), and at building will be 45 dB(A)
- While at gate 3 there will not be any noise impact on building. (Shown in chapter 3)
- Noise absorption calculation are as follows

$$C=1-10^{-\left(\frac{d}{20}\right)}$$

C is coefficient of Sound Reduction D is decibel drop

Recommendation of Noise Barrier:

• 3m noise barrier has been recommended for the length of 125m up & down direction has been shown in chapter 4.



- Total noise absorption will be 20-22 dB(A) after installation of noise barrier.
- After installation of noise barrier, there will not be any noise or air born vibration problem to the resident of *Siddhartha* extension.

Annexure - I

Noise Exposure during Pass-by Train

L total = 10 log [t x 10 $^{0.1 \times L}/T$]

Where t and L are the time and level for exposure and T is the total exposure for the calculation (24 hours)

Hence, in 24 hrs = 25 trains

Duration of crossing the metro approx. 10 sec

Hence, t_1 = 25 x 0.01 = 0.25

 $L_{\text{total}} = 10 \log [0.25 \times 10^{0.1 \times 78}/24]$

=52 dB (A) at source

At Receiver End:

Noise exposure at receiver end will be less than 40 dB(A). Hence, there will be any effect of noise on resident of Siddhartha Extension.

Annexure - II

National Ambiant Noise Quality Standard

Cotogony of Aron	Limit in dB(A) Leq			
Category of Area	Day time	Night time		
Industrial Area	75	70		
Commercial Area	65	55		
Residential Area	55	45		
Silence Zone	50	40		

- Day time is reckoned between 6 am to 10 pm
- Night time is reckoned between 10 pm to 6 am
- Silence zone is defined as areas upto 100 m around such premises as hospitals, educational institutions and courts. The silence zones are to be declared by the competent authority

Annexure-III

Standards and Guidelines for Noise Limit

A. Noise Limit for Generator sets run with Petrol or Kerosene.

		Noise Limit from			
		September 1, 2002 September 1, 2003			
Sound Level	Power	90 dBA	86 dBA		

B. Noise Limit for Generator Sets run with Diesel (upto 1000 KVA) manufactured on or after the 1st January 2005

The maximum permissible sound pressure level for new diesel generator shall be 75 dB (A) at 1 metre from the enclosed surface. The diesel generator sets should be provided with integral acoustic enclosure at the manufacturing stage itself.

- B.1. Noise limit for DG sets not covered by paragraph 1.
- 1. Noise from DG set shall be controlled by providing an acoustic enclosure or by treating the room acoustically, at the users end.
- 2. The acoustic enclosure or acoustic treatment of the room

Noise Calculations

To determine the combined sound pressure level (L_e) resulting from the sound pressure levels of two or more noise sources (L_1 , L_2 , etc.) it iis necessary to calculate and add the mean square values of their individual sound pressures and then convert this back to a sound pressure level using the formula given below:


$$L_{\rm c} = 10 \log_{10} (10^{L1/10} + 10^{L2/10})$$

Annexure-IV

Noise Standard for Continuous Exposure (CPCB)

Exposure Time	Sound Pressure Level (dB(A))		
8	90		
6	92		
4	95		
3	97		
2	100		
1.5	102		
1	105		
0.5	107		
0.25 and less	115		

Annexure-V



l ISO 2631/3 Severe Discomfort Boundaries

Annexure-VI

International Guidelines
Standards for evaluating the potential for building damage

- DIN 4150 (1984), Deutsches Institut fuer Normung
- SN 640 312 (1978), Association of Swiss Highway Engineers
- BD 7385 (1993), British Standards Institution
- Report No. 8507 (1980), U.S. Bureau of Mines (blasting-induced vibration)
- Publication No. NPC-119 (1978), Ontario Ministry of the Environment (blasting-induced vibration)
- ISO 4866 (1990), International Organization for Standardization

Standards for evaluating human response to vibration levels

- ISO 2631/2 (1989), International Organization for Standardization
- ISO 8041 (1990), International Organization for Standardization
- BS 6472 (1984), British Standards Institution
- ANSI S3.29 (1983), American National Standards Institute

Scale of vibration discomfort from British standard 6841 (1987) and International standard 2631 (1997)

	Rms weighted acceleration (ms-2)	
Extremely uncomfortable	3.15	
discillottable	2.5	
	2.0	Very Uncomfortable
	1.6	
Uncomfortable	1.25	
	1.0	
	0.8	Fairly Uncomfortable
	0.63	
A little uncomfortable	0.5	Not uncomfortable
	0.4	
	0.315	
	0.25	

Annexure-VII

Vibration dose values at which various degrees of adverse comment may be expected in buildings (based on International Standard 2631 part 2(1989) and British standard 6472 (1942)

Place	Low probabilit	ty A	dverse comment	Adverse
comment				
	Adverse comr	ment	Possible	Possible
Critical working	area 0.	.1	0.2	0.4
Residential	0.2	2-0.4	0.4-0.8	0.8-1.6
Office	0.4	4	0.8	1.6
Workshops	9.0	3	1.6	3.2

Annexure-VIII

Degree of Hearing Loss (**WHO classification**); WHO (1980) recommended the following classification on the basis of pure tone audiogram taking the average of the thresholds of hearing for frequencies of 500, 1000 and 2000 Hz with reference to ISO: R. 389-1970 (international calibration of audiometers). Hearing loss and difficulty in hearing speech:

Hearing threshold in better ear (average of 500, 1000, 2000)	Degree of impairment (WHO classification)	Ability to understand speech
0-25	Not significant	No significant difficulty with faint speech
26-40	Mild	Difficulty with faint speech
41-55	Moderate	Frequent difficulty with normal speech
56-70	Moderately sever	Frequent difficulty even with loud speech
71-91	Severe	Can understand only shouted or amplified speech
above 91	Profound	Usually cannot understand even amplified speech

Appendix 5: Vibration Analysis

A. Vibration due to RRTS operation

1. Identification of Vibration-Sensitive Land Use

The criteria for acceptable ground-borne vibration are expressed in terms of RMS velocity levels in decibels. The criteria apply to train-generated ground-borne vibration and noise whether the trains run underground, at the surface, or on elevated guideway. The limits are specified for the three land-use categories defined below:

1.1. Vibration Category 1 - High Sensitivity: Included in Category 1 are buildings where vibration would interfere with operations within the building, including levels that may be well below those associated with human annoyance. Typical land uses covered by Category 1 are vibration-sensitive research and manufacturing, hospitals with vibration-sensitive equipment, and university research operations. The degree of sensitivity to vibration will depend on the specific equipment that will be affected by the vibration.

Note that this category does not include most computer installations or telephone switching equipment. Although the owners of this type of equipment often are very concerned about the potential of ground- borne vibration interrupting smooth operation of their equipment, it is rare for a computer or other electronic equipment to be particularly sensitive to vibration. Most such equipment is designed to operate in typical building environments where it may experience occasional shock from bumping and continuous background vibration caused by other equipment.

- 1.2. Vibration Category 2 Residential: This category covers all residential land uses and any buildings where people sleep, such as hotels and hospitals. No differentiation is made between different types of residential areas. This is primarily because ground-borne vibration and noise are experienced indoors, and building occupants have practically no means to reduce their exposure. Even in a noisy urban area, the bedrooms often will be quiet in buildings that have effective noise insulation and tightly closed windows. Moreover, street traffic often abates at night when trains continue to operate. Hence, an occupant of a bedroom in a noisy urban area is likely to be just as exposed to ground-borne noise and vibration as someone in a quiet suburban area.
- **1.3. Vibration Category 3 Institutional:** Vibration Category 3 includes schools, places of worship (e.g., churches), other institutions, and quiet offices that do not have vibration-sensitive equipment, but still have the potential for activity interference. Although it is generally appropriate to include office

buildings in this category, it is not appropriate to include all buildings that have any office space. For example, most industrial buildings have office space, but it is not intended that buildings primarily for industrial use be included in this category.

There are some buildings, such as concert halls, television and recording studios, and theaters that can be very sensitive to vibration and noise but do not fit into any of the three categories. Because of the sensitivity of these buildings, they usually warrant special attention during the environmental assessment of a high-speed rail project.

2. Categorization as per FTA:

According to FTA Ground-Borne Vibration Impact Criteria, all educational and religious institutions are catrgorized in "Vibration Category 3: Institutional" and all Hospitals are categorized in "Vibration Category 2: Residential".

The proposed Delhi-Ghaziabad-Meerut RRTS will have a design speed of 180 kmph and operating speed of 160 kmph with a frequency of 15 trains per hour for the year 2024. As per the Vibration screening procedure, for residential land use, within 70 meter is identified as potentially affected location. For institutional land use, all institutes within 50 meters are identified as potentially affected locations.

3. Base Curve

The generalized projection curves for high-speed trains are shown in below figure. The curves represent typical ground surface vibration levels assuming equipment in good condition and speeds of 150 mph. The levels must be adjusted to account for factors such as different speeds, equipment, and geologic conditions.

Speed Adjustment: -3.5 for speed of 160 kmph Speed adjustment: -3.5 VdB for speed of 160 kmph

Wheel condition: Assume wheels in good condition. No adjustment is applied.

Track system: Assume rails are in good condition. No adjustment.

Track structure: -10 VdB for Viaduct and -3 for tunnel section

Propagation: 0, Normal propagation is considered, as the underlying soil is fine sand/ fine silt upto a depth of 40 meter from the ground surface throughout the alignment.

Foundation coupling: 1-2 Story Masonry: -7 VdB, 2-4 Story Masonry: -10 VdB. Receiver location: 1-5 floors above grade: -2 dB/floor, 5-10 floor above grade: -1 dB/floor

Floor response: No adjustment.




Figure 1: Generalized Ground-Borne Vibration Curve

Predicted Vibration levels during operation of proposed Delhi-Ghaziabad-Meerut RRTS:

The procedure adopted for prediction of vibration levels is as per the FTA guideline. The vibration levels were obtained from the base curve shown in figure 1 and necessary corrections were undertaken wherever applicable. The predicted vibration levels were well below the threshold levels for different land uses set by FTA except at eight locations. The modeling results are also presented in below table 2:

Table 1: Predicted Vibration levels due to RRTS Operation

S.No.	Description	LHS/ RHS	Chainage in KM	Coordinates X (Latitude)	Y (Longitude)	Section Type	Distance in feet	Estimated Vibration Level, VdB	Ground Borne Vibration Threshold levels as per FTA, VdB	Vibration Level Exceedance, VdB	Reduction with mitigation measures	Residual vibraton level after mitigation VdB
1	ISBT	RHS	0+900	28°35'6.83"N	77°15'31.18"E	Elevated	165	68.5	72	-3.5	-15	53.5
2	Barapulla Flyover & Nalla Crossing	Crossing	1+350	28°34'56.10"N	77°15'25.82"E	Elevated	20	73.5	72	1.5	-15	58.5
3	Siddharth Apartments	LHS & RHS	1+480	28°34'53.88"N	77°15'22.43"E	Elevated	23.1	74.5	72	2.5	-15	59.5
4	Railway Crossing	Crossing	1+680	28°34'50.75"N	77°15'16.64"E	Elevated	20	73.5	72	1.5	-15	58.5
5	Highway Crossing	Crossing	1+810	28°34'46.35"N	77°15'10.93"E	Elevated	20	73.5	72	1.5	-15	58.5
6	Hindustan Prefab Limited	RHS	1+830	28°34'43.70"N	77°15'7.43"E	Elevated	165	68.5	72	-3.5	-15	53.5
7	Hindustan Prefab Limited	RHS	2+000	28°34'31.66"N	77°15'8.41"E	Elevated	20	73.5	72	1.5	-15	58.5

B. Construction Vibration Assessment

Construction activity can result in varying degrees of ground vibration, depending on the equipment and methods employed. Operation of construction equipment causes ground vibrations that spread through the ground and diminish in strength with distance. Buildings founded on the soil in the vicinity of the construction site respond to these vibrations with varying results, ranging from no perceptible effects at the lowest levels, low rumbling sounds and perceptible vibrations at moderate levels, and slight damage at the highest levels.

Ground vibrations from construction activities do not often reach the levels that can damage structures, but they can be within the audible and perceptible ranges in buildings very close to the site. A possible exception is the case of fragile buildings, many of them old, where special care must be taken to avoid damage. The construction vibration criteria should include special consideration for such buildings. The construction activities that typically generate the most severe vibrations are blasting and impact pile driving.

1. Vibration Source Levels from Construction Equipment

Ground-borne vibration related to human annoyance is generally related to RMS velocity levels expressed in vibration decibels. However, a major concern with regard to construction vibration is building damage. Various types of construction equipment have been measured under a wide variety of construction activities with an average of source levels reported in terms of velocity as shown in Table 3. The data provides a reasonable estimate for a wide range of soil conditions.

Table 2: Vibration Source Level for Construction Equipment ¹

Equipment	t	PPV at 25 ft (in/s)	Approximate Lv at 25 ft (RMS velocity in decibels (VdB) re 1 µin/s.)
	Upper		
	range	1.518	112
Pile driver (impact)	Typical	0.644	104
	Upper range	0.734	105
Pile driver (vibratory)	Typical	0.17	93
Clam shovel drop (slurry wall)		0.202	94
Hydromill (slurry wall)	In soil	0.008	66

¹ Hanson, C. E., Ross, J. C., Towers, D. A., & Harris, M. (2012). *High-speed ground transportation noise and vibration impact assessment* (No. DOT/FRA/ORD-12/15). United States. Federal Railroad Administration. Office of Railroad Policy and Development.

240

Appendix 5: Vibration Analysis

In rock	0.017	75
Vibratory roller	0.21	94
Hoe ram	0.089	87
Large bulldozer	0.089	87
Caisson drilling	0.089	87
Loaded trucks	0.076	86
Jackhammer	0.035	79
Small bulldozer	0.003	58

For evaluating potential annoyance or interference with vibration-sensitive activities as a result of construction vibration, the criteria for General Assessment can be applied. In most cases, however, the primary concern regarding construction vibration relates to potential damage effects. Guideline vibration damage criteria are given in below Table 4 for various structural categories. These limits should be viewed as criteria that should be used during the environmental impact assessment phase to identify problem locations that must be addressed during final design.

Table 3: Construction Vibration Damage Criteria as per FTA guidelines

Building Category	PPV (in/s)	Approximate Lv, RMS velocity in decibels (VdB) re 1 µin/s.
I. Reinforced-concrete, steel or timber (no plaster)	0.5	102
II. Engineered concrete and masonry (no plaster)	0.3	98
III. Nonengineered timber and masonry buildings	0.2	94
IV. Buildings extremely susceptible to vibration damage	0.12	90


Construction vibration is assessed in cases where there is a significant potential for impact from construction activities. Such activities include blasting, pile driving, vibratory compaction, demolition, and drilling or excavation in close proximity to sensitive structures. Construction vibration assessment is carried out for all potential sensitive receptors as per the guidelines by FTA for high speed rail projects.

Predicted Vibration levels during RRTS Construction:

The procedure adopted for prediction of vibration levels during RRTS Construction is as per the FTA guideline. The reference vibration levels for each construction equipement is taken from table 3 to calculate the peak particle velocity (PPV) at sensitive receptor location. The PPV values are then compared with the Construction Vibration Damage Criteria set by FTA (Table

4) for different building category.

Figure 2: Ground Borne Vibrations due to various construction equipments



All the predicted levels were well below the threshold levels for different land uses set by FTA during construction stage. The analyysis results are presented in below table 5:

Table 4: Ground Borne Vibration levels during RRTS Construction stage

S.No	Descriptio n	Coordinate X (Latitude)	Coordinate Y (Longitude)	Section Type	Distance of equipme nt from the receiver (in feet)	Clam shovel drop (slurry wall)	Hydromil I (slurry wall)	Vibrator y roller	Hoe ram	Large bulldoze r	Caisson drilling	Loade d trucks	Jackhamme r	Small bulldozer	Construc tion Vibration Damage Criteria, PPV (in/s)
1	ISBT	28°35'6.83"N	77°15'31.18"E	Elevated	165	0.012	0.000	0.012	0.005	0.005	0.005	0.004	0.002	0.000	0.5
2	Barapulla Flyover & Nalla Crossing	28°34'56.10"N	77°15'25.82"E	Elevated	20	0.282	0.011	0.293	0.124	0.124	0.124	0.106	0.049	0.004	0.5
3	Siddharth Apartments	28°34'53.88"N	77°15'22.43"E	Elevated	23.1	0.227	0.009	0.236	0.100	0.100	0.100	0.086	0.039	0.003	0.5
4	Railway Crossing	28°34'50.75"N	77°15'16.64"E	Elevated	20	0.282	0.011	0.293	0.124	0.124	0.124	0.106	0.049	0.004	0.5
5	Highway Crossing	28°34'46.35"N	77°15'10.93"E	Elevated	20	0.282	0.011	0.293	0.124	0.124	0.124	0.106	0.049	0.004	0.5
6	Hindustan Prefab Limited	28°34'43.70"N	77°15'7.43"E	Elevated	165	0.012	0.000	0.012	0.005	0.005	0.005	0.004	0.002	0.000	0.5
7	Hindustan Prefab Limited	28°34'31.66"N	77°15'8.41"E	Elevated	20	0.282	0.011	0.293	0.124	0.124	0.124	0.106	0.049	0.004	0.5

N N

Delhi Metro Rail Corperation Ltd.

581

No. DMRCIL and/15/Policy/NOC/04/523

14.09.2015

Subject : Guidelines for issue of N.O.C. for the properties lying along/adjoining the Delhi MRTS corridors - Phase III/IV

Guidelines for issue of NOC for the properties falling on or lying adjoining Delhi MRTS corridots of Phase III were issued vide this office note of even no.62 dated 12.05.2011 and even no.224 dated 7th June, 2012. Ministry of Urban Development, Govt. of India has desired that NOC cases should be disposed by DMRC within 7 days of receipt of proposal from local bodies.

CE/G is the nodal officer for dealing NOC cases. He will seek comments from the respective field units.

To streamline the procedure following guidelines shall be followed:-

- 1.1 Elevated & Surface corridor
- 1.1.1 No NOC be issued for construction activities within the land boundaries of proposed boundaries of elevated or surface corridor, stations, depots, other service buildings, ancillary structures, parking areas.
- 1.1.2 To provide llexibility at the time of construction, no NOC be issued for new construction up to 20 m on both sides of alignment or all sides of metro stations, depots or other structures, till the detailed alignment drawings are finalised and there is no scope for change in the alignment or plan of station, depots or other structures.
- 1.1.3 If any property falls partly inside and partly outside the aforesaid limit (20 metres beyond the proposed metro structures), such properties can be cleared only for the portion falling outside the limit of 20 m of proposed metro structures.
- 1.1.4 Once the alignment is finalised and there is no scope of change in alignment. NOC be issued in case proposed construction is away by 5 m or more from the edge of the metro alignment/structure for safety reasons.
- 1.2 Underground Metre corridor
- 1.2.1 No NOC for construction activity be issued within the land boundaries of proposed underground stations unless such provision has been made in design.
- 1.2.2 To provide flexibility at the time of construction, no NOC be issued for new construction within 20 m from the edge of the tunnel on both sides or land boundaries of the Metro station or other structures on all sides till the construction activity of Metro corridor/station is completed.
- 1.2.3 Once the construction of tunnel or underground structure is completed, NOC be issued if proposed construction is away by 5 m or more from the edge of the tunnel or land boundaries of structures.

Auf

...2

1.2.4 For issuing NCC to the building plan for additional floors due to increased FAR within 5 metre of the outer edge of tunnel, in principle approval shall be conveyed as per following guidelines:-

Tunnel depth (in m) [Soil fill above tunnel crown]	No. of storeles/basements allowed (Over and above existing construction or vacant plot)
7 m	Additional 1 storey may be
13 m	allowed. No basement is Additional 2 stories may be allowed.
19.11)	Additional 2 stories may be allowed. Only one basement of 3.5 m may be allowed. Additional 4 stories may be allowed. Total two basements of 3.5 m each may be allowed.
	crown] 7 m 13 m

However, the final approval shall be given after scrutiny of detailed design by ED/Tech. on case to case basis.

1.3 Intranet Link

An Intranet Link has been developed for uploading the case by CE/G unit. Mail and SMS alert will be sent to concerned field unit (HOD). Comments of field unit are to be uploaded on the same link within 3 working days including comments of design wing wherever considered.

These guidelines are issued with the approval of MD and in supersession of previous

4/6

All CPMs (CPMs/1 to 10), ED/Tech.

ED/Civil, CGM/Civil, GM/Consultancy & CE/Plg.

CC

DP, DW, DO & DBD for information please

OSD to MD for kind information of MD

PM | 6A, 6B, 6C

(Atul Gadgil) Chief Engineer/Gen.

11110

245





No. NCRTC/DM/ALLIGN-NOTIFI/80

New Delhi, dated 04-09-2020

Sub:- Revised Guidelines for issue of N.O.C. for the properties lying along/adjoining Delhi – Ghaziabad – Meerut RRTS corridor.

In supersession of the Guidelines issued earlier on 28-01-2020, for issue of NOC for the properties falling on or lying adjoining Delhi-Ghaziabad-Meerut RRTS corridor, following revised guidelines are issued to deal with NOC proposal on its receipt from local bodies.

CE/G is the nodal officer for dealing NOC cases.

To streamline the procedure following guidelines shall be followed: -

1.1 Elevated & Surface Corridor

- 1.1.1 In terms of the provision laid down in Section 21 under Metro Railways (Constructions of Works) Act 1978, the regulation for the construction of building or any development above the RRTS alignment or on any land within 20 meter of either side of RRTS alignment for facilitating construction of RRTS Corridor/ensuring safety of RRTS Corridor, is required to be implemented.
- 1.1.2 No NOC be issued for construction activities within and above the land boundaries of proposed boundaries of elevated or surface corridor, stations, depots, other service buildings, ancillary structures, parking areas.
- 1.1.3 To provide flexibility at the time of construction, no NOC be issued for new construction up to 20 meter on both sides of alignment or all sides of RRTS stations, depots or other structures, till the detailed alignment drawing are finalized and there is no scope for change in the alignment or plan of station, depots or other structures.
- 1.1.4 If any property falls partly inside and partly outside the aforesaid limit (20 meters beyond the proposed RRTS structures), such properties can be cleared only for the portion falling outside the limit of 20 meter of proposed RRTS structures.

4/9/2020

Contd.....2/-

1.1.5 Once the alignment is finalized and there is no scope of change in alignment, NOC be issued in case proposed construction is away by 5 meter or more from the edge of the RRTS alignment/structure for safety reasons.

1.2 Underground RRTS Corridor

- 1.2.1 No NOC for construction activity be issued within the land boundaries of proposed underground stations unless such provisions has been made in design.
- 1.2.2 To provide flexibility at the time of construction, no NOC be issued for New construction within 20 meter from the edge of the tunnel on both sides or land boundaries of the RRTS station or other structures on all sides till the construction activity of RRTS corridor/station is completed.
- 1.2.3 Once the construction of tunnel or underground structure is completed, NOC be issued if proposed construction is away by 5 meter or more from the edge of the tunnel or land boundaries of structures.
- 1.2.4 Separate guidelines will be issued for construction within 5 meter on either side of tunnel.

1.3 Other

- 1.3.1 (i) As per approved DCR rules for RRTS Corridor, no compound wall/fencing shall be permitted on boundary of plot fronting the road and 50% of marginal distance subject to minimum 3 meter (shall be kept accessible) and shall be used as footpath for pedestrian. However, it shall be permissible for the applicant to construct/ erect fencing on the boundary after leaving space for pedestrians.
 - (ii) No projection/construction shall be allowed within 6 mtr. from road (Right of Way) in setback except steps at ground level.
- 1.3.2 The applicant seeking NOC shall have to submit structural safety certificate from the Structural Engineer.
- 1.3.3 The NOC issued shall be valid for a period of three years from the date of issue and shall need to be renewed/ revalidated till the completion of construction of RRTS project or till the occupancy certificate of the building is issued whichever is earlier.
- 1.3.4 The NOC issued shall be deemed cancelled, if actual construction at the site is in variation to the plan approved by NCRTC.
- 1.3.5 If the application wants to use tower crane for the proposed development on the plot, then the working arm of the crane should not come within 5 meter from RRTS Via-duct and also the working arm of the crane should not come over the RRTS station.
- 1.3.6 This NOC shall be deemed to be cancelled immediately if the documents submitted by the Architect/Applicant are found to be false.



Contd.....3/-

1.4 Competent Authority to approve NOC in NCRTC

- 1.4.1 ED/Design is the final competent authority in respect of issuing NOC to the building plan for additional floors due to increased FAR within 5 meters of the outer edge of tunnel.
- 1.4.2 CE/G will be competent authority to approve all other cases except those indicated in para 1.4.1 above.

These guidelines are issued with the approval of MD.

(Jayesh Kumar) Chief Engineer (General)

To

Chief Project Managers (CPMs)/Delhi, GZB, MDNR & Meerut

Copy to;

- 1. DP, DF, DRS & DS /NCRTC for kind information please
- 2. All the HoDs and Dy.HoDs, NCRTC, for kind information and necessary action please
- 3. GGM/IT for uploading on website of NCRTC and intranet.
- 4. OSD to MD for kind information of MD.

Environmental Impact Assessment (Final)

PUBLIC

December 2023

India: Delhi–Meerut Regional Rapid Transit System Investment Project

Addendum to Environment Impact Assessment Report–Stabling Yard at Jangpura and Connecting Line from Sarai Kale Khan RRTS station to Stabling yard

Appendixes - Part 3

This Final EIA has been disclosed for the relevant stakeholders. There are ongoing consultations under the ADB Accountability Mechanism, 2012 with some community people who are not in the Corridor of Direct Impact, however, this EIA addresses the impacts associated with sensitive receptors falling within the Corridor of Indirect Impact and has also considered the mitigation measures accordingly in the design.

Prepared by the National Capital Region Transport Corporation for the Asian Development Bank (ADB).

This environmental impact assessment is a document of the borrower. The views expressed herein do not necessarily represent those of ADB's Board of Directors, Management, or Staff, and may be preliminary in nature. Your attention is directed to the "terms of use" section of ADB's website.
In preparing any country program or strategy, financing any project, or by making any designation of or reference to a particular territory or geographic area in this document, ADB does not intend to make any judgments as to the legal or other status of any territory or area.

APPENDIX 7: Details of Public Consultation along the RRTS Corridor

Date: 04-12-20 Locality: Siddhartha Ext,Pkt-C Ward: Bhogal District: South East Delhi





Name	Profession	Age	Sex	Signature
Mikhil Shatas	s Service	40	m	QUAL H D
Dr Aryn Goyal	Doctos	60	m	Notes
namish kaza	Business	42	m	Value of the state
SACHIN LAMBA	Service	42	100	Mary Dy
or T. K. Chakas varthy	Doctos	64	m	Sieris
		- 1	,,,	1 m

4. List of Participants	Profession	Age	Sex	Signature
Name	Protession		10000	10 pm
0 01 1	Omice	156	W	
Rom Mehritra	10 lines	42	m	Ashri
Ashu sharona	BW8 1103	1	-	1. Milopinon
Arriva Tribo	Ho Busme	\$ 5U	m	by Cher par
100000	10.84° 0.	45	m	
Superwinder	service	10	1	A.
Teeteroraker	whi Bubines	258	m	Strytm
- A	antiness	140	0.	Miam
Idana Head	18, 01,110	> 10		
FGD Questionnaire	Page 2	2 of 4		

PHOTOGRAPHS AND LIST OF PARTICIPANTS

APPENDIX 8: PHOTOGRAPHS AND LIST OF PARTICIPANTS

Date of Consultation: 23.05.2022

Location: CPM/Delhi Office

Participant: Siddhartha Extension Senior Citizen's Welfare Forum (SESCWF)

Siddhartha Extension Residential Welfare Association (SERWA)

ADB Official NCRTC Official

General Consultant-AIAI-GC

External Monitor Consultant-(Environment)- M/s Egis India Pvt Ltd External Monitor Consultant for RP Implementation



Attendance Sheet

		ATTEN	DANCESHE	tre ba	0 23.05.566
Sub:	Focus Group Discu Welfare Forum and	CONTROL STATE OF THE STATE OF T		on of ADB with EWA, Sen the Extension at CPM/Del	
Sr. No.	Name	Designation	Mobile No.	Email Address	hi office Signatur
1	SHARAD SAXD	a ADB		SSCHERNE WAS L	
2	CALLETTA CALINA	4013	f6 1032 53165	2- Claustic adbing	Hong.
3	MARCO Space	APB Consulmer		mano grow Dinat w	- 81
4	Suralam Ser	ADB	+91-882638 8331	sisen@albay	lla
5	PRANAYKUMK	External Monitor Social	933472	prancy Kumas 1964.	pr of
6	Ajay kumaz sha	Safeguard Expend	98188	akehorma @ aiaige. com	Mayor
7	Races Almad Klus	Dyce/n	991098883	races alcanga	A
8	Shambhu Neth Singh	manger /E	701-366 19	Shampt mills sign	<u>J.l.y</u>
9	DEVARLA GAOTAM	NCATE	9562471272	devanth gowton &	D.
10	Ashe Ahija	fesident - Sidd sale .	9718801617	alhaahija 47 Rgund	· lan Str
11	MRS K. KAPUR	Resident Sid. Ext	98182046	2 KKPSPK@gmai	e stapu
12	RUNG	Cosider	1916=18PF	Sing- got Bogueil- CN	par
13	Dr Arum Goyte	Doch	9212797	aringyal Chata	Oly
14	M.L. Alinja	Advicer SCNFSE	कि ।। 2 न न न न	mohan belahija e	a

PHOTOGRAPHS AND LIST OF PARTICIPANTS

Welfare Forum and	ssion for consul	ANCESHEE		
	affected flat ovr	lation Mission iers of Sidbarth	of ADB with RWA, Setula Extension at CPM/Delhi	Marks Sales
Name	Designation	Mobile	Email Address	Othos
M.M. Coupla	Brendent F	9312229661	mms 14/2 47 CE	Signature
Suboold Kener	Mayor Bright	9717647842	subodhikumara	mallell -
Am Bajpai	Rovidat 220-B/C	9810//700	3 anubajpai 200	AS
SURJIT SINGH BEEK	CIVI FUTURALLY C	OO TLAL	R SURTH-S@EGIS- LVD	11A.cogo 2-
SANDEEP BYARDWAT	Environmental Expect-EEMC	701367174	sancrep bioghtide	Agont
Yogerh Shiredon	ce/qu	9199022989	Yogan Saturbara e nerte.in	8 10
	M. M. GHATA SUBOOLL KEMERY ALLE BOYPORE SURJET SINGH BEEFLE SURJET SINGH BEEFLE SURJET SINGH BEEFLE SURJET SINGH BEEFLE BHARDWAT	M. M. COUNTRY Breendersh Stock of Suboolk Kewar Chief Brigher Straig on Arm Baypai Rovident 220-B/C SURJIT SINGH BREEK CONTONNESSALE EMPLY - FEM. RETS - MELTING BRIEF BRIEF BRIEF BRIEF BRIEF BRIEF BRIEF BRIEF BRIEF BRIEF METAL	M. M. Gruff President 93/3229661 Suboold Kener Ching Ingel 97/7647842 Ann Baypai Rovident 98/0//700 220-B/C SURSIT SINGH BEEK CATLL EXPELT - FEM - RETS - MENUL SAN DEEP Environmental 1997/0/28: RATE - MENUL BYANDERP BYANDWAY BYANDWAY	M. M. Gulla Brendent 5312229681 mmg 14/2 17 CE Suboolk Keeser Chy Bryest 9717647842 subodh. Keeser Chy Bryest 9717647842 subodh. Keeser Mong on 12706 17 66 17 17003 anubaypai 2003 2008/C 200-B/C 200

A. NCR	TC Officials	
Sr. No	Name	Designation
1.	Mr. Y C Srivastava	CE/ G
2.	Mr. Subodh Kumar	CPM/Delhi
3.	Mr. Raees Ahmed Khan	Dy.CE/Delhi
4.	Mr. Shambhu Nath Singh	Manager/Environment
5.	Mr. Devansh Gupta	EA/Civil
B. ADB	Officials	
1.	Mr. Sharad Saxena	Principal Transport Specialist
2.	Ms. Laureen Laurito	Social Development Specialist
3.	Ms. Suvalaxmi Sen	Environment Specialist
4.	Mr. Marco Sprong	Environment Specialist (Consultant)
C. Gene	ral Consultant-AIAI-GC	
1.	Mr.Ajay Kumar Sharma	Sr. Social Safeguard Expert
D. Exter	nal Monitor Consultant-(Enviro	onment)- M/s Egis India Pvt Ltd
1.	Dr. Surjit Singh Deepak	Environmental Expert
2.	Mr. Sandeep Bhardwaj	Environmental Expert
E. Exter	nal Monitor Consultant for RP	Implementation
1.	Mr. Pranay Kumar	Social Expert
F. Sidha	ertha Extension Residential	
1.	Mrs. Asha Ahuja	Resident- Sidhartha Extension
2.	Mrs. K.Kapoor	Resident- Sidhartha Extension
3.	Mrs. Winni	Resident- Sidhartha Extension
4.	Dr. Arun Goyal	Resident- Sidhartha Extension
5.	Mr. M.L.Ahuja	Advisor SCWFSE
6.	Mr. M.M.Gupta	President SESCWF
7.	Mrs. Anu Bajpai	Resident- Sidhartha Extension(220-B/C)

APPENDIX 9: Copy of Letters dated 05.07.2021 and 17.08.2021 from NCRTC to Sr. Citizen Welfare Forum (Sidhath Extension)



Appendix-9 • www.ncrte.in (भारत सरकार एवं प्रतिमागी राज्य सरकारों का एक संयुक्त उपक्रम) National Capital Region Transport Corporation (A Joint venture of Government of India and participating State Government)

No. NCRTC/CPM/D/SIDDHARTH EXTN./2019/97/2067

Date: 17.08.2021

To,

The Sidhartha Extension Sr. Citizens' Welfare Forum (Regd.), Porta Cabin Near Gate No. 3, Pocket 'C', Sidhartha Extension, New Delhi-110014.

(Kind Atten.: Sh. M.M. Gupta)

Sub: Implementation of Delhi-Ghaziabad-Meerut Regional Rapid Transit System (RRTS) Corridor - Properties/Flats falling in Sidhartha Extension on stabling line alignment of NCRTC

Ref: (i) NCRTC's office letter no. NCRTC/Genl./1/Vol.III dated 05.07.2021

- (ii) Letter No. SSWF/SID.EXTN./2019/20/137 Dt. 14.11.2020
- (iii) Letter No. SSWF/SID.EXTN./2019/20/136 Dt. 05.11.2020
- (iv) NCRTC's office letter no. NCRTC/CPM/D/MISC/2019/69/351 dated 05.08.2019

Kindly refer to your above referred letters through which you have raised concerns on health, safety and social related issues due to passing of RRTS Stabling Yard alignment through Sidhartha Extn. Pocket-C. Brief on Stabling alignment was communicated vide this office letter dated 05.07.2021 (reference-(i)). However, for your better understanding and appreciation regarding RRTS project, following information is shared:-

A. (i) NCR in India, being the largest in country and one of the largest urban agglomerations in the world, is currently facing issues of severe congestion and unprecedented pollution levels, which is caused by uncontrolled urban sprawl followed by high transport demand. In order to address these concerns and empower citizens through improved efficient mobility and promote sustainable socio-economic growth of National Capital Region, Functional Plan on Transport for NCR-2032 has recommended development of Regional Rapid Transit System (RRTS) across the NCR.

(ii) RRTS is a high-speed (Design speed of 180 kmph and average speed close to 100 kmph), high capacity rail-based commuter transit system serving traffic nodes at about 5-10 km. It will significantly reduce the travel time between

Registered & Corporate Office:

7/6, सिरी फोर्ट इंस्टीट्यूशनल एरिया, अगस्त क्रांति मार्ग, नई दिल्ली 11004

7/6, Siri Fort Institutional Area, August Kranti Marg, New Delhi 110049

CIN: U60200DL2013G0I256716

P 491 11 41066943 F +91 1J 4J066953

M. contactus@neric.in

various towns of NCR served by it. Such transport solution will support the goal of sustainable economic and social development of the region, with protection of decaying environment.

- (iii) RRTS is a large-scale strategic infrastructure project and has been included in the National Infrastructure Pipeline (NIP), recently finalized by the Task Force headed by Secretary, DEA and unveiled by Hon'ble Finance Minister. Furthermore, the Project is included as a medium-term measure in 'Comprehensive Action Plan' (CAP) for Air Pollution Control in Delhi & NCR' and forms an integral part of recommendation of 'High Powered Committee on Decongesting Traffic in Delhi'.
- (iv) RRTS will significantly reduce traffic congestion on the roads due to modal shift in favour of public transport through a high-speed, high-throughput, environmentally friendly, safe, secure, rail-based public transport. Further, there will be a significant reduction in CO2 emissions (about 1000 Tonnes/Day) as a result of shift of commuters from road-based transport to RRTS. Pollution reduction will also accrue additional economic benefits such as savings due to improved health of citizens, reduced expenditure on treatment of diseases/medicines, etc.
- B. Considering importance of RRTS project for achieving socio-economicenvironmental benefits, the RRTS projects have been viewed favourably by various constitutional and statuary authorities:
 - 1. In the matter of M.C. Mehta v/s Union of India and others (Writ Petition (C) No. 13029 of 1985, On January 18, 2019, Hon'ble Supreme Court of India observed that this project is "absolutely necessary and there should be no delay on the part of concerned authorities". In the same case, the Hon'ble Supreme Court on 06.03.2019 observed that "the corridor (Delhi-Meerut) is absolutely necessary for Rapid Transport to ease the out growing congestion and for reducing the pollution."
 - 2. In November 2019, due to alarming increase in air pollution in NCR, Hon'ble Supreme Court had banned the construction activities in Delhi-NCR. However, Hon'ble Supreme Court passed an order on 16.12.2019 stating "Considering the importance of the project in question for reducing the pollution in Delhi, we permit the construction activity relating to project even during nighttime."
 - NCRTC has also been permitted project alignment through Yamuna river flood plain by the National Green Tribunal (NGT) and Yamuna Standing Committee.

- 4. Hon'ble Supreme Court, in one of the cases, had banned all construction in sanitary land fill sites. However, in case of RRTS project, considering its importance, Hon'ble Supreme Court vide order dated August 7, 2020 has allowed construction of elevated viaduct over Millennium Park, which is a sanitary land fill site.
- C. Issues/difficulties raised vide above referred letters has been deliberated below along with NCRTC's comments:-

1. FEW SUGGESTIONS

SN	SUGGESTIONS	NCRTC COMMENTS
1.	There is lack of awareness of the project among residents w.r.t. exact route and its cutting through the colony, location of pillars commencing from outer ring road till end. - As it concerns movement of heavy traffic e.g., school buses/ lorries, ambulance, etc. covering of Barapullah Nallah for road expansion to ease traffic has to be examined.	 NCRTC has shared the details of alignment passing through Sidhartha Extension. Required drawings were shared vide letter under reference (iv) dated 05.08.2019. NCRTC has already clarified the location of Piers in the colony to all the three groups individually during the visits and it was clarified that due to permanent structures of RRTS, traffic in Sidhartha Extension will not get affected. NCRTC will make proper workable and good arrangement of traffic movement during temporary phase of construction also.
2.	Exploring other options of parking yards: - To explore other options to make the parking yard e.g., in Millennium Park, adjoining to Nizamuddin station parking yards.	 Various alternate alignment options for the Viaduct and Yard were explored to avoid the above residential colony but no other techno-commercial option was found technically feasible. Viaduct is crossing the colony as elevated structure at a height of about 24 m from ground level.

2. SOME UPDATES

SN UPDATES		NCRTC COMMENTS		
1.	The area is water logged since	· The ground conditions can only be		

2010, and is on records. Foundations of all types of construction are deemed to be submerged in water and in process of degeneration. When the area was rehabilitated, it was all dry land foundations laid as per normal DDA standards, without any consideration of such circumstances arising future. Over a period of time say, after few decades, and degeneration process getting quite active, shall it with stand to the vibrations generated by new metro trains besides risks of natural phenomena of earthquake tremors etc. In addition, there exists Indian Railway traffic, having multiplied manifolds, over a period of time which also transmits vibrations, as is being experienced by many residents. Proposed Rapid Metro traffic is bound to add to our yows. Flat nos., falling between 195

- ascertained by Geo-Technical investigation for which permission from RWA was requested. However, Permission is still awaited.
- NCRTC will take all reasonable precautions at the appropriate time once NOC is granted for geotechnical investigations in the complex.
- NCRTC is a professional organization and mandated by GoI to construct a state of the art high speed rail-based system at an estimated cost of Rs. 30,274 cr. All precautions and measures towards structural stability of NCRTC structures and also for adjoining structures shall be considered while designing the structure.
- It is assured that NCRTC is fully equipped to undertake the design of heavy structures in all type of soils including for underground structures.

- to 220 are likely to be affected the most out of which some are already identified by NCRTC, while in the left out, some others having common walks 2 parallel rows on both sides are not included. Besides quite a few other blocks can be considered. We are in total dark about the criterion adopted in identifying some as affected flats, in isolation.
- NCRTC has already carried out the social impact assessment of this connecting line and will incorporate the same as an addendum to the approved SIA report.
- NCRTC will follow the recommendations of SIA report which is under scrutiny by ADB. SIA will be shared once approved by ADB.
- Lots of input costs, energy is added to raw flats by residents
- The issue will be addressed with eligible flat owners if applicable.

	to satisfy their own needs/ requirements.	
4.	This area is ideally located on outer Ring Road and Yamuna banks and well connected to Railway stations, Bus terminals, Hospitals, children's schools, etc.; all within 10 kms radius and Airport about 25 kms.	

3. INFORMATION REQUIRED FROM NCRTC

SN	UPDATES	NCRTC COMMENTS
15	What all clearance/NOC's, NCRTC has already obtained from agencies like DDA, SDMC, Environments, pollution board, noise pollution and what are defined limits WITH CURRENT VALUES. How much green area is likely to be used, which trees are to be felled etc., with copy of documents/clearances.	 NCRTC has obtained all required clearances from concerned Authorities before starting the construction work. For tree cutting permission, survey will be conducted after NOC is issued by RWA. No green area is likely to be used on permanent basis other than required for three piers.
2.	What are required parameters national/international and being followed, when you cut through an existing urbanized residential complex allotted by DDA with over 32 years of physical habitation? - Noise levels - Vibrations limit to withstand sagging structures. Soil testing from IIT etc.	 No such parameters are defined for specific case. Study has already been conducted for Noise and vibrations in Pocket-C, Sidhartha Extension for RRTS Corridor. NCRTC confirms that noise level will not increase more than the existing noise levels due to movement of RRTS trains on the subject viaduct. Boil testing will be carried out after it is permitted by RWA inside the complex.
3.	We admit we have shallow knowledge on the subject and the residents, within their natural right, deserve to be	No comments

	apprised.	
4.	All communication by individuals etc., when replied by NCRTC, need to be marked with a copy to RWA/Senior Citizens Forum.	Communication remains a confidential matter between NCRTC and individual flat owners.
5.	Were some other locations examined/eliminated, before zeroing on the present site/plan?	 Replied against item no. 2 of "Few Suggestions" as mentioned above.
6.	What are NCRTC's plans for impacted flats.	 NCRTC will follow Resettlement Plan, which is under final scrutiny with ADB. The copy of the same shall be made available shortly after the approval of competent authority.
7.	NCRTC's assurance on safety/security concerns while work remains in progress.	 NCRTC is a professional organization and executing project work with high level of safety norms. Delhi-Meerut Corridor construction work is in progress on the median of the road having heavy traffic movements. All safety measures are being taken in professional manner. NCRTC shall meet requisite safety/security requirements during construction period and even afterwards as required.
8.	Assurance to examine unidentified concerns which are likely to arise in future and during implementation stage and later on	 NCRTC is committed to deal all the issues related to this project right from start to completion and thereafter.
9-	Restoration of parks, roads and other children's installed recreations facilities etc.	 NCRTC is committed to do all restorations works if disturbed due to RRTS project. This has already been briefed/communicated /assured to all the three-groups representing one Sidhartha Extension. NCRTC is committed to maintain existing facilities like Park, Roads and other children recreation



installations if disturbed in Pocket-C
area of Sidhartha Extension.

4. INFORMATION REQUIRED FROM NCRTC

SN	UPDATES	NCRTC COMMENTS
1.	Structural Safety: It is obvious that, at first hand, there is going to be adverse effect on the adjoining structures, on both sides of the track, taking into account its vicinity. The layout plan and study conducted need to be shared with the residents.	 There will not be any adverse effect on adjoining structures. In fact, piling will improve ground condition. The method for Piling will be boring of pile instead of driving of pile by impact method. NCRTC proposes to undertake structural survey of flats in complex adjoining to alignment before, during and after completion of project activities in the complex subject to issue of NOC.
2.	Environmental Pollution: It is obvious that the flats, as mentioned above, will face issues of environmental pollution due to noise, vibration, blockage of sunlight and air and depletion of the green area. The resident needs to be educated whether any study has been conducted in this respect.	 NCRTC is committed not to increase the present levels of environmental pollution after and during construction of RRTS project. NCRTC has already carried out Noise and Vibration study by CRRI. NCRTC confirms that noise level will not increase more than the existing noise levels due to movement of RRTS trains on the subject viaduct. Sunlight study is in progress. It will be shared after completion.
3	Health and well being of Senior Citizens and Children: Whether any study has been conducted to evaluate short term and long term affects, in this serious matter, during construction and after putting it in operation? Is there any long term health plan on the anvil?	 NCRTC is committed not to increase the existing environmental conditions and pollution levels during construction and after construction. NCRTC is constructing a professionally designed viaduct which will have no adverse health impact on the health of residents. If



		there is any apprehension, it may be spelt out.
4	Risk factors: There are apprehensions that being a giant construction whether or not there will be any risk during earthquakes or other natural calamities/disaster.	 NCRTC is a professional organization and is utilizing the services of international and national experts to undertake the design of heavy structures in all conditions including earthquake. NCRTC has specialized experts such as General Consultant, Detailed Design Consultant, Team of Project Executing Contractors, who work as per laid down standards and good industry policies. Construction activities are being taken up based on approved design & drawings and design takes care of earthquake forces.
5	Dangerous Ground Water Table: It is a matter of record in a litigation by one of the residents that the ground water table in the area is very precarious, merely 1.5 to 2.5 meters and there have been incidents of ground sinking at different places, number of times. DJB had also undertaken a corrective action, on the direction of the Court involving Crores of rupces. However, there is no study or details about its efficacy or impact. It is hoped NCRTC must also have taken into accounts this aspect and any report or document on this need to be shared.	 We are thankful for keeping NCRTC updated regarding ground water table in the area. We assure that NCRTC design team will take into account this information during design of viaduct. NCRTC has not been provided NOC to assess and know technically the facts available regarding.
6	Clearances from concerned authorities: It is hope that necessary NOC or clearances must have been	NCRTC has obtained all required clearances from concerned Authorities before starting the construction work.

	obtained from the agencies like DDA, MCD, Central Pollution Control Board, etc. If so details to be divulged to the extent feasible.	
7	Effects of the DMRC UG Metro Line passing through a part of the colony: It is a matter of record that a section of the Pink Line of DMRC has been laid UG, diagonally from Sankat Mochan Mandir Marg to flats in blocks 50-ABCD to 55-ABCD. There has been considerable damage to the flats and some rehabilitation measures had also reportedly been taken. However, as per version of the residents they still feel lot of continuous vibration from the passing trains which tantamount to various apprehensions disturbing their peace of mind.	The subject matter does not pertain to NCRTC. NCRTC is not constructing underground tunnel through Sidhartha Extension.
8	Totally ignoring the representations from RWA & Sr. Citizens Forum: It was pointed that there have been various representations from Sr. Citizens' Welfare Forum & RWA, who have been writing from the initial stages of the Project. How can NCRTC proceed without a formal NOC from the above duly registered bodies? A clarification needs to be given in the matter. If at all there are some, the same may please be placed on record.	 NCRTC is maintaining contact with all the three organizations of Sidhartha Extn. NCRTC will approach the concern at appropriate time for NOC if required.

5. Some of the Concerns /Issues raised by residents during meetings and replied are under:

SN	Residents	NCRTC Comments
	Concern	
1	Vibration and Noise pollution due to trains passing at mere 9 meters above the residences.	 NCRTC has conducted study through ar independent body CRRI for mitigating Noise 8 Vibrations Pollution. NCRTC has already agreed to provide noise barrier if noise generated due to RRTS trains will be higher than existing ambient noise. All necessary measures shall be adopted to keep the noise and vibration within permissible limits during construction as well as during train operations. NCRTC committed not to increase in level or vibration and noise from the existing ambient noise levels.
2	Weakening of Structures due to Deep Pile Foundations	 Concerns of residents not correct. NCRTC should be allowed to access and know technical details of existing conditions. Pile will strengthen the soil conditions of the area. Deep foundations by boring of pile are commonly adopted practice for viaducts. There are several examples of similar kind of works executed in the vicinity of residential/commercial flats without weakening the existing structures. NCRTC still confirm that an independent agency will be appointed to carry out structural survey before and after the construction of viaduct.
3	Damage to utility lines like Piped Natural Gas, electricity, phone, water pipes etc.	 NCRTC being a professional organization shall undertake all Utility diversions in planned manner at appropriate time. NCRTC will deploy the specialized agencies for shifting of services like Gas pipeline etc. If any utility system is damaged, it will be made good by NCRTC.
4	Blocking of Sunlight as the proposed width of	 Sunlight study is in progress. It will be shared after completion.



	the viaduct (10.63 m) is greater than the distance between the buildings (8.92 m).	
5	Loss of rainwater harvesting system and a park with green cover that consists of larger and old trees.	 Viaduct piers have been placed at the edge of the park, thus green cover in the park area will not get reduced. Felling of trees would be kept to bare minimum with provision of transplantation of trees as per statutory norms. However, NCRTC will plant additional trees as part of its plantation campaign. NCRTC will construct rainwater harvesting system which will cater the viaduct. NCRTC can take up plantation even before execution of project in the Sidhartha Extension, if suggested by residents.
6	Safety of residents, excessive noise pollution and structural safety of buildings during construction.	 Construction of RRTS is large public infrastructure project being executed by experienced professional technical experts with deployment of modern technologies. NCRTC is doing construction of Delhi-Meerut Corridor where high level of safety standards are being followed. NCRTC has a well-developed multi-layer safety mechanism having teams from General Consultant, Detailed Design Consultant, Safety Team of Project Executing Contractors and that of NCRTC to take care of safety aspects. Standard Safety, Health and Environment (SHE) guidelines shall be observed during project implementation. Structural safety of the adjoining buildings can be observed through building survey carried out before and after the construction.
7	Hinderance to internet and mobile networks due to interference by electric traction	 Mobile and internet networks of residents in the society won't be affected due to OHE traction of RRTS. It can be appreciated that commuters travelling in DMRC/Railway network are



	line.	able to access internet from inside the train, being in the closer proximity to the OHE.
8.	Risk Factors – Risk during construction due to earthquake and natural calamities/disasters.	 RRTS is a high speed, high-capacity rail-based commuter system being developed by experienced professional and engineers. Dedicated teams such of General Consultant, Detailed Design Consultant, Team of Project Executing Contractors, their designers and NCRTC team are involved in the design and construction for the designed performance and safety of proposed structures. Design takes care of all the forces as per codal provisions.
9.	Ignoring the representation from RWA & SCF	NCRTC is maintaining communication with all the organizations of Sidhartha Extn.
10.	Depletion of green area	 It will be ensured that available green area remains same and there is no depletion of green area. NCRTC can take up plantation even before execution of project in the Sidhartha Extension, if suggested by residents.
11.	Issue of Health Hazard for more than 100 Senior Citizens and children living in the affected flats	 RRTS will significantly reduce traffic congestion on road due to model shift in favor of public transport through a high-speed environment friendly, safe, secured, rail-based public transport system. NCRTC will assure that all required health parameters remain within the existing limits and continuous monitoring mechanism will be developed during construction.

With Best Wishes,

(Subodh Kumar)
Chief Project Manager/Delhi
Email: cpm.delhi@ncrtc.in



राष्ट्रीय राजधानी क्षेत्र परिवहन निगम (भारत सरकार एवं प्रतिभागी राज्य सरकारों का एक संयुक्त उपक्रम) National Capital Region Transport Corporation (A Joint ventum of Government of India and participating State Governments)

dated: 05-07-2021

No. NCRTC/Genl./1/Vol.III

To,

The Siddharth Extension Sr. Citizens' Welfare Forum, Porta Cabin Near Gate No.3, Pocket 'C' Siddharth Extension, New Delhi-110014

(Kind attention : Shri M.M. Gupta)

- Refer to your email dated 17th June 2021 addressed to MD, NCRTC inter-alia others. Your concern on health and social related issues specially on residents of Siddhartha extension due to implementation of RRTS projects are well appreciated. A brief on RRTS and Jangpura Stabling yard is given below for better appreciation.
 - Regional Rapid Transit System (RRTS) is a rail based high speed, high frequency regional transit system connecting regional urban nodes as public transit backbone.
 - (ii) As the name suggests, the system is defined by regional character and high speed creating a network of networks, wherein the RRTS is integrated with National Network of Indian Railways and Airport on one hand and with intra-city networks such as city-buses, Metro, IPT etc on the other.
 - (iii) Sarai Kale Khan is planned to develop as major station to integrate three RRTS Cooridor namely Delhi – Meerut Corridor, Delhi – Alwar Cooridor and Delhi – Sonipat Cooridor and ISBT.
 - (iv) Development of terminal station, stabling yard, office complex and residential complex for RRTS employees at Jangpura are also part of RRTS and connectivity from Sarai Kale Khan station to the Stabling Yard is planned through elevated viaduct which is more than 21 meter height from ground level.
- 2. The Connectivity to Jangpura from Sarai Kale Khan is also deliberated in length by NCRTC involving expats from engineering point of view, cost optimization and minimum displacement of personals. Development of such projects always attracts social issues and its endeavor of implementing agencies to optimize these in the interest of public for the public.

Contd.....2/-

Registered & Corporate Office

7/6, सिरी फोर्ट इंस्टीट्यूशनल एरिया, अगस्त क्रांति मार्ग, नई दिल्ली 110049 7/6, Sin Fort Institutional Area, August Kranti Marg, New Delhi 110049 CIN: U60200DL2013G01256716

+91 11 41066943 +91 11 41066953

M. contactus@ncrte.in

- 3. The route through urban area is selected by NCRTC with minimum 5 meter offset from the outer edge of viaduct and structures region considered in infringement zone for acquisition. Initially displacement of residents of 24 (twenty four) flats of Siddhartha extension were envisaged and design is being refined to reduce it further to least possible.
- 4. Studies on sound eco, noise, air pollutions including vibration effects for such projects are mandatory requirements to maintain the baseline values (i.e. the relevant values on the date before physical commencement of work) during construction and operation. These values are mandatory to be monitored on defined interval. NCRTC is monitoring their issues on monthly basis.
- In addition to studies, the design of RRTS system is also improvised by NCRTC
 to reduce such effects. NCRTC is constructing ballastless track, which is
 creating least eco, noise, vibration pollution in the world and even coaches are
 designed accordingly.
- 6. In addition to regular SIA consultant, CRRI has also been engaged by NCRTC to study the issue of noise and vibration pollution. The report is also under finalization and shall be available in the public domain shortly along with EIA report. All the baseline values of various pollution parameters are specified in the EIA report for future references. CRRI has recommended provisions of noise barriers in Siddhartha extension which shall also be complied with in the interest of people.
- I hope all the queries have been answered regarding first such project of India. NCRTC is at your service and always open to attend further queries in future also.

We are thankful for your kind support to NCRTC in larger interest of public as well as national interest.

> (Yogesh Chandra Shrivastava) Chief Engineer/General

Comparison of Alignment options for connecting line (viaduct) from Sarai Kale Khan Station to Jangpura Stabling Yard

Main Feature	Merits	Demerits	Environmental Impact	Social Impact	Final Decision	Reason for acceptance/ Rejection
Alignment Option-1						
By passing Siddhartha Extension Pocket C Flats situated in between Gate3 and Gate2	Siddharth extension colony is not getting affected.	This Alignment will have following disadvantages/technical issues: 50 m span over Barapulla flyover is having sharp horizontal curve of 145 m. Therefore, the alignment is technically not feasible. Further, the alignment will have a 122 m span viaduct with 65-degree skew angle at railway crossing. Out of 122 m span, 50 m length is on curve of 150m radius and 72 m length is straight. Due to space constraint, launching and movement of construction machinery and materials, 122 m single span viaduct is not possible. The feasibility of construction of an intermediate pier in the space available between the running tracks is also explored and found not feasible due to (i) OHE traction lines of 25 KV for Delhi Agra main line is a hinderance in mobilization of construction machinery in the intermediate space (ii) Construction will	Sharp curve of 145 meter give rise to high frictional noise pollution. Approximately 532 trees will be impacted.	The alignment falls in the closed vicinity of G+4 building comprises of 99 House. The alignment also affects 26 Squatters 8 Shops and 1 temple. (Near Barapulla Flyover)	Not recommended	The alignment is technically not feasible, in addition this option of alignment will have more environmental and resettlement impact. Therefore, not selected.

Main Feature	Merits	Demerits	Environmental Impact	Social Impact	Final Decision	Reason for acceptance/ Rejection
		require block periods and shutdowns which will not permitted by railway.				
		This alignment will be costlier due to additional requirement of 101 m span of viaduct on this alignment which can be avoided by choosing option II alignment. Parapet of RRTS viaduct is at a				
		close proximity of 3m from G+4 building (near Barapulla Flyover).				
Alignment Option	n-2					
Inside Siddharth Extension Pocket-C colony affecting 24 no Flats	Geometry of alignment is made smooth.	Alignment inside Siddharth extension colony is having horizontal curve of radius 702.25 m. The chances of wear and tear increase with reduction of radius.	Curve of about 700 meter give rise to comparatively high frictional noise pollution.(as compared to Option III) About 469 trees will be impacted	There are 25 affected house hold to be displaced. Of these 22 house hold (24 flats) will be physical displaced and 3 household will be economically displaced. 4 are vulnerable households (women headed households)	Not recommended .	The alignment have more environmental and resettlement impact as compared to impact in Option-III.
				In addition, 3 household as occupancy tenant on Govt. land and		


Appendix-10

Main Feature	Merits	Demerits	Environmental Impact	Social Impact	Final Decision	Reason for acceptance/ Rejection
				1 structure belonging to RWA will also be affected.		
Alignment Option	n-3					
Inside Siddharth Extension colony affecting 8 numbers of Flats	The alignment passing through Pocket-C is almost straight Geometry of alignment is improvised to make it further smooth.		There will be less frictional noise due to almost straight track. About 469 trees will be impacted.	There are 08 individual flats owned by 08 households in an apartment/building /flats coming within the partial shadow of the viaduct. These 08 individual flats needs to be acquired or relocated or temporarily shifted as per discussion and mutual agreement with the flat owners and 1 structure belonging to RWA will be affected.	Recommended	This option is technically viable. Besides this alignment has least environmental and resettlement impact as compared to Option-I and Option-II. Hence found most suitable and selected for construction

Comparison of Alignment options for connecting line (viaduct) from Sarai Kale Khan Station to Jangpura Stabling Yard Figure-1 Plans Showing all Options



Figure 2: Plan Showing Final Alignment of Siddharth Extension-Option 3



Minutes of Meeting held on January 6th, 2022 with with ADB, NCRTC, and Siddhartha Extension Senior Citizen's Welfare Forum (SESCWF)

Type of Meeting- Representative of Siddhartha Extension Senior Citizen Forum (SESCWF) Mr. Manmohan Gupta and Mohan Lal Ahuja requested ADB to set a meeting to explain their viewpoints and grievances with relation to the construction of stabling line passing through Siddhartha Extension. Accordingly, a virtual meeting with SESCWF representatives and NCRTC was held on 06 January 2022 to hear the grievances and suggestions for improvement of the local surroundings of the proposed stabling line at Jangpura.

Points Discussed:

SN.	Discussion Points
2.	Mr. Mohan Lal Ahuja appreciated NCRTC and ADB's initiative towards organizing the virtual meeting. Mr. Ahuja mentioned that NCRTC had not placed any hoarding about the project information in their area. Mr Ahuja also mentioned that no project reports and studies were shared with them. Mr. Ahuja is a senior citizen and has been a resident for 35 years. NCRTC contacted 25 residents, not all. Hoardings were not put at site. SESCWF wasn't aware of this. They were not informed. Mr. Ahuja mentioned that they checked a previous report on ADB website and realized that there are such reports prepared and available for disclosure. He referred their earlier communication with NCRTC and informed that there is a lack of
	awareness about the project among the residents about the exact route of stabiling yard connecting line passing through Siddhartha Extension. In addition, he sought clarification on deciding project-affected persons (PAP) by NCRTC.
3.	Mr. Yogesh Srivastava (NCRTC) mentioned that they had shared respective correspondences on project developments and status in timely manner with the committee. He also mentioned that the latest correspondence was shared on 4th January 2022. He added that NCRTC is conducting studies on a shadow analysis and real estate projection as requested by the Welfare Association on pollution and environment. He informed that the required flats for construction of the Jangpura Stabling Line connection are being purchased through the direct purchase policy of NCRTC. He informed that all these information are already available in written correspondences available with RWA as well as SESCWF and PPT were shown to the all interested persons of the colony. He also agreed to discuss the matter with the competent authority of NCRTC to place hoarding to inform the Siddhartha Extension citizen about the project details and the list of the properties affected due to the construction. He assured that adverse impacts will be mitigated.
4.	Mr. Man Mohan Gupta mentioned that it was all because of the recent correspondence that they realized there were so many studies conducted for the project site, but those were not shared with the committee. Mr. Man Mohan Gupta mentioned that NCRTC hasn't taken the senior residents into consideration. Hoardings have not been put about exactly how many flats are directly affected. He also asked the reason as to why the project should traverse through the society. No survey report had been shared with the complainants, especially. Resettlement Plan dated March 2020 -has not been shared with them. Main concern is transparency and lack of communication with NCRTC. Mr Gupta raised a question as to why a second SIA was conducted?
5.	Mr. Ahuja and MR Gupta both mentioned no reports were proactively shared with them. The contractor of NCRTC, gave a presentation with 4 slides. Senior citizens houses have been marked as red. What was the rationale behind defining 5 meters as the distance for identifying affected households? Mr. Gupta said that due to changes in the connecting line alignment, they do not know which households will be affected, and which ones will not be affected. Mr. Man Mohan Gupta suggested that properties that fall outside the distance of 5m. from the viaduct should also be considered as affected properties
6,	Mr Gupta mentioned that there will be noise pollution for 2-3 years during construction stage. Property prices will gradually increase after 20 years. Senior citizens are already too old to wait for 20 years. Is there any International Standard for defining the 5 meters distance? Is there a guideline? This has not been shared by NCRTC.
7.	Mr. Gupta mentioned that the committee wants to know how NCRTC will compensate the senior citizens. He said under the Right to Fair Compensation and Transparency in Land Acquisition, Rehabilitation and Resettlement Act 2013, they are considered affected persons and should therefore be compensated as per the Act.
8.	ADB informed SESCWF that the design of the Jangpura Stabling line was finalized after the publication of the approved Resettlement Plan (RP). NCRTC has taken up the preparation of supplementary SIA and RP to fulfil the ADB requirement to alleviate concerns of the community affecting directly and indirectly from the construction of the Jangpura Stabling line connection.
9.	The ADB team explained that it has stringent requirements on consultation and information disclosure, and that it is working with NCRTC to meet these requirements. It also informed that the ADB Safeguard Policy Statement, which applies to the project, requires NCRTC to assess, mitigate, and or compensate adverse impacts so that affected persons are not worse off due to the project. It updated that the Resettlement Plan for the stabling yard and connecting line was submitted by NCRTC on 28 December 2021, and is under compliance review.
10.	Mr. Yogesh informed that they have addressed their all concerns through various correspondences and in case, RWA feels that some of their issues need more clarification, they may nominate their representative to discuss the same. It is again and again being reiterated by NCRTC to address all their concerns related to sound, vibration etc except financial aid. NCRTC has also written to Resident Welfare Association of Siddhartha Extension to nominate an authorized representative to represent the colony to discuss rehabilitation plan for the colony after the construction and other issues for successful implementation of the project. It was agreed that a representative/ committee shall be nominated by the RWA to discuss the issues with NCRTC and outcome shall be shared with ADB.

ERNAL. This information is accessible to ADB Management and staff. It may be shared outside ADB with appropriate mission.

Community Interaction Programme

List of Participants During Community Interaction Programme on 05.07.2022

S.No	Name	Designation	Organization	Email Address
1	M L Ahuja	197-A	Resident	mohanlalahuja@gmail.com
2	Anu Bajpai	220-B	Resident	Anubajpai805@gmail.com
3	V.D Sharma	217-A	Resident Gen Sect SEWF	
4	M.M Gupta	213-D	President SESCWF	Mmgupta47@gmail.com
5	Kamlesh Reguvanshi	152-B	President RWA	raghukamlesh@gmail.com
6	M.C Gupta	212-B	SESCWF	Mcgupta210@yahoo.com
7	P.K Saha	215-A	Sr. Citizan	Paritoshsaha198@gmail.com
8	Vandana Mehta	228-A	Resident	mayank@gmail.com
9	Madhu Mehta	228-c	Resident	
10	Santosh Sharma	217-A	Resident	
11	Ashok Kumar	201A	Resident	
12	Boja Danis	217-C	Resident	bjudelgie@gmail.com
13	Prabha Dhaya	196-C	Resident	Sumit:kumar226@yahoo.com
14	Raj	172-D	President	Rajbarot02@gmail.com
15	S.S Verma	200-D	RWA	
16	C.Fenondes	218-C	RWA	
17	Ram Mehrotra	210-D	Resident	Ram.mehrotra20@gmail.com
18	Sudha Sharma by Ashu Sharma	209-A	Resident	Ashuvilla1@gmail.com
19	G.Pav	198-A	Resident	
20	Ramesh Menghari	198-C	Resident	
21	Suvalaxmi Sen	Environment Specialist	ADB	susen@adb.org
22	Laureen Laurito	Social Development Specialist	ADB	llaurito@adb.org
23	Arun Kumar Goyal	220-A	Resident	

Community Interaction Programme

S.No	Name	Designation	Organization	Email Address
24	Ritesh Joshi	209-B	Resident	
25	R.K Gaurv	30-C	Resident	

Subject: Meeting with Siddhartha Extension

ATTENDANCE SHEET Date: 05.07.2022 SN Organisation Email Name Designation Signature Address SOCIAL SAFEGUARD INFER DEVELOPMENT CONSULTING PUT MK MOHANTY MKMQ 1 MKMOHANTY. SPECIAUST LOM pranay. Kuman1964. PK Monitor (R+R) 2 Inde banda Pranay @gmail com Kumar cikshame 5r. Social 3 Supeguard consultant waige. com A. LAILSHN, Sr. Environ ALAICSITMI. GENERAL CAIM GL. LOS NAMAYANAN CONSULTANT HEAFINGERS CIR-CRR croi nasin Nasel Scientist N. Delhi gracil em Whar Cocentree Asswerde. Tella graphtre 6. -glahal SURJIT SINGH DEEPAR Environmental EGIS INDIA SURJIT.SQ 7. EEMSC Expert EGIS-INDIA . COM SANDEEP Emisormenta EGIS India 8. ndeep. ble BYARDWAJ Export EEMC egis-india co Pleven Dy CP19 Pearson. Jumes. (h MCRIC wwas @ MCRTC nceteria PDJEER, CHOUDHONY CHORPO Lojcer on/PR 10 MONTO Kr Chandler satish kuman. & 11 MCRTC enerte in Togeth. Newell e afters ou 12, yogesh singh Manager Afcons Rawel Sund Komar ALNGUI NCRIC Simit. Chaneler 13 Charolin @ narterin Seeheres 14.

15.

Subject: Meeting with Siddhartha Extension

)ate: 05.	S. d.	harth	NDANCE SHEET To Lend	ion Re	n den
SN	Name	Designation	Organisation	Email Address	Signature
01	MLAHUJA	197-A	Rosident	mohant gmaile	
02	ANU BAJPAI	220-B	-1/-	anubajo mail.	
03	V. D. Sharma	217-A	Resident Gensey sewf		
94	M. M. GUNE	213-)	Arcaident " SESCWF	grand com	nall
05	Kam les 4 Raghmash	152-3	RWA A	Jaghu Kamlos Domaila	Ph
06	M-C GUPTB	212-B	SESCWIE	(w yahor . coo	, MLS
07	P.K. Saha	215-A	Sr. Glizen	& familiale lake	_ To al
08	vandana Mehte	228-4	Resident	may ut med	· P
9	Madle	228-6.	aesided		92
0 10	Sharma	217-A	Resident		Sulations
11	ASHTRE	201A	Rusolent-		the
12	Boyn Danies		Resident	by udelaje	Land
	hiphopal	May 195-0	posident	Sumit: Kourse	Q.

Community Interaction Programme

Subject: Meeting with Siddhartha Extension

ATTENDANCE SHEET

SN	Name	Designation	Organisation	Email Address	Signature
(14)	2009	172-0	Soudent	gailbard orem	Short
(3)	S.S. Verna		·R. w.A	-	9-
16	C. Fenor	218-	RWA		legens
17	WEH KELOR	210-0	REJIDENT		Lan
18.	Endha Shao		sident	ashuvillas agmail.com	son
19	5.0m	198A	RUSO -		5.1
20	Rameth	1980	Recount		Rank.
21	Surabana	Excialist	ADB	susena	le
22	Courses Lauri To	Sound Dat.	ADB	lecante Co	18
				0	

Subject: Meeting with Siddhartha Extension

ATTENDANCE SHEET

SN	Name	Residents Address	Signature
1	A a la come	220-A, Pocket C 51dhards Ex7	Olive_
9)	Ritera Town	30-C Plete	Pirost.
(3)	RIW. Coare	30-CPKIC	Ear

Photographs During Community Interaction Programme on 05.07.2022



Community Interaction Programme

Photographs During Community Interaction Programme on 23.07.2022













Environmental Impact Assessment (Final)

PUBLIC

December 2023

India: Delhi–Meerut Regional Rapid Transit System Investment Project


Addendum to Environment Impact Assessment Report–Stabling Yard at Jangpura and Connecting Line from Sarai Kale Khan RRTS station to Stabling yard

Appendixes - Part 4

This Final EIA has been disclosed for the relevant stakeholders. There are ongoing consultations under the ADB Accountability Mechanism, 2012 with some community people who are not in the Corridor of Direct Impact, however, this EIA addresses the impacts associated with sensitive receptors falling within the Corridor of Indirect Impact and has also considered the mitigation measures accordingly in the design.

Prepared by the National Capital Region Transport Corporation for the Asian Development Bank (ADB).

This environmental impact assessment is a document of the borrower. The views expressed herein do not necessarily represent those of ADB's Board of Directors, Management, or Staff, and may be preliminary in nature. Your attention is directed to the "terms of use" section of ADB's website.
In preparing any country program or strategy, financing any project, or by making any designation of or reference to a particular territory or geographic area in this document, ADB does not intend to make any judgments as to the legal or other status of any territory or area.




Prepared by: GreenTree Global

Date: 15th January 2022







Intent

This report covers the shadow and wind analysis of the Delhi-Meerut RRTS – Stabling Yard Alignment at Pocket – C Siddharth Extension with respect to the received information from the NCRTC team.



Acknowledgement

GreenTree Building Energy Pvt Ltd express it's gratitude to NCRTC for giving us this opportunity to do the Shadow Analysis for the RRTS viaduct (Delhi to Meerut) Stabling Yard Alignment at Pocket – C Siddharth Extension. GreenTree appreciates the active support from the NCRTC team.

GreenTree would also take this opportunity to thank the NCRTC staff for their cooperation in helping, understand and gather information of various inputs.

- Mr. Anurag Bajpai (Green Buildings Expert)
- Mr. Dhruv Jain (Process Expert)
- Mr. Jeyaraj Kalirajan (Energy Associate)
- Mr. Devanand. K. (Energy Analyst)





Executive Summary

The shadow and wind analysis has been evaluated for NCRTC (Delhi-Meerut RRTS – Stabling Yard Alignment at Pocket – C Siddharth Extension) located in New Delhi. The project team has gone through the drawings, orientation and has prepared the Shadow and wind analysis report.

Project Name	Delhi-Meerut RRTS – Stabling Yard Alignment at Pocket – C Siddharth Extension
Project Type	Elevated RRTS Station
Location	New Delhi
Latitude	28°34'52.3"N
Longitude	77°15'19.3"E
Climate	Composite





Content

1.0	OBJECTIVE	11
2.0	Shadow analysis	13
2.1	METHODOLOGY	13
2.2	3D VIEWS - BASE CASE & DESIGN CASE	15
2.3	SHADOW ANALYSIS 1 - WINTER MORNING TIME (8AM - 10AM)	16
2.4	Shadow Analysis 2 - Annual Noon Time (11AM to 3PM)	28
2.5	SHADOW ANALYSIS 3 - ANNUAL EVENING TIME (4PM TO 5PM)	88
3.0	Inference – Shadow Analysis	112
4.0	WIND ANALYSIS	114
4.1	METHODOLOGY	114
4.2	3D VIEWS	115
4.3	WIND ANALYSIS	116
5.0	Inference – Wind analysis	117
Tabl	le	





Figures

FIGURE 1: GOOGLE EARTH IMAGE SHOWING THE LOCATION OF SITE	12
FIGURE 2: PLAN VIEW OF THE BUILDINGS & VIADUCT	12
FIGURE 3: ANNUAL SUN-PATH	13
FIGURE 4: DAILY SUN-PATH	14
FIGURE 5: 3D VIEW – BASE CASE	15
FIGURE 6: 3D VIEW – DESIGN CASE	15
FIGURE 7: SHADOW RANGE ON 21st NOVEMBER 8 AM WITHOUT VIADUCT	16
FIGURE 8: SHADOW RANGE ON 21st NOVEMBER 8 AM WITH VIADUCT	16
FIGURE 9: SHADOW RANGE ON 21st DECEMBER 8 AM WITHOUT VIADUCT	17
FIGURE 10: SHADOW RANGE ON 21st DECEMBER 8 AM WITH VIADUCT	17
FIGURE 11: SHADOW RANGE ON 21st JANUARY 8 AM WITHOUT VIADUCT	18
FIGURE 12: SHADOW RANGE ON 21st JANUARY 8 AM WITH VIADUCT	18
FIGURE 13: SHADOW RANGE ON 21st February 8 AM WITHOUT VIADUCT	19
FIGURE 14: SHADOW RANGE ON 21st February 8 AM WITH VIADUCT	19
FIGURE 15: SHADOW RANGE ON 21st NOVEMBER 9 AM WITHOUT VIADUCT	20
FIGURE 16: SHADOW RANGE ON 21st NOVEMBER 9 AM WITH VIADUCT	20
FIGURE 17: SHADOW RANGE ON 21st DECEMBER 9 AM WITHOUT VIADUCT	21
FIGURE 18: SHADOW RANGE ON 21st DECEMBER 9 AM WITH VIADUCT	21
FIGURE 19: SHADOW RANGE ON 21st JANUARY 9 AM WITHOUT VIADUCT	22
FIGURE 20: SHADOW RANGE ON 21st JANUARY 9 AM WITH VIADUCT	22
FIGURE 21: SHADOW RANGE ON 21st FEBRUARY 9 AM WITHOUT VIADUCT	23
FIGURE 22: SHADOW RANGE ON 21st FEBRUARY 9 AM WITH VIADUCT	23
FIGURE 23: SHADOW RANGE ON 21st NOVEMBER 10 AM WITHOUT VIADUCT	24
FIGURE 24: SHADOW RANGE ON 21st NOVEMBER 10 AM WITH VIADUCT	24
FIGURE 25: SHADOW RANGE ON 21st DECEMBER 10 AM WITHOUT VIADUCT	25
FIGURE 26: SHADOW RANGE ON 21st DECEMBER 10 AM WITH VIADUCT	25
Figure 27: Shadow Range on 21st January 10 AM without viaduct	26
FIGURE 28: SHADOW RANGE ON 21st JANUARY 10 AM WITH VIADUCT	26
FIGURE 29: SHADOW RANGE ON 21st February 10 AM WITHOUT VIADUCT	27
FIGURE 30: SHADOW RANGE ON 21st February 10 AM WITH VIADUCT	27
FIGURE 31: SHADOW RANGE ON 21st JANUARY 11 AM WITHOUT VIADUCT	28
FIGURE 32: SHADOW RANGE ON 21st JANUARY 11 AM WITH VIADUCT	28
FIGURE 33: SHADOW RANGE ON 21st February 11 AM WITHOUT VIADUCT	29
FIGURE 34: SHADOW RANGE ON 21st February 11 AM WITH VIADUCT	29
FIGURE 35: SHADOW RANGE ON 21st MARCH 11 AM WITHOUT VIADUCT	30
FIGURE 36: SHADOW RANGE ON 21st MARCH 11 AM WITH VIADUCT	30
Figure 37: Shadow Range on 21st April 11 AM without viaduct	31
Figure 38: Shadow Range on 21st April 11 AM with viaduct	31
FIGURE 39: SHADOW RANGE ON 21st MAY 11 AM WITHOUT VIADUCT	32
FIGURE 40: SHADOW RANGE ON 21 ST MAY 11 AM WITH VIADUCT	32
FIGURE 41: SHADOW RANGE ON 21st JUNE 11 AM WITHOUT VIADUCT	33
FIGURE 42: SHADOW RANGE ON 21ST LINE 11 AM WITH VIADUCT	33





FIGURE 43: SHADOW RANGE ON 21st JULY 11 AM WITHOUT VIADUCT	34
FIGURE 44: SHADOW RANGE ON 21st JULY 11 AM WITH VIADUCT	34
FIGURE 45: SHADOW RANGE ON 21st AUGUST 11AM WITHOUT VIADUCT	35
FIGURE 46: SHADOW RANGE ON 21st AUGUST 11 AM WITH VIADUCT	35
FIGURE 47: SHADOW RANGE ON 21st SEPTEMBER 11 AM WITHOUT VIADUCT	36
FIGURE 48: SHADOW RANGE ON 21st SEPTEMBER 11 AM WITH VIADUCT	36
FIGURE 49: SHADOW RANGE ON 21st OCTOBER 11 AM WITHOUT VIADUCT	37
FIGURE 50: SHADOW RANGE ON 21st OCTOBER 11 AM WITH VIADUCT	37
FIGURE 51: SHADOW RANGE ON 21st NOVEMBER 11 AM WITHOUT VIADUCT	38
FIGURE 52: SHADOW RANGE ON 21st NOVEMBER 11 AM WITH VIADUCT	38
FIGURE 53: SHADOW RANGE ON 21st DECEMBER 11 AM WITHOUT VIADUCT	39
FIGURE 54: SHADOW RANGE ON 21st DECEMBER 11 AM WITH VIADUCT	39
FIGURE 55: SHADOW RANGE ON 21st JANUARY 12 PM WITHOUT VIADUCT	40
FIGURE 56: SHADOW RANGE ON 21st JANUARY 12 PM WITH VIADUCT	40
FIGURE 57: SHADOW RANGE ON 21st February 12 PM WITHOUT VIADUCT	41
FIGURE 58: SHADOW RANGE ON 21st February 12 PM WITH VIADUCT	41
FIGURE 59: SHADOW RANGE ON 21st MARCH 12 PM WITHOUT VIADUCT	42
FIGURE 60: SHADOW RANGE ON 21st MARCH 12 PM WITH VIADUCT	42
FIGURE 61: SHADOW RANGE ON 21st APRIL 12 PM WITHOUT VIADUCT	43
FIGURE 62: SHADOW RANGE ON 21st April 12 PM WITH VIADUCT	43
FIGURE 63: SHADOW RANGE ON 21st MAY 12 PM WITHOUT VIADUCT	44
FIGURE 64: SHADOW RANGE ON 21st May 12 PM WITH VIADUCT	44
FIGURE 65: SHADOW RANGE ON 21st JUNE 12 PM WITHOUT VIADUCT	45
FIGURE 66: SHADOW RANGE ON 21st JUNE 12 PM WITH VIADUCT	45
FIGURE 67: SHADOW RANGE ON 21st JULY 12 PM WITHOUT VIADUCT	46
FIGURE 68: SHADOW RANGE ON 21st JULY 12 PM WITH VIADUCT	46
FIGURE 69: SHADOW RANGE ON 21st AUGUST 12 PM WITHOUT VIADUCT	47
FIGURE 70: SHADOW RANGE ON 21st AUGUST 12 PM WITH VIADUCT	47
FIGURE 71: SHADOW RANGE ON 21st SEPTEMBER 12 PM WITHOUT VIADUCT	48
FIGURE 72: SHADOW RANGE ON 21st SEPTEMBER 12 PM WITH VIADUCT	48
FIGURE 73: SHADOW RANGE ON 21st OCTOBER 12 PM WITHOUT VIADUCT	49
FIGURE 74: SHADOW RANGE ON 21st OCTOBER 12 PM WITH VIADUCT	49
FIGURE 75: SHADOW RANGE ON 21st NOVEMBER 12 PM WITHOUT VIADUCT	50
FIGURE 76: SHADOW RANGE ON 21st NOVEMBER 12 PM WITH VIADUCT	50
FIGURE 77: SHADOW RANGE ON 21st DECEMBER 12 PM WITHOUT VIADUCT	51
FIGURE 78: SHADOW RANGE ON 21st DECEMBER 12 PM WITH VIADUCT	51
FIGURE 79: SHADOW RANGE ON 21st JANUARY 1 PM WITHOUT VIADUCT	52
FIGURE 80: SHADOW RANGE ON 21st JANUARY 1 PM WITH VIADUCT	52
FIGURE 81: SHADOW RANGE ON 21st FEBRUARY 1 PM WITHOUT VIADUCT	53
FIGURE 82: SHADOW RANGE ON 21st FEBRUARY 1 PM WITH VIADUCT	53
FIGURE 83: SHADOW RANGE ON 21st MARCH 1 PM WITHOUT VIADUCT	54
FIGURE 84: SHADOW RANGE ON 21st MARCH 1 PM WITH VIADUCT	54
FIGURE 85: SHADOW RANGE ON 21st April 1 PM WITHOUT VIADUCT	55
FIGURE 86: SHADOW RANGE ON 21st APRIL 1 PM WITH VIADUCT	55





FIGURE 87: SHADOW RANGE ON 21st MAY 1 PM WITHOUT VIADUCT	56
FIGURE 88: SHADOW RANGE ON 21st MAY 1 PM WITH VIADUCT	5 <i>6</i>
FIGURE 89: SHADOW RANGE ON 21st JUNE 1 PM WITHOUT VIADUCT	57
FIGURE 90: SHADOW RANGE ON 21st June 1 PM WITH VIADUCT	57
FIGURE 91: SHADOW RANGE ON 21st July 1 PM WITHOUT VIADUCT	58
FIGURE 92: SHADOW RANGE ON 21st July 1 PM WITH VIADUCT	58
Figure 93: Shadow Range on 21st August 1 PM without viaduct	59
FIGURE 94: SHADOW RANGE ON 21st AUGUST 1 PM WITH VIADUCT	59
FIGURE 95: SHADOW RANGE ON 21st September 1 PM WITHOUT VIADUCT	60
FIGURE 96: SHADOW RANGE ON 21st September 1 PM WITH VIADUCT	60
FIGURE 97: SHADOW RANGE ON 21st OCTOBER 1 PM WITHOUT VIADUCT	61
FIGURE 98: SHADOW RANGE ON 21st OCTOBER 1 PM WITH VIADUCT	61
FIGURE 99: SHADOW RANGE ON 21st NOVEMBER 1 PM WITHOUT VIADUCT	62
FIGURE 100: SHADOW RANGE ON 21st NOVEMBER 1 PM WITH VIADUCT	62
FIGURE 101: SHADOW RANGE ON 21st DECEMBER 1 PM WITHOUT VIADUCT	63
FIGURE 102: SHADOW RANGE ON 21st DECEMBER 1 PM WITH VIADUCT	63
FIGURE 103: SHADOW RANGE ON 21st JANUARY 2 PM WITHOUT VIADUCT	64
FIGURE 104: SHADOW RANGE ON 21st JANUARY 2 PM WITH VIADUCT	64
FIGURE 105: SHADOW RANGE ON 21st February 2 PM WITHOUT VIADUCT	65
FIGURE 106: SHADOW RANGE ON 21st February 2 PM with viaduct	65
FIGURE 107: SHADOW RANGE ON 21st MARCH 2 PM WITHOUT VIADUCT	66
FIGURE 108: SHADOW RANGE ON 21st MARCH 2 PM WITH VIADUCT	66
FIGURE 109: SHADOW RANGE ON 21st April 2 PM WITHOUT VIADUCT	67
FIGURE 110: SHADOW RANGE ON 21st April 2 PM with viaduct	67
FIGURE 111: SHADOW RANGE ON 21st MAY 2 PM WITHOUT VIADUCT	68
FIGURE 112: SHADOW RANGE ON 21st MAY 2 PM WITH VIADUCT	68
FIGURE 113: SHADOW RANGE ON 21st June 2 PM WITHOUT VIADUCT	69
FIGURE 114: SHADOW RANGE ON 21st June 2 PM with viaduct	69
FIGURE 115: SHADOW RANGE ON 21st July 2 PM WITHOUT VIADUCT	70
FIGURE 116: SHADOW RANGE ON 21st July 2 PM with viaduct	70
Figure 117: Shadow Range on 21st August 2 PM without viaduct	71
FIGURE 118: SHADOW RANGE ON 21st AUGUST 2 PM WITH VIADUCT	71
FIGURE 119: SHADOW RANGE ON 21st September 2 PM WITHOUT VIADUCT	72
FIGURE 120: SHADOW RANGE ON 21st September 2 PM with viaduct	72
FIGURE 121: SHADOW RANGE ON 21st OCTOBER 2 PM WITHOUT VIADUCT	73
FIGURE 122: SHADOW RANGE ON 21st OCTOBER 2 PM WITH VIADUCT	
FIGURE 123: SHADOW RANGE ON 21st NOVEMBER 2 PM WITHOUT VIADUCT	74
FIGURE 124: SHADOW RANGE ON 21st NOVEMBER 2 PM WITH VIADUCT	
FIGURE 125: SHADOW RANGE ON 21st DECEMBER 2 PM WITHOUT VIADUCT	
FIGURE 126: SHADOW RANGE ON 21st DECEMBER 2 PM WITH VIADUCT	75
FIGURE 127: SHADOW RANGE ON 21st JANUARY 3 PM WITHOUT VIADUCT	76
FIGURE 128: SHADOW RANGE ON 21st JANUARY 3 PM WITH VIADUCT	
FIGURE 129: SHADOW RANGE ON 21st February 3 PM WITHOUT VIADUCT	77
FIGURE 130: SHADOW RANGE ON 21st FEBRUARY 3 PM WITH VIADUCT	77





FIGURE 131: SHADOW RANGE ON 21st MARCH 3 PM WITHOUT VIADUCT	78
FIGURE 132: SHADOW RANGE ON 21st MARCH 3 PM WITH VIADUCT	78
FIGURE 133: SHADOW RANGE ON 21st April 3 PM WITHOUT VIADUCT	79
FIGURE 134: SHADOW RANGE ON 21st April 3 PM WITH VIADUCT	79
FIGURE 135: SHADOW RANGE ON 21st MAY 3 PM WITHOUT VIADUCT	80
FIGURE 136: SHADOW RANGE ON 21st MAY 3 PM WITH VIADUCT	80
FIGURE 137: SHADOW RANGE ON 21st June 3 PM WITHOUT VIADUCT	81
FIGURE 138: SHADOW RANGE ON 21st June 3 PM WITH VIADUCT	81
FIGURE 139: SHADOW RANGE ON 21st July 3 PM WITHOUT VIADUCT	82
FIGURE 140: SHADOW RANGE ON 21st July 3 PM WITH VIADUCT	82
FIGURE 141: SHADOW RANGE ON 21st AUGUST 3 PM WITHOUT VIADUCT	83
FIGURE 142: SHADOW RANGE ON 21st AUGUST 3 PM WITH VIADUCT	83
Figure 143: Shadow Range on 21st September 3 PM without viaduct	84
FIGURE 144: SHADOW RANGE ON 21st September 3 PM WITH VIADUCT	84
FIGURE 145: SHADOW RANGE ON 21st OCTOBER 3 PM WITHOUT VIADUCT	85
FIGURE 146: SHADOW RANGE ON 21st OCTOBER 3 PM WITH VIADUCT	85
FIGURE 147: SHADOW RANGE ON 21st NOVEMBER 3 PM WITHOUT VIADUCT	86
FIGURE 148: SHADOW RANGE ON 21st NOVEMBER 3 PM WITH VIADUCT	86
FIGURE 149: SHADOW RANGE ON 21st DECEMBER 3 PM WITHOUT VIADUCT	87
FIGURE 150: SHADOW RANGE ON 21st DECEMBER 3 PM WITH VIADUCT	87
FIGURE 151: SHADOW RANGE ON 21st JANUARY 4 PM WITHOUT VIADUCT	88
FIGURE 152: SHADOW RANGE ON 21st JANUARY 4 PM WITH VIADUCT	88
FIGURE 153: SHADOW RANGE ON 21st February 4 PM WITHOUT VIADUCT	89
FIGURE 154: SHADOW RANGE ON 21st February 4 PM with VIADUCT	
FIGURE 155: SHADOW RANGE ON 21st MARCH 4 PM WITHOUT VIADUCT	90
FIGURE 156: SHADOW RANGE ON 21st MARCH 4 PM WITH VIADUCT	90
FIGURE 157: SHADOW RANGE ON 21st April 4 PM WITHOUT VIADUCT	91
FIGURE 158: SHADOW RANGE ON 21st April 4 PM with viaduct	91
FIGURE 159: SHADOW RANGE ON 21st MAY 4 PM WITHOUT VIADUCT	
FIGURE 160: SHADOW RANGE ON 21st MAY 4 PM WITH VIADUCT	92
FIGURE 161: SHADOW RANGE ON 21st June 4 PM WITHOUT VIADUCT	93
FIGURE 162: SHADOW RANGE ON 21st June 4 PM WITH VIADUCT	93
FIGURE 163: SHADOW RANGE ON 21st July 4 PM WITHOUT VIADUCT	94
FIGURE 164: SHADOW RANGE ON 21st July 4 PM WITH VIADUCT	94
FIGURE 165: SHADOW RANGE ON 21st AUGUST 4 PM WITHOUT VIADUCT	95
FIGURE 166: SHADOW RANGE ON 21st AUGUST 4 PM WITH VIADUCT	95
FIGURE 167: SHADOW RANGE ON 21st SEPTEMBER 4 PM WITHOUT VIADUCT	96
FIGURE 168: SHADOW RANGE ON 21st SEPTEMBER 4 PM WITH VIADUCT	96
FIGURE 169: SHADOW RANGE ON 21st OCTOBER 4 PM WITHOUT VIADUCT	97
FIGURE 170: SHADOW RANGE ON 21st OCTOBER 4 PM WITH VIADUCT	97
FIGURE 171: SHADOW RANGE ON 21st NOVEMBER 4 PM WITHOUT VIADUCT	98
FIGURE 172: SHADOW RANGE ON 21st NOVEMBER 4 PM WITH VIADUCT	
FIGURE 173: SHADOW RANGE ON 21st DECEMBER 4 PM WITHOUT VIADUCT	99
FIGURE 174: SHADOW RANGE ON 21st DECEMBER 4 PM WITH VIADUCT	99





FIGURE 175: SHADOW RANGE ON 21st JANUARY 5 PM WITHOUT VIADUCT	100
FIGURE 176: SHADOW RANGE ON 21st JANUARY 5 PM WITH VIADUCT	100
FIGURE 177: SHADOW RANGE ON 21st February 5 PM WITHOUT VIADUCT	101
FIGURE 178: SHADOW RANGE ON 21st February 5 PM with VIADUCT	101
FIGURE 179: SHADOW RANGE ON 21st MARCH 5 PM WITHOUT VIADUCT	102
FIGURE 180: SHADOW RANGE ON 21st MARCH 5 PM WITH VIADUCT	102
FIGURE 181: SHADOW RANGE ON 21st April 5 PM WITHOUT VIADUCT	103
FIGURE 182: SHADOW RANGE ON 21st April 5 PM WITH VIADUCT	103
FIGURE 183: SHADOW RANGE ON 21st May 5 PM WITHOUT VIADUCT	104
FIGURE 184: SHADOW RANGE ON 21st MAY 5 PM WITH VIADUCT	104
FIGURE 185: SHADOW RANGE ON 21st June 5 PM WITHOUT VIADUCT	105
FIGURE 186: SHADOW RANGE ON 21st June 5 PM WITH VIADUCT	105
FIGURE 187: SHADOW RANGE ON 21st July 5 PM WITHOUT VIADUCT	106
FIGURE 188: SHADOW RANGE ON 21st July 5 PM with viaduct	106
FIGURE 189: SHADOW RANGE ON 21st AUGUST 5 PM WITHOUT VIADUCT	107
FIGURE 190: SHADOW RANGE ON 21st AUGUST 5 PM WITH VIADUCT	107
FIGURE 191: SHADOW RANGE ON 21st SEPTEMBER 5 PM WITHOUT VIADUCT	108
FIGURE 192: SHADOW RANGE ON 21st SEPTEMBER 5 PM WITH VIADUCT	108
FIGURE 193: SHADOW RANGE ON 21st OCTOBER 5 PM WITHOUT VIADUCT	109
FIGURE 194: SHADOW RANGE ON 21st OCTOBER 5 PM WITH VIADUCT	109
FIGURE 195: SHADOW RANGE ON 21st NOVEMBER 5 PM WITHOUT VIADUCT	110
FIGURE 196: SHADOW RANGE ON 21st NOVEMBER 5 PM WITH VIADUCT	110
FIGURE 197: SHADOW RANGE ON 21st DECEMBER 5 PM WITHOUT VIADUCT	111
FIGURE 198: SHADOW RANGE ON 21st DECEMBER 5 PM WITH VIADUCT	111
FIGURE 199: TREE COVERING - BUILDING - A	113
FIGURE 200: TREE COVERING - BUILDING - B	113
FIGURE 203: WIND ROSE DRAWING	114
FIGURE 204: 3D VIEW WITHOUT VIADUCT	115
FIGURE 205: 3D VIEW WITH VIADUCT	115
FIGURE 206: WIND ANALYSIS RESULT - WITHOUT VIADUCT	116
FIGURE 207: WIND ANALYSIS RESULT – WITH VIADUCT	116





1.0 OBJECTIVE

The prime intent of the report is to provide the effect of shadow & wind caused by the Stabling Yard alignment of Delhi Meerut RRTS Viaduct in the surrounding buildings near Siddharth Extension Pocket – C (Between Sarai Kale Khan Station and Stabling Yard).

The study has been carried out by comparing the base case and design case. The base case involves the analyzing the shadow of Buildings without RRTS Viaduct. The design case involves the Building with the proposed RRTS Viaduct and analyzing the shadow caused by the RRTS Viaduct in the surrounding buildings.

The below mentioned table represents the objectives and analysis performed:

Sr. No.	Description
1	Shadow analysis in the present scenario (Without RRTS Viaduct passing)
_	Shadow analysis in the future scenario (With RRTS Viaduct passing)
2	Review the project drawings and design basis report and evaluate the sun path
_	throughout the year
	Calculation of Effective shadow range in the surrounding areas of RRTS Viaduct
3	passing through pocket – C, Siddharth Extension for the entire period of Sunrays
	in a day at six months at a time interval of 15 minutes
4	Analyzing the shadow depth and orientation for six months including Summer
7	Solstice, Winter Solstice, Autumn, Spring Equinox positions, January and February.
5	Wind analysis in the present scenario (Without RRTS Viaduct passing)
J	Wind analysis in the future scenario (With RRTS Viaduct passing)

The first step is to create the Building 3D model in the Ecotect software in reference to the received drawings like plans & sections and by the site visit done.

The next step is to create the RRTS Viaduct in reference to the received drawings.

In reference to the drawings and Google Earth software, the direction of North has been provided in the model.

On the 3D model, the sun-path analysis has been done to understand the effect of shadow in respect to the orientation.

The shadow range has been analyzed for six months as mentioned below:





TABLE 1: ANALYSIS MONTHS

Seasons	Date & Month
Spring Equinox	21 st March
Summer Solstice	21 st June
Autumn Equinox	21 st September
Winter Solstice	21 st December.
January	21 st January.
February	21 st February.

Please find the Google Image location of the site:



FIGURE 1: GOOGLE EARTH IMAGE SHOWING THE LOCATION OF SITE




FIGURE 2: PLAN VIEW OF THE BUILDINGS & VIADUCT





2.0 Shadow analysis


2.1 METHODOLOGY

The shadow analysis is done by computerized software. The analysis is done by creating a 3D model in "Ecotect" by considering the buildings & viaduct along with the columns in reference to the received plans & sections. The shadows at different time & date were analysed in respect to the proposed viaduct and buildings.

Autodesk Ecotect Analysis is an environmental analysis tool that allows designer to simulate building performance from the earliest stages of conceptual design. It combines analysis functions with an interactive display that presents analytical results directly within the context of the building model.

ECOTECT is a complete building design and environmental analysis tool that covers the full range of simulation and analysis functions required to truly understand how a building design will operate and perform. It finally allows designers to work easily in 3D and apply all the tools necessary for an energy efficient and sustainable future. The following are some of the analysis performed using Ecotect Software:

- Solar Analysis
- Sun and Shadow Analysis
- Daylighting and Lighting
- Thermal performance
- Insolation Analysis
- Acoustic Analysis
- Weather data visualization












FIGURE 4: DAILY SUN-PATH

The above image indicates the daily sun path analysis of the proposed site. The interface shows the buildings & viaduct modeled in the Ecotect for the analysis. The above image also provides the details of the time, date & month considered during the analysis.

The yellow dotted line indicates the daily sun path for the mentioned date and the arrow indicates the position of sun at the given time and date.

Further we have used the New Delhi weather file for the analysis as the proposed location is in Siddharth Extension Pocket – C, New Delhi.

Equinox is defined as the days when the Sun is exactly above the Equator, which makes day and night of equal length and it happens twice in a year as Spring and Autumn Equinox.

Solstice is defined as the days where the Sun's path in the sky is the farthest north or south from the Equator. In Summer Solstice, the day is longer than the night and vice versa in Winter Solstice.



Environmental Impact Assessment (Final)

PUBLIC

December 2023

India: Delhi–Meerut Regional Rapid Transit System Investment Project

Addendum to Environment Impact Assessment Report–Stabling Yard at Jangpura and Connecting Line from Sarai Kale Khan RRTS station to Stabling yard

Appendixes - Part 5

This Final EIA has been disclosed for the relevant stakeholders. There are ongoing consultations under the ADB Accountability Mechanism, 2012 with some community people who are not in the Corridor of Direct Impact, however, this EIA addresses the impacts associated with sensitive receptors falling within the Corridor of Indirect Impact and has also considered the mitigation measures accordingly in the design.


Prepared by the National Capital Region Transport Corporation for the Asian Development Bank (ADB).

This environmental impact assessment is a document of the borrower. The views expressed herein do not necessarily represent those of ADB's Board of Directors, Management, or Staff, and may be preliminary in nature. Your attention is directed to the "terms of use" section of ADB's website.
In preparing any country program or strategy, financing any project, or by making any designation of or reference to a particular territory or geographic area in this document, ADB does not intend to make any judgments as to the legal or other status of any territory or area.



2.2 3D VIEWS - BASE CASE & DESIGN CASE

Below 3D models are the general representation of the building for the purpose of Shadow analysis due to the viaduct inclusion/ construction.



BLOCK 209

BLOCK 206

BLOCK 205

BLOCK 203

BLOCK 201

BLOCK 201

BLOCK 199

BLOCK 195

DELHI NCR TW

FIGURE 6: 3D VIEW - DESIGN CASE



2.3 Shadow Analysis 1 - Winter Morning Time (8AM - 10AM)

During Morning hours of winter season, the occupant feels comfort to have maximum sunlight as possible. But as per the analysis it is observed that "building B" is shaded most of the time by "building A" itself, which is the nearby existing building. Therefore by analyzing the shadow impact of viaduct in the Winter Months (i.e. November to February), the proposed viaduct is not casting any additional shadow to the façade of the surrounding buildings. Thereby no obstruction to the morning sun during winter season and thus does not affect the health and well-being to the surrounding buildings.




FIGURE 7: SHADOW RANGE ON 21st NOVEMBER 8 AM WITHOUT VIADUCT




FIGURE 8: SHADOW RANGE ON 21st NOVEMBER 8 AM WITH VIADUCT

FIGURE 7 represents shadow caused by the Buildings. On the basis of the above image, the building A is casting shadow on the ground floors of the Building B. FIGURE 8 represents the shadow caused to the building by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is not casting any shadow on the façade, thereby not obstructing the morning sunlight falling on the façade of the buildings at 21st November 8 AM.








FIGURE 9: SHADOW RANGE ON 21st DECEMBER 8 AM WITHOUT VIADUCT




FIGURE 10: SHADOW RANGE ON 21st DECEMBER 8 AM WITH VIADUCT

FIGURE 9 represents shadow caused by the Buildings. On the basis of the above image, the building A is casting shadow on the ground & first floors of the Building B. FIGURE 10 represents the shadow caused to the building by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is not casting any shadow on the façade, thereby not obstructing the morning sunlight falling on the façade of the buildings at 21st December 8 AM.








FIGURE 11: SHADOW RANGE ON 21st JANUARY 8 AM WITHOUT VIADUCT




FIGURE 12: SHADOW RANGE ON 21st JANUARY 8 AM WITH VIADUCT

FIGURE 11 represents shadow caused by the Buildings. On the basis of the above image, the building A is casting shadow on the ground & first floors of the Building B. FIGURE 12 represents the shadow caused to the building by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is not casting any shadow on the façade, thereby not obstructing the morning sunlight falling on the façade of the buildings at 21st January 8 AM.








FIGURE 13: SHADOW RANGE ON 21st February 8 AM WITHOUT VIADUCT




FIGURE 14: SHADOW RANGE ON 21st February 8 AM WITH VIADUCT

FIGURE 13 represents shadow caused by the Buildings. On the basis of the above images, the building A is casting shadow on the ground floors of the Building B. FIGURE 14 represents the shadow caused to the building by the proposed RRTS Viaduct. On the basis of the above images, the Viaduct is not casting any shadow on the façade, thereby not obstructing the morning sunlight falling on the façade of the buildings at 21st February 8 AM.








FIGURE 15: SHADOW RANGE ON 21st NOVEMBER 9 AM WITHOUT VIADUCT




FIGURE 16: SHADOW RANGE ON 21st NOVEMBER 9 AM WITH VIADUCT

FIGURE 15 represents shadow caused by the Buildings. On the basis of the above image, the building A is casting shadow on the ground & first floors of the Blocks – 219 & 220. FIGURE 16 represents the shadow caused to the building by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the Terrace of the Building – B, thereby not obstructing the morning sunlight falling on the façade of the buildings at 21st November 9 AM.








FIGURE 17: SHADOW RANGE ON 21st DECEMBER 9 AM WITHOUT VIADUCT




FIGURE 18: SHADOW RANGE ON 21st DECEMBER 9 AM WITH VIADUCT

FIGURE 17 represents shadow caused by the Buildings. On the basis of the above image, the building A is casting shadow on the ground & first floors of the Blocks -219 & 220. FIGURE 18 represents the shadow caused to the building by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the Terrace of the Buildings - B, thereby not obstructing to the morning sunlight falling on the façade of the buildings at 21st December 9 AM.








FIGURE 19: SHADOW RANGE ON 21st JANUARY 9 AM WITHOUT VIADUCT




FIGURE 20: SHADOW RANGE ON 21st JANUARY 9 AM WITH VIADUCT

FIGURE 19 represents shadow caused by the Buildings. On the basis of the above image, the building A is casting shadow on the ground & first floors of the Blocks – 219 & 220. FIGURE 20 represents the shadow caused to the building by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the Terrace of the Buildings – B, thereby not obstructing the morning sunlight falling on the façade of the buildings at 21st January 9 AM.








FIGURE 21: SHADOW RANGE ON 21st FEBRUARY 9 AM WITHOUT VIADUCT




FIGURE 22: SHADOW RANGE ON 21ST FEBRUARY 9 AM WITH VIADUCT

FIGURE 21 represents shadow caused by the Buildings. On the basis of the above image, the building A is casting shadow on the ground floors of the Blocks – 219 & 220. FIGURE 22 represents the shadow caused to the building by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the Terrace of the Building – B, thereby not obstructing the morning sunlight falling on the façade of the buildings at 21st February 9 AM.








FIGURE 23: SHADOW RANGE ON 21st NOVEMBER 10 AM WITHOUT VIADUCT




FIGURE 24: SHADOW RANGE ON 21st NOVEMBER 10 AM WITH VIADUCT

FIGURE 23 represents shadow caused by the Buildings. On the basis of the above image, the building A is casting shadow on the ground floors of the Blocks – 219 & 220. FIGURE 24 represents the shadow caused to the building by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the third floor of the Blocks – 211, 212, 213, 214 & 215 and ground, first, second & third floor of Block – 216, thereby not obstructing the morning sunlight falling on the back side of the buildings at 21st November 10 AM.








FIGURE 25: SHADOW RANGE ON 21st DECEMBER 10 AM WITHOUT VIADUCT




FIGURE 26: SHADOW RANGE ON 21st DECEMBER 10 AM WITH VIADUCT

FIGURE 25 represents shadow caused by the Buildings. On the basis of the above image, the building A is casting shadow on the ground & first floors of the Blocks – 219 & 220. FIGURE 26 represents the shadow caused to the building by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the third floor of the Blocks – 211, 212, 213, 214, & 215 and ground, first, second & third floor of Block – 216, thereby not obstructing the morning sunlight falling on the back side of the buildings at 21^{st} December 10 AM.



Environmental Impact Assessment (Final)

PUBLIC

December 2023

India: Delhi–Meerut Regional Rapid Transit System Investment Project

Addendum to Environment Impact Assessment Report–Stabling Yard at Jangpura and Connecting Line from Sarai Kale Khan RRTS station to Stabling yard

Appendixes - Part 6

This Final EIA has been disclosed for the relevant stakeholders. There are ongoing consultations under the ADB Accountability Mechanism, 2012 with some community people who are not in the Corridor of Direct Impact, however, this EIA addresses the impacts associated with sensitive receptors falling within the Corridor of Indirect Impact and has also considered the mitigation measures accordingly in the design.

Prepared by the National Capital Region Transport Corporation for the Asian Development Bank (ADB).

This environmental impact assessment is a document of the borrower. The views expressed herein do not necessarily represent those of ADB's Board of Directors, Management, or Staff, and may be preliminary in nature. Your attention is directed to the "terms of use" section of ADB's website.
In preparing any country program or strategy, financing any project, or by making any designation of or reference to a particular territory or geographic area in this document, ADB does not intend to make any judgments as to the legal or other status of any territory or area.






FIGURE 27: SHADOW RANGE ON 21st JANUARY 10 AM WITHOUT VIADUCT




FIGURE 28: SHADOW RANGE ON 21st JANUARY 10 AM WITH VIADUCT

FIGURE 27 represents shadow caused by the Buildings. On the basis of the above image, the building A is casting shadow on the ground & first floors of the Blocks – 219 & 220. FIGURE 28 represents the shadow caused to the building by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the third floor of the Blocks – 211, 212, 213, 214, & 215 and ground, first, second & third floor of Block – 216, thereby not obstructing the morning sunlight falling on the back side of the buildings at 21st January 10 AM.








FIGURE 29: SHADOW RANGE ON 21st February 10 AM WITHOUT VIADUCT




FIGURE 30: SHADOW RANGE ON 21st February 10 AM WITH VIADUCT

FIGURE 29 represents shadow caused by the Buildings. On the basis of the above image, the building A is casting shadow on the ground floors of the Blocks – 219 & 220. FIGURE 30 represents the shadow caused to the building by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the third & second floor of the Blocks – 211, 212, 213, 214, & 215 and ground, first, second & third floor of Block – 216, thereby not obstructing the morning sunlight falling on the back side of the buildings at 21st February 10 AM.





2.4 Shadow Analysis 2 - Annual Noon Time (11AM to 3PM)

During noon hours, the occupant feels comfort to have the shadow. Thus in our analysis during the noon time (i.e. from 11.00 AM to 3.00 PM), most of the time the viaduct is casting the shadow on both of the "building A" & "building B". Thus the shadow provided by the viaduct does not affect the health and well-being of the occupants.




FIGURE 31: SHADOW RANGE ON 21st JANUARY 11 AM WITHOUT VIADUCT




FIGURE 32: SHADOW RANGE ON 21st JANUARY 11 AM WITH VIADUCT

FIGURE 32 represents the shadow caused to the buildings. On the basis of the above image, the building A is casting shadow on the ground floors of the Blocks -219 & 220. FIGURE 33 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the third & second floor of the Blocks -211, 212, 213, 214 & 216 and third, second, first & ground floor of Block -215, thereby obstructing the direct sunlight falling on the back side of the buildings, which itself is acting as a shade for the back side of the façade on 21st January 11 AM.








FIGURE 33: SHADOW RANGE ON 21st February 11 AM WITHOUT VIADUCT




FIGURE 34: SHADOW RANGE ON 21st February 11 AM WITH VIADUCT

FIGURE 33 represents the shadow caused to the buildings. On the basis of the above image, the buildings is not casting any shadow to the nearby buildings. FIGURE 34 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the third, second & first floor of the Blocks – 211, 212, 213, 214 & 215 and third, second, first & ground floor of Block – 216, thereby obstructing the direct sunlight falling on the back side of the buildings, which itself is acting as a shade for the back side of the façade on 21st February 11 AM.








FIGURE 35: SHADOW RANGE ON 21st MARCH 11 AM WITHOUT VIADUCT




FIGURE 36: SHADOW RANGE ON 21st MARCH 11 AM WITH VIADUCT

FIGURE 35 represents the shadow caused to the buildings. On the basis of the above image, the buildings is not casting any shadow to the nearby buildings. FIGURE 36 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the second, first & ground floor of the Blocks – 211, 212, 214 & 216, first & second floor of the Blocks – 213, 214 & 215 and third, second, first & ground floor of Block – 217, thereby obstructing the direct sunlight falling on the back side of the buildings, which itself is acting as a shade for the back side of the façade on 21st March 11 AM.








FIGURE 37: SHADOW RANGE ON 21st APRIL 11 AM WITHOUT VIADUCT




FIGURE 38: SHADOW RANGE ON 21st APRIL 11 AM WITH VIADUCT

FIGURE 38 represents the shadow caused to the buildings. On the basis of the above image, the buildings is not casting any shadow to the nearby buildings. FIGURE 39 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the third floor of Blocks – 219 & 220, thereby obstructing the direct sunlight falling on the façade of the buildings, which itself is acting as a shade for the façade on 21st April 11 AM.








FIGURE 39: SHADOW RANGE ON 21st MAY 11 AM WITHOUT VIADUCT




FIGURE 40: SHADOW RANGE ON 21st MAY 11 AM WITH VIADUCT

FIGURE 39 represents the shadow caused to the buildings. On the basis of the above image, the buildings is not casting any shadow to the nearby buildings but all the windows are shaded by the overhang. FIGURE 40 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the third, second & first floor of Blocks – 219 & 220, thereby obstructing the direct sunlight falling on the façade of the buildings, which itself is acting as a shade for the façade on 21st May 11 AM.








FIGURE 41: SHADOW RANGE ON 21st JUNE 11 AM WITHOUT VIADUCT




FIGURE 42: SHADOW RANGE ON 21st June 11 AM WITH VIADUCT

FIGURE 41 represents the shadow caused to the buildings. On the basis of the above image, the buildings is not casting any shadow to the nearby buildings but all the windows are shaded by the overhang. FIGURE 42 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the third, second, first & ground floor of Blocks – 219 & 220, thereby obstructing the direct sunlight falling on the façade of the buildings, which itself is acting as a shade for the façade on 21st June 11 AM.








FIGURE 43: SHADOW RANGE ON 21st July 11 AM WITHOUT VIADUCT




FIGURE 44: SHADOW RANGE ON 21st JULY 11 AM WITH VIADUCT

FIGURE 43 represents the shadow caused to the buildings. On the basis of the above image, the buildings is not casting any shadow to the nearby buildings but all the windows are shaded by the overhang. FIGURE 44 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the third, second, first & ground floor of Blocks – 219 & 220, thereby obstructing the direct sunlight falling on the façade of the buildings, which itself is acting as a shade for the façade on 21st 11 AM.






FIGURE 45: SHADOW RANGE ON 21st AUGUST 11AM WITHOUT VIADUCT




FIGURE 46: SHADOW RANGE ON 21st AUGUST 11 AM WITH VIADUCT

FIGURE 45 represents the shadow caused to the buildings. On the basis of the above image, the buildings is not casting any shadow to the nearby buildings but all the windows are shaded by the overhang. FIGURE 46 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the third, second, first & ground floor of Blocks – 219 & 220, thereby obstructing the direct sunlight falling on the façade of the buildings, which itself is acting as a shade for the façade on 21st August 11 AM.



Environmental Impact Assessment (Final)

PUBLIC

December 2023

India: Delhi–Meerut Regional Rapid Transit System Investment Project

Addendum to Environment Impact Assessment Report–Stabling Yard at Jangpura and Connecting Line from Sarai Kale Khan RRTS station to Stabling yard

Appendixes - Part 7

This Final EIA has been disclosed for the relevant stakeholders. There are ongoing consultations under the ADB Accountability Mechanism, 2012 with some community people who are not in the Corridor of Direct Impact, however, this EIA addresses the impacts associated with sensitive receptors falling within the Corridor of Indirect Impact and has also considered the mitigation measures accordingly in the design.

Prepared by the National Capital Region Transport Corporation for the Asian Development Bank (ADB).

This environmental impact assessment is a document of the borrower. The views expressed herein do not necessarily represent those of ADB's Board of Directors, Management, or Staff, and may be preliminary in nature. Your attention is directed to the "terms of use" section of ADB's website.
In preparing any country program or strategy, financing any project, or by making any designation of or reference to a particular territory or geographic area in this document, ADB does not intend to make any judgments as to the legal or other status of any territory or area.






FIGURE 47: SHADOW RANGE ON 21st SEPTEMBER 11 AM WITHOUT VIADUCT




FIGURE 48: SHADOW RANGE ON 21st SEPTEMBER 11 AM WITH VIADUCT

FIGURE 47 represents the shadow caused to the buildings. On the basis of the above image, the buildings is not casting any shadow to the nearby buildings. FIGURE 48 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the third, second & first floor of Block -211, second, first & ground floor of Blocks -212, 213, 214, 215, 216 & 217, third & second floor of Blocks -219 and third floor of the block -220 thereby obstructing the direct sunlight falling on the back side of the buildings, which itself is acting as a shade for the back side of the façade on $21^{\rm st}$ September 11 AM.








FIGURE 49: SHADOW RANGE ON 21st OCTOBER 11 AM WITHOUT VIADUCT




FIGURE 50: SHADOW RANGE ON 21ST OCTOBER 11 AM WITH VIADUCT

FIGURE 49 represents the shadow caused to the buildings. On the basis of the above images, the buildings is not casting any shadow to the nearby buildings. FIGURE 50 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above images, the Viaduct is casting shadow on the third, second & first floor of Blocks – 216 & 217, third, second & first floor of Blocks – 211, 212, 213, 214 & 216 and third, second, first & ground floor of Blocks – 216 thereby obstructing the direct sunlight falling on the back side of the buildings, which itself is acting as a shade for the back side of the façade on 21st October 11 AM.








FIGURE 51: SHADOW RANGE ON 21st NOVEMBER 11 AM WITHOUT VIADUCT




FIGURE 52: SHADOW RANGE ON 21st NOVEMBER 11 AM WITH VIADUCT

FIGURE 51 represents the shadow caused to the buildings. On the basis of the above image, the building B is casting shadow on the ground floor of the Blocks – 219 & 220. FIGURE 52 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the third, second & first floor of Blocks – 211, 212, 213 & 217, third & second floor of Blocks – 215 and third, second, first & ground floor of Blocks – 215 thereby obstructing the direct sunlight falling on the back side of the buildings, which itself is acting as a shade for the back side of the façade on 21st November 11 AM.








FIGURE 53: SHADOW RANGE ON 21st DECEMBER 11 AM WITHOUT VIADUCT




FIGURE 54: SHADOW RANGE ON 21st DECEMBER 11 AM WITH VIADUCT

FIGURE 54 represents the shadow caused to the buildings. On the basis of the above image, the building B is casting shadow on the Blocks – 219 & 220. FIGURE 55 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the third & second floor of Blocks – 211, 212, 213, 214 & 217 and third, second, first & ground floor of Blocks – 215 thereby obstructing the direct sunlight falling on the back side of the buildings, which itself is acting as a shade for the back side of the façade on 21st December 11 AM.








FIGURE 55: SHADOW RANGE ON 21st JANUARY 12 PM WITHOUT VIADUCT




FIGURE 56: SHADOW RANGE ON 21st JANUARY 12 PM WITH VIADUCT

FIGURE 55 represents the shadow caused to the buildings. On the basis of the above image, the building B is casting shadow on the Block – 220. FIGURE 56 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the third, second & first floor of Blocks – 211, 212, 213, 214 & 217 and third, second, first & ground floor of Blocks – 215 thereby obstructing the direct sunlight falling on the back side of the buildings, which itself is acting as a shade for the back side of the façade on 21st January 12 PM.








FIGURE 57: SHADOW RANGE ON 21st FEBRUARY 12 PM WITHOUT VIADUCT




FIGURE 58: SHADOW RANGE ON 21st February 12 PM WITH VIADUCT

FIGURE 57 represents the shadow caused to the buildings. On the basis of the above image, the Block - 220 is casting shadow on the Block - 217. FIGURE 58 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the third, second, first & ground floor of Blocks - 211, 212, 213, 216 & 217, second, first & ground floor of Block - 215 and first & ground floor of Block - 214 thereby obstructing the direct sunlight falling on the back side of the buildings, which itself is acting as a shade for the back side of the façade on February 21st at 12 PM.








FIGURE 59: SHADOW RANGE ON 21st MARCH 12 PM WITHOUT VIADUCT




FIGURE 60: SHADOW RANGE ON 21st MARCH 12 PM WITH VIADUCT

FIGURE 59 represents the shadow caused to the buildings. On the basis of the above image, the Block - 220 is casting shadow on the Block - 217. FIGURE 60 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the first & ground floor of Blocks - 211, 212 & 217, ground floor of Blocks - 213, 214, 215 & 216 and third floor of Blocks - 219 & 220 thereby obstructing the direct sunlight falling on the back side of the buildings, which itself is acting as a shade for the façade on 21st March 12 PM.








FIGURE 61: SHADOW RANGE ON 21st APRIL 12 PM WITHOUT VIADUCT




FIGURE 62: SHADOW RANGE ON 21st APRIL 12 PM WITH VIADUCT

FIGURE 61 represents the shadow caused to the buildings. On the basis of the above image, the buildings are not casting any shadow on the nearby building but most of the windows is shaded by overhang. FIGURE 62 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the third, second & first floor of Blocks – 219 & 220 thereby obstructing the direct sunlight falling on the façade of the buildings, which itself is acting as a shade for the façade on 21st April 12 PM.








FIGURE 63: SHADOW RANGE ON 21st MAY 12 PM WITHOUT VIADUCT




FIGURE 64: SHADOW RANGE ON 21st MAY 12 PM WITH VIADUCT

FIGURE 63 represents the shadow caused to the buildings. On the basis of the above image, the buildings are not casting any shadow on the nearby building but most of the windows is shaded by overhang. FIGURE 64 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the third, second, first & ground floor of Blocks -219 & 220 thereby obstructing the direct sunlight falling on the façade of the buildings, which itself is acting as a shade for the façade on $21^{\rm st}$ May 12 PM.








FIGURE 65: SHADOW RANGE ON 21st June 12 PM WITHOUT VIADUCT




FIGURE 66: SHADOW RANGE ON 21st June 12 PM WITH VIADUCT

FIGURE 65 represents the shadow caused to the buildings. On the basis of the above image, the buildings are not casting any shadow on the nearby building but most of the windows is shaded by overhang. FIGURE 66 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the third, second, first & ground floor of Blocks – 219 & 220 thereby obstructing the direct sunlight falling on the façade of the buildings, which itself is acting as a shade for the façade on 21st June 12 PM.








FIGURE 67: SHADOW RANGE ON 21st JULY 12 PM WITHOUT VIADUCT




FIGURE 68: SHADOW RANGE ON 21st JULY 12 PM WITH VIADUCT

FIGURE 67 represents the shadow caused to the buildings. On the basis of the above image, the buildings are not casting any shadow on the nearby building but most of the windows is shaded by overhang. FIGURE 68 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the third, second, first & ground floor of Blocks -219 & 220 thereby obstructing the direct sunlight falling on the façade of the buildings, which itself is acting as a shade for the façade on $21^{\rm st}$ July 12 PM.



Environmental Impact Assessment (Final)

PUBLIC

December 2023

India: Delhi–Meerut Regional Rapid Transit System Investment Project

Addendum to Environment Impact Assessment Report–Stabling Yard at Jangpura and Connecting Line from Sarai Kale Khan RRTS station to Stabling yard

Appendixes - Part 8

This Final EIA has been disclosed for the relevant stakeholders. There are ongoing consultations under the ADB Accountability Mechanism, 2012 with some community people who are not in the Corridor of Direct Impact, however, this EIA addresses the impacts associated with sensitive receptors falling within the Corridor of Indirect Impact and has also considered the mitigation measures accordingly in the design.

Prepared by the National Capital Region Transport Corporation for the Asian Development Bank (ADB).

This environmental impact assessment is a document of the borrower. The views expressed herein do not necessarily represent those of ADB's Board of Directors, Management, or Staff, and may be preliminary in nature. Your attention is directed to the "terms of use" section of ADB's website.
In preparing any country program or strategy, financing any project, or by making any designation of or reference to a particular territory or geographic area in this document, ADB does not intend to make any judgments as to the legal or other status of any territory or area.






FIGURE 69: SHADOW RANGE ON 21st AUGUST 12 PM WITHOUT VIADUCT




FIGURE 70: SHADOW RANGE ON 21st AUGUST 12 PM WITH VIADUCT

FIGURE 69 represents the shadow caused to the buildings. On the basis of the above image, the buildings are not casting any shadow on the nearby building but most of the windows is shaded by overhang. FIGURE 70 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the third, second, first & ground floor of Blocks – 219 & 220 thereby obstructing the direct sunlight falling on the façade of the buildings, which itself is acting as a shade for the façade on 21st August 12 PM.








FIGURE 71: SHADOW RANGE ON 21st SEPTEMBER 12 PM WITHOUT VIADUCT




FIGURE 72: SHADOW RANGE ON 21st SEPTEMBER 12 PM WITH VIADUCT

FIGURE 71 represents the shadow caused to the buildings. On the basis of the above image, the buildings are not casting any shadow on the nearby building but most of the windows is shaded by overhang. FIGURE 72 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the third, second, first & ground floor of Block -219, third floor of Block -220 and ground floor of the block -211, 212, 213, 214 & 217 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on 21st September 12 PM.








FIGURE 73: SHADOW RANGE ON 21st OCTOBER 12 PM WITHOUT VIADUCT




FIGURE 74: SHADOW RANGE ON 21st OCTOBER 12 PM WITH VIADUCT

FIGURE 73 represents the shadow caused to the buildings. On the basis of the above image, the Block -219 is casting shadow on the Block -217. FIGURE 74 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the second, first & ground floor of Blocks -211, 212, 213, 216 & 217, first & ground floor of Blocks -214 & 215 and third floor of Blocks -219 & 220 thereby obstructing the direct sunlight falling on the back side of the building, which itself is acting as a shade for the back side of the buildings on 21st October 12 PM.








FIGURE 75: SHADOW RANGE ON 21st NOVEMBER 12 PM WITHOUT VIADUCT




FIGURE 76: SHADOW RANGE ON 21st NOVEMBER 12 PM WITH VIADUCT

FIGURE 75 represents the shadow caused to the buildings. On the basis of the above image, the Block -219 is casting shadow on the Blocks -217 & 216. FIGURE 76 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the third, second & first floor of Blocks -211, 212, 213, 215, 216 & 217 and second, first & ground floor of Block -214 thereby obstructing the direct sunlight falling on the back side of the building, which itself is acting as a shade for the back side of the buildings on 21st November 12 PM.








FIGURE 77: SHADOW RANGE ON 21st DECEMBER 12 PM WITHOUT VIADUCT




FIGURE 78: SHADOW RANGE ON 21st DECEMBER 12 PM WITH VIADUCT

FIGURE 77 represents the shadow caused to the buildings. On the basis of the above image, the Block -219 is casting shadow on the Blocks -217 & 216. FIGURE 78 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the third, second & first floor of Blocks -211, 212, 213, 216 & 217, third & second floor of Block -214 and third, second, first & ground floor of Block -211 thereby obstructing the direct sunlight falling on the back side of the buildings, which itself is acting as a shade for the back side of the buildings on 21st December 12 PM.








FIGURE 79: SHADOW RANGE ON 21st JANUARY 1 PM WITHOUT VIADUCT




FIGURE 80: SHADOW RANGE ON 21st JANUARY 1 PM WITH VIADUCT

FIGURE 79 represents the shadow caused to the buildings. On the basis of the above image, the Block - 219 is casting shadow on the Blocks - 217, 216 & 215. FIGURE 80 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the third, second & first floor of Blocks - 211, 212, 213, 215 & 217, third, second, first & ground floor of Block - 216 and second, first & ground floor of Block - 214 thereby obstructing the direct sunlight falling on the back side of the buildings, which itself is acting as a shade for the back side of the buildings on 21^{st} January 1 PM.








FIGURE 81: SHADOW RANGE ON 21ST FEBRUARY 1 PM WITHOUT VIADUCT




FIGURE 82: SHADOW RANGE ON 21st February 1 PM WITH VIADUCT

FIGURE 81 represents the shadow caused to the buildings. On the basis of the above image, the Block -219 is casting shadow on the Blocks -217 & 216. FIGURE 82 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the second, first & ground floor of Blocks -211, 212, 213, 214, 215, 216 & 217 and third floor of Blocks -219 & 220 and second, first & ground floor of Block -214 thereby obstructing the direct sunlight falling on the back side of the buildings, which itself is acting as a shade for back side of the buildings on 21st February 1 PM.








FIGURE 83: SHADOW RANGE ON 21st MARCH 1 PM WITHOUT VIADUCT




FIGURE 84: SHADOW RANGE ON 21st MARCH 1 PM WITH VIADUCT

FIGURE 83 represents the shadow caused to the buildings. On the basis of the above image, the Block -219 is casting shadow on the Block -217. FIGURE 84 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the third, second & first floor of Blocks -219 & 220 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on 21st March 1 PM.








FIGURE 85: SHADOW RANGE ON 21st APRIL 1 PM WITHOUT VIADUCT




FIGURE 86: SHADOW RANGE ON 21st APRIL 1 PM WITH VIADUCT

FIGURE 85 represents the shadow caused to the buildings. On the basis of the above image, the building is not casting any shadow on the nearby buildings but most of the windows is shaded by the overhang. FIGURE 86 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the third, second, first & ground floor of Blocks – 219 & 220 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on 21st April 1 PM.








FIGURE 87: SHADOW RANGE ON 21st MAY 1 PM WITHOUT VIADUCT




FIGURE 88: SHADOW RANGE ON 21st MAY 1 PM WITH VIADUCT

FIGURE 87 represents the shadow caused to the buildings. On the basis of the above image, the building is not casting any shadow on the nearby buildings but most of the windows is shaded by the overhang. FIGURE 88 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the second, first & ground floor of Blocks – 219 & 220 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on 21st May 1 PM.








FIGURE 89: SHADOW RANGE ON 21st JUNE 1 PM WITHOUT VIADUCT




FIGURE 90: SHADOW RANGE ON 21st JUNE 1 PM WITH VIADUCT

FIGURE 89 represents the shadow caused to the buildings. On the basis of the above image, the building is not casting any shadow on the nearby buildings but most of the windows is shaded by the overhang. FIGURE 90 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, and the Viaduct is casting shadow on the second, first & ground floor of Blocks – 219 & 220 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on 21st June 1 PM.



Environmental Impact Assessment (Final)

PUBLIC

December 2023

India: Delhi–Meerut Regional Rapid Transit System Investment Project

Addendum to Environment Impact Assessment Report–Stabling Yard at Jangpura and Connecting Line from Sarai Kale Khan RRTS station to Stabling yard

Appendixes - Part 9

This Final EIA has been disclosed for the relevant stakeholders. There are ongoing consultations under the ADB Accountability Mechanism, 2012 with some community people who are not in the Corridor of Direct Impact, however, this EIA addresses the impacts associated with sensitive receptors falling within the Corridor of Indirect Impact and has also considered the mitigation measures accordingly in the design.

Prepared by the National Capital Region Transport Corporation for the Asian Development Bank (ADB).

This environmental impact assessment is a document of the borrower. The views expressed herein do not necessarily represent those of ADB's Board of Directors, Management, or Staff, and may be preliminary in nature. Your attention is directed to the "terms of use" section of ADB's website.
In preparing any country program or strategy, financing any project, or by making any designation of or reference to a particular territory or geographic area in this document, ADB does not intend to make any judgments as to the legal or other status of any territory or area.






FIGURE 91: SHADOW RANGE ON 21st JULY 1 PM WITHOUT VIADUCT




FIGURE 92: SHADOW RANGE ON 21st JULY 1 PM WITH VIADUCT

FIGURE 91 represents the shadow caused to the buildings. On the basis of the above image, the building is not casting any shadow on the nearby buildings but most of the windows is shaded by the overhang. FIGURE 92 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the second, first & ground floor of Blocks – 219 & 220 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on 21st July 1 PM.








FIGURE 93: SHADOW RANGE ON 21st AUGUST 1 PM WITHOUT VIADUCT




FIGURE 94: SHADOW RANGE ON 21st AUGUST 1 PM WITH VIADUCT

FIGURE 93 represents the shadow caused to the buildings. On the basis of the above image, the building is not casting any shadow on the nearby buildings but most of the windows is shaded by the overhang. FIGURE 94 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the third, second, first & ground floor of Blocks -219 & 220 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on 21st August 1 PM.








FIGURE 95: SHADOW RANGE ON 21st SEPTEMBER 1 PM WITHOUT VIADUCT




FIGURE 96: SHADOW RANGE ON 21st SEPTEMBER 1 PM WITH VIADUCT

FIGURE 95 represents the shadow caused to the buildings. On the basis of the above image, the building is not casting any shadow on the nearby buildings but most of the windows is shaded by the overhang. FIGURE 96 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the third, second, first & ground floor of Block – 220 and third, second & first floor of Block – 219 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on 21st September 1 PM.






FIGURE 97: SHADOW RANGE ON 21st OCTOBER 1 PM WITHOUT VIADUCT




FIGURE 98: SHADOW RANGE ON 21st OCTOBER 1 PM WITH VIADUCT

FIGURE 97 represents the shadow caused to the buildings. On the basis of the above image, Block-220 is casting shadow on the Blocks-217 & 216. FIGURE 98 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the second, first & ground floor of Block-220 and third floor of Block-219 and ground floor of Block-211 to 217 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on 21st October 1 PM.








FIGURE 99: SHADOW RANGE ON 21st NOVEMBER 1 PM WITHOUT VIADUCT




FIGURE 100: SHADOW RANGE ON 21st NOVEMBER 1 PM WITH VIADUCT

FIGURE 99 represents the shadow caused to the buildings. On the basis of the above image, Block – 220 is casting shadow on the Blocks – 217, 216 & 215. FIGURE 100 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the third, second, first & ground floor of Blocks – 211 to 213, 216 & 217 and second, first & ground floor of Blocks – 214 & 215 thereby obstructing the direct sunlight falling on the back side of the buildings, which itself is acting as a shade for the back side of the buildings on 21st November 1 PM.








FIGURE 101: SHADOW RANGE ON 21st DECEMBER 1 PM WITHOUT VIADUCT




FIGURE 102: SHADOW RANGE ON 21st DECEMBER 1 PM WITH VIADUCT

FIGURE 101 represents the shadow caused to the buildings. On the basis of the above image, Block - 220 is casting shadow on the Blocks - 217, 216 & 215. FIGURE 102 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, Viaduct is casting shadow on the third, second & first floor of Block - 211 to 213, 215 to 217, second & first floor of Block - 214 and third floor of Block - 220 thereby obstructing the direct sunlight falling on the back side of the buildings, which itself is acting as a shade for the back side of the buildings on 21st December 1 PM.








FIGURE 103: SHADOW RANGE ON 21st JANUARY 2 PM WITHOUT VIADUCT




FIGURE 104: SHADOW RANGE ON 21st JANUARY 2 PM WITH VIADUCT

FIGURE 103 represents the shadow caused to the buildings. On the basis of the above image, Block - 220 is casting shadow on the Blocks - 217, 216 & 215. FIGURE 104 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the second, first & ground floor of Blocks - 211 to 213, 215 to 217, second & first floor of Block - 214 and third & second floor of Block - 220 thereby obstructing the direct sunlight falling on the back side of the buildings, which itself is acting as a shade for the back side of the buildings on 21^{st} January 2 PM.








FIGURE 105: SHADOW RANGE ON 21st February 2 PM WITHOUT VIADUCT




FIGURE 106: SHADOW RANGE ON 21st February 2 PM WITH VIADUCT

FIGURE 105 represents the shadow caused to the buildings. On the basis of the above image, Block-220 is casting shadow on the Blocks-217, 216 & 215. FIGURE 106 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the third, second, first & ground floor of Block-220 and third floor of Block-219 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on 21^{st} February 2 PM.








FIGURE 107: SHADOW RANGE ON 21st MARCH 2 PM WITHOUT VIADUCT




FIGURE 108: SHADOW RANGE ON 21st MARCH 2 PM WITH VIADUCT

FIGURE 107 represents the shadow caused to the buildings. On the basis of the above image, Block-220 is casting shadow on the Blocks-217 & 216. FIGURE 108 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the third, second & first floor of Blocks-219 & 220 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on 21^{st} March 2 PM.








FIGURE 109: SHADOW RANGE ON 21st APRIL 2 PM WITHOUT VIADUCT




FIGURE 110: SHADOW RANGE ON 21st APRIL 2 PM WITH VIADUCT

FIGURE 109 represents the shadow caused to the buildings. On the basis of the above image, the buildings is not casting any shadow to the nearby buildings but most of the windows are shaded by the overhang. FIGURE 110 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the second, first & ground floor of Blocks -219 & 220 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on $21^{\rm st}$ April 2 PM.








FIGURE 111: SHADOW RANGE ON 21st MAY 2 PM WITHOUT VIADUCT




FIGURE 112: SHADOW RANGE ON 21st MAY 2 PM WITH VIADUCT

FIGURE 111 represents the shadow caused to the buildings. On the basis of the above image, the buildings is not casting any shadow to the nearby buildings but most of the windows are shaded by the overhang. FIGURE 112 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is not casting shadow on the façade of the buildings on 21st May 2 PM.



Environmental Impact Assessment (Final)

PUBLIC

December 2023

India: Delhi–Meerut Regional Rapid Transit System Investment Project

Addendum to Environment Impact Assessment Report–Stabling Yard at Jangpura and Connecting Line from Sarai Kale Khan RRTS station to Stabling yard

Appendixes - Part 10

This Final EIA has been disclosed for the relevant stakeholders. There are ongoing consultations under the ADB Accountability Mechanism, 2012 with some community people who are not in the Corridor of Direct Impact, however, this EIA addresses the impacts associated with sensitive receptors falling within the Corridor of Indirect Impact and has also considered the mitigation measures accordingly in the design.

Prepared by the National Capital Region Transport Corporation for the Asian Development Bank (ADB).

This environmental impact assessment is a document of the borrower. The views expressed herein do not necessarily represent those of ADB's Board of Directors, Management, or Staff, and may be preliminary in nature. Your attention is directed to the "terms of use" section of ADB's website.
In preparing any country program or strategy, financing any project, or by making any designation of or reference to a particular territory or geographic area in this document, ADB does not intend to make any judgments as to the legal or other status of any territory or area.






FIGURE 113: SHADOW RANGE ON 21st JUNE 2 PM WITHOUT VIADUCT




FIGURE 114: SHADOW RANGE ON 21st June 2 PM WITH VIADUCT

FIGURE 113 represents the shadow caused to the buildings. On the basis of the above image, the buildings is not casting any shadow to the nearby buildings but most of the windows are shaded by the overhang. FIGURE 114 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is not casting shadow on the façade of the buildings on 21st June 2 PM.








FIGURE 115: SHADOW RANGE ON 21st July 2 PM WITHOUT VIADUCT




FIGURE 116: SHADOW RANGE ON 21st July 2 PM WITH VIADUCT

FIGURE 115 represents the shadow caused to the buildings. On the basis of the above image, the buildings is not casting any shadow to the nearby buildings but most of the windows are shaded by the overhang. FIGURE 116 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is not casting shadow on the façade of the buildings on 21st July 2 PM.








FIGURE 117: SHADOW RANGE ON 21st AUGUST 2 PM WITHOUT VIADUCT




FIGURE 118: SHADOW RANGE ON 21st AUGUST 2 PM WITH VIADUCT

FIGURE 117 represents the shadow caused to the buildings. On the basis of the above image, the buildings is not casting any shadow to the nearby buildings but most of the windows are shaded by the overhang. FIGURE 118 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the second, first & ground floor of Blocks -219 & 220 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on 21^{st} August 2 PM.








FIGURE 119: SHADOW RANGE ON 21st SEPTEMBER 2 PM WITHOUT VIADUCT




FIGURE 120: SHADOW RANGE ON 21st SEPTEMBER 2 PM WITH VIADUCT

FIGURE 119 represents the shadow caused to the buildings. On the basis of the above image, the buildings is not casting any shadow to the nearby buildings but most of the windows are shaded by the overhang. FIGURE 120 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the third, second, first & ground floor of Block – 220 and third, second & first floor of Block – 219 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on 21st September 2 PM.








FIGURE 121: SHADOW RANGE ON 21st OCTOBER 2 PM WITHOUT VIADUCT




FIGURE 122: SHADOW RANGE ON 21st OCTOBER 2 PM WITH VIADUCT

FIGURE 121 represents the shadow caused to the buildings. On the basis of the above image, Block-220 is casting shadow on the Blocks-217, 216 & 215. FIGURE 122 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the third, second, first & ground floor of Block-220 and third, second & first floor of Block-219 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on 21st October 2 PM.








FIGURE 123: SHADOW RANGE ON 21st NOVEMBER 2 PM WITHOUT VIADUCT




FIGURE 124: SHADOW RANGE ON 21st NOVEMBER 2 PM WITH VIADUCT

FIGURE 123 represents the shadow caused to the buildings. On the basis of the above image, Block - 220 is casting shadow on the Blocks - 217, 216 & 215. FIGURE 124 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the first & ground floor of Blocks - 211 to 217 and third, second & first floor of Block - 220 thereby obstructing the direct sunlight falling on the back side of the buildings, which itself is acting as a shade for the back side of the buildings on 21^{st} November 2 PM.








FIGURE 125: SHADOW RANGE ON 21st DECEMBER 2 PM WITHOUT VIADUCT




FIGURE 126: SHADOW RANGE ON 21st DECEMBER 2 PM WITH VIADUCT

FIGURE 125 represents the shadow caused to the buildings. On the basis of the above image, Block - 220 is casting shadow on the Blocks - 217, 216 & 215. FIGURE 126 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the third, second, first & ground floor of Blocks - 211, 213 & 217, second, first & ground floor of Blocks - 212, 215 & 216, first & ground floor of Block - 214 and second & third floor of Block - 220 thereby obstructing the direct sunlight falling on the back side of the buildings, which itself is acting as a shade for the back side of the buildings on 21st December 2 PM. 214








FIGURE 127: SHADOW RANGE ON 21st JANUARY 3 PM WITHOUT VIADUCT




FIGURE 128: SHADOW RANGE ON 21st JANUARY 3 PM WITH VIADUCT

FIGURE 127 represents the shadow caused to the buildings. On the basis of the above image, Block - 220 is casting shadow on the Blocks - 217, 216, 215 & 214. FIGURE 128 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the ground floor of Blocks - 211 to 217 and third, second & first floor of Block - 220 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on 21^{st} January 3 PM.








FIGURE 129: SHADOW RANGE ON 21st February 3 PM WITHOUT VIADUCT




FIGURE 130: SHADOW RANGE ON 21st February 3 PM WITH VIADUCT

FIGURE 129 represents the shadow caused to the buildings. On the basis of the above image, Block – 220 is casting shadow on the Blocks – 217, 216 & 215. FIGURE 130 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the third, second, first & ground floor of Blocks – 219 & 220 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on 21st February 3 PM.








FIGURE 131: SHADOW RANGE ON 21st MARCH 3 PM WITHOUT VIADUCT




FIGURE 132: SHADOW RANGE ON 21st MARCH 3 PM WITH VIADUCT

FIGURE 131 represents the shadow caused to the buildings. On the basis of the above image, Block-220 is casting shadow on the Blocks-217, 216 & 215. FIGURE 132 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the second, first & ground floor of Blocks-219 & 220 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on 21st March 3 PM.








FIGURE 133: SHADOW RANGE ON 21st APRIL 3 PM WITHOUT VIADUCT




FIGURE 134: SHADOW RANGE ON 21st APRIL 3 PM WITH VIADUCT

FIGURE 133 represents the shadow caused to the buildings. On the basis of the above image, most of the windows is shaded by the overhang. FIGURE 134 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is not casting shadow on the façade of the buildings on 21st April 3 PM.



Environmental Impact Assessment (Final)

PUBLIC

December 2023

India: Delhi–Meerut Regional Rapid Transit System Investment Project

Addendum to Environment Impact Assessment Report–Stabling Yard at Jangpura and Connecting Line from Sarai Kale Khan RRTS station to Stabling yard

Appendixes - Part 11

This Final EIA has been disclosed for the relevant stakeholders. There are ongoing consultations under the ADB Accountability Mechanism, 2012 with some community people who are not in the Corridor of Direct Impact, however, this EIA addresses the impacts associated with sensitive receptors falling within the Corridor of Indirect Impact and has also considered the mitigation measures accordingly in the design.

Prepared by the National Capital Region Transport Corporation for the Asian Development Bank (ADB).

This environmental impact assessment is a document of the borrower. The views expressed herein do not necessarily represent those of ADB's Board of Directors, Management, or Staff, and may be preliminary in nature. Your attention is directed to the "terms of use" section of ADB's website.
In preparing any country program or strategy, financing any project, or by making any designation of or reference to a particular territory or geographic area in this document, ADB does not intend to make any judgments as to the legal or other status of any territory or area.






FIGURE 135: SHADOW RANGE ON 21st MAY 3 PM WITHOUT VIADUCT




FIGURE 136: SHADOW RANGE ON 21st MAY 3 PM WITH VIADUCT

FIGURE 135 represents the shadow caused to the buildings. On the basis of the above image, building is not casting any shadow on the nearby buildings but most of the windows is shaded by the overhang. FIGURE 136 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the ground floor of Blocks – 195, 196, 209 & 210 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on 21st May 3 PM.








FIGURE 137: SHADOW RANGE ON 21st June 3 PM WITHOUT VIADUCT




FIGURE 138: SHADOW RANGE ON 21st June 3 PM WITH VIADUCT

FIGURE 137 represents the shadow caused to the buildings. On the basis of the above image, building is not casting any shadow on the nearby buildings but most of the windows is shaded by the overhang. FIGURE 138 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the ground floor of Blocks - 195 & 196 and ground floor of Blocks - 209 & 210 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on 21^{st} June 3 PM.








FIGURE 139: SHADOW RANGE ON 21st JULY 3 PM WITHOUT VIADUCT




FIGURE 140: SHADOW RANGE ON 21st JULY 3 PM WITH VIADUCT

FIGURE 139 represents the shadow caused to the buildings. On the basis of the above image, building is not casting any shadow on the nearby buildings but most of the windows is shaded by the overhang. FIGURE 140 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the ground floor of Blocks - 195 & 196 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on 21^{st} July 3 PM.








FIGURE 141: SHADOW RANGE ON 21st AUGUST 3 PM WITHOUT VIADUCT




FIGURE 142: SHADOW RANGE ON 21st AUGUST 3 PM WITH VIADUCT

FIGURE 141 represents the shadow caused to the buildings. On the basis of the above images, most of the windows is shaded by the overhang. FIGURE 142 represents the shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above images, the Viaduct is not casting shadow on the façade of the buildings on 21st August 3 PM.








FIGURE 143: SHADOW RANGE ON 21st SEPTEMBER 3 PM WITHOUT VIADUCT




FIGURE 144: SHADOW RANGE ON 21st SEPTEMBER 3 PM WITH VIADUCT

FIGURE 143 represents the shadow caused to the buildings. On the basis of the above image, most of the windows is shaded by the overhang. FIGURE 144 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is not casting shadow on the façade of the buildings on 21st September 3 PM.








FIGURE 145: SHADOW RANGE ON 21st OCTOBER 3 PM WITHOUT VIADUCT




FIGURE 146: SHADOW RANGE ON 21st OCTOBER 3 PM WITH VIADUCT

FIGURE 145 represents the shadow caused to the buildings. On the basis of the above image, Block - 220 is casting shadow on the Blocks - 217, 216, 215 & 214. FIGURE 146 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the third, second, first & ground floor of Blocks - 219 & 220 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on 21st October 3 PM.








FIGURE 147: SHADOW RANGE ON 21st NOVEMBER 3 PM WITHOUT VIADUCT




FIGURE 148: SHADOW RANGE ON 21st NOVEMBER 3 PM WITH VIADUCT

FIGURE 147 represents the shadow caused to the buildings. On the basis of the above image, Block - 220 is casting shadow on the Blocks - 217, 216, 215 & 214. FIGURE 148 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the third, second, first & ground floor of Block - 220 and third floor of Block - 219 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on 21st November 3 PM.








FIGURE 149: SHADOW RANGE ON 21st DECEMBER 3 PM WITHOUT VIADUCT




FIGURE 150: SHADOW RANGE ON 21st DECEMBER 3 PM WITH VIADUCT

FIGURE 149 represents the shadow caused to the buildings. On the basis of the above image, Block - 220 is casting shadow on the Blocks - 217, 216, 215 & 214. FIGURE 150 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on the first & ground floor of Blocks - 211, 212, 213, 214, 215, 216 & 217, third, second & first floor of Block - 220 and third floor of Block - 219 thereby obstructing the direct sunlight falling on the back side of the buildings, which itself is acting as a shade for the back side of the buildings on 21^{st} December 3 PM.





2.5 Shadow Analysis 3 - Annual Evening Time (4PM to 5PM)

As per our annual shadow analysis during the evening time (i.e. from 4.00 PM to 5.00 PM), the "Building A & B" is shaded most of the time due to the same building itself. Thus the proposed RRTS viaduct creates a minimal shadow effect on the surrounding buildings.




FIGURE 151: SHADOW RANGE ON 21st JANUARY 4 PM WITHOUT VIADUCT




FIGURE 152: SHADOW RANGE ON 21st JANUARY 4 PM WITH VIADUCT

FIGURE 151 represents the shadow caused to the buildings. On the basis of the above image, Block – 220 is casting shadow on the Blocks – 217, 216, 215, 214 & 213. FIGURE 152 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on third, second, first & ground floor of Blocks – 219 & 220 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on 21st January 4 PM.








FIGURE 153: SHADOW RANGE ON 21st February 4 PM WITHOUT VIADUCT




FIGURE 154: SHADOW RANGE ON 21st February 4 PM with VIADUCT

FIGURE 153 represents the shadow caused to the buildings. On the basis of the above image, most of the windows are shaded by the overhang. FIGURE 154 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on ground floor of Blocks -219 & 220 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on $21^{\rm st}$ February 4 PM.








FIGURE 155: SHADOW RANGE ON 21st MARCH 4 PM WITHOUT VIADUCT




FIGURE 156: SHADOW RANGE ON 21st MARCH 4 PM WITH VIADUCT

FIGURE 155 represents the shadow caused to the buildings. On the basis of the above image, most of the windows are shaded by the overhang. FIGURE 156 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on ground floor of Blocks – 195 & 196 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on 21st March 4 PM.



Environmental Impact Assessment (Final)

PUBLIC

December 2023

India: Delhi–Meerut Regional Rapid Transit System Investment Project

Addendum to Environment Impact Assessment Report–Stabling Yard at Jangpura and Connecting Line from Sarai Kale Khan RRTS station to Stabling yard

Appendixes - Part 12

This Final EIA has been disclosed for the relevant stakeholders. There are ongoing consultations under the ADB Accountability Mechanism, 2012 with some community people who are not in the Corridor of Direct Impact, however, this EIA addresses the impacts associated with sensitive receptors falling within the Corridor of Indirect Impact and has also considered the mitigation measures accordingly in the design.

Prepared by the National Capital Region Transport Corporation for the Asian Development Bank (ADB).

This environmental impact assessment is a document of the borrower. The views expressed herein do not necessarily represent those of ADB's Board of Directors, Management, or Staff, and may be preliminary in nature. Your attention is directed to the "terms of use" section of ADB's website.
In preparing any country program or strategy, financing any project, or by making any designation of or reference to a particular territory or geographic area in this document, ADB does not intend to make any judgments as to the legal or other status of any territory or area.






FIGURE 157: SHADOW RANGE ON 21st APRIL 4 PM WITHOUT VIADUCT




FIGURE 158: SHADOW RANGE ON 21st APRIL 4 PM WITH VIADUCT

FIGURE 157 represents the shadow caused to the buildings. On the basis of the above image, the building is not casting any shadow on the nearby buildings. FIGURE 158 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on second, first & ground floor of Blocks - 195 & 196 and first & ground floor of Blocks - 209 & 210 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on $21^{\rm st}$ April 4 PM.








FIGURE 159: SHADOW RANGE ON 21st MAY 4 PM WITHOUT VIADUCT




FIGURE 160: SHADOW RANGE ON 21st MAY 4 PM WITH VIADUCT

FIGURE 159 represents the shadow caused to the buildings. On the basis of the above image, the building is not casting any shadow on the nearby building. FIGURE 160 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on third, second, first & ground floor of Blocks – 195 & 196 and second, first & ground floor of Blocks – 209 & 210 thereby obstructing the direct sunlight falling on the on the façade of the building, which itself is acting as a shade for the façade on 21st May 4 PM.








FIGURE 161: SHADOW RANGE ON 21st JUNE 4 PM WITHOUT VIADUCT




FIGURE 162: SHADOW RANGE ON 21st June 4 PM WITH VIADUCT

FIGURE 161 represents the shadow caused to the buildings. On the basis of the above image, the building is not casting any shadow on the nearby buildings. FIGURE 162 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on third, second, first & ground floor of Blocks - 195 & 196 and second, first & ground floor of Blocks - 209 & 210 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on 21^{st} June 4 PM.








FIGURE 163: SHADOW RANGE ON 21st JULY 4 PM WITHOUT VIADUCT




FIGURE 164: SHADOW RANGE ON 21st JULY 4 PM WITH VIADUCT

FIGURE 163 represents the shadow caused to the buildings. On the basis of the above image, the building is not casting any shadow on the nearby buildings. FIGURE 164 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on third, second, first & ground floor of Blocks - 195 & 196 and second, first & ground floor of Blocks - 209 & 210 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on 21^{st} July 4 PM.








FIGURE 165: SHADOW RANGE ON 21st AUGUST 4 PM WITHOUT VIADUCT




FIGURE 166: SHADOW RANGE ON 21st AUGUST 4 PM WITH VIADUCT

FIGURE 165 represents the shadow caused to the buildings. On the basis of the above image, Block - 195 is casting shadow on the Blocks - 199, 200 & 201. FIGURE 166 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on second, first & ground floor of Blocks - 195 & 196 and first & ground floor of Blocks - 209 & 210 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on 21^{st} August 4 PM.








FIGURE 167: SHADOW RANGE ON 21st SEPTEMBER 4 PM WITHOUT VIADUCT




FIGURE 168: SHADOW RANGE ON 21ST SEPTEMBER 4 PM WITH VIADUCT

FIGURE 167 represents the shadow caused to the buildings. On the basis of the above image, Block - 195 is casting shadow on the Blocks - 199, 200 & 201. FIGURE 168 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on second, first & ground floor of Blocks - 195 & 196 and ground floor of Blocks - 209 & 210 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on 21^{st} September 4 PM.








FIGURE 169: SHADOW RANGE ON 21st OCTOBER 4 PM WITHOUT VIADUCT




FIGURE 170: SHADOW RANGE ON 21st OCTOBER 4 PM WITH VIADUCT

FIGURE 169 represents the shadow caused to the buildings. On the basis of the above image, Block - 195 is casting shadow on the Blocks - 199, 200, 201 & 202. FIGURE 170 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on ground floor of Blocks - 195 & 196 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on $21^{\rm st}$ October 4 PM.








FIGURE 171: SHADOW RANGE ON 21st NOVEMBER 4 PM WITHOUT VIADUCT




FIGURE 172: SHADOW RANGE ON 21st NOVEMBER 4 PM WITH VIADUCT

FIGURE 171 represents the shadow caused to the buildings. On the basis of the above image, Blocks -219 & 220 is casting shadow on the Blocks -211 to 217. FIGURE 172 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on second, first & ground floor of Blocks -219 & 220 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on 21st November 4 PM.








FIGURE 173: SHADOW RANGE ON 21st DECEMBER 4 PM WITHOUT VIADUCT




FIGURE 174: SHADOW RANGE ON 21st DECEMBER 4 PM WITH VIADUCT

FIGURE 173 represents the shadow caused to the buildings. On the basis of the above image, Blocks-219 & 220 is casting shadow on the Blocks-211 to 217. FIGURE 174 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on third, second, first & ground floor of Blocks-219 & 220 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on 21st December 4 PM.








FIGURE 175: SHADOW RANGE ON 21st JANUARY 5 PM WITHOUT VIADUCT




FIGURE 176: SHADOW RANGE ON 21st JANUARY 5 PM WITH VIADUCT

FIGURE 175 represents the shadow caused to the building. On the basis of the above image, Blocks – 219 & 220 is casting shadow on the Blocks – 211 to 217 in Building – B & Block – 195 is casting shadow on the Blocks – 199 to 210. FIGURE 176 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow ground floor of Blocks – 209 & 210 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on $21^{\rm st}$ January 5 PM.



Environmental Impact Assessment (Final)

PUBLIC

December 2023

India: Delhi–Meerut Regional Rapid Transit System Investment Project

Addendum to Environment Impact Assessment Report–Stabling Yard at Jangpura and Connecting Line from Sarai Kale Khan RRTS station to Stabling yard

Appendixes - Part 13

This Final EIA has been disclosed for the relevant stakeholders. There are ongoing consultations under the ADB Accountability Mechanism, 2012 with some community people who are not in the Corridor of Direct Impact, however, this EIA addresses the impacts associated with sensitive receptors falling within the Corridor of Indirect Impact and has also considered the mitigation measures accordingly in the design.

Prepared by the National Capital Region Transport Corporation for the Asian Development Bank (ADB).

This environmental impact assessment is a document of the borrower. The views expressed herein do not necessarily represent those of ADB's Board of Directors, Management, or Staff, and may be preliminary in nature. Your attention is directed to the "terms of use" section of ADB's website.
In preparing any country program or strategy, financing any project, or by making any designation of or reference to a particular territory or geographic area in this document, ADB does not intend to make any judgments as to the legal or other status of any territory or area.






FIGURE 177: SHADOW RANGE ON 21st February 5 PM WITHOUT VIADUCT




FIGURE 178: SHADOW RANGE ON 21st February 5 PM WITH VIADUCT

FIGURE 177 represents the shadow caused to the buildings. On the basis of the above image, Block-195 is casting shadow on the Blocks-199 to 203. FIGURE 178 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on third, second, first & ground floor of Blocks-195 & 196 and second, first & ground floor of Blocks-195 & 196 and second, first & ground floor of Blocks-195 & 196 and second, first & ground floor of Blocks-195 & 196 and second, first & ground floor of Blocks-195 & 196 and second, first & ground floor of Blocks-195 & 196 and second, first & ground floor of Blocks-195 & 196 and second, first & ground floor of Blocks-195 & 196 and second, first & ground floor of Blocks-195 & 196 and second, first & ground floor of Blocks-195 & 196 and second, first & ground floor of Blocks-195 & 196 and second, first & ground floor of Blocks-195 & 196 and second, first & ground floor of Blocks-195 & 196 and second, first & ground floor of Blocks-195 & 196 and second, first & ground floor of Blocks-195 & 196 and second, first & ground floor of Blocks-195 & 196 and second, first & ground floor of Blocks-195 & 196 and second, first & ground floor of Blocks-195 & 196 and second fl








FIGURE 179: SHADOW RANGE ON 21st MARCH 5 PM WITHOUT VIADUCT




FIGURE 180: SHADOW RANGE ON 21st MARCH 5 PM WITH VIADUCT

FIGURE 179 represents the shadow caused to the buildings. On the basis of the above image, Block-195 is casting shadow on the Blocks-199 to 202. FIGURE 180 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on third, second, first & ground floor of Blocks-195 & 196 and third, second & first floor of Blocks-209 & 210, ground floor of Blocks-199, 202 to 206, ground & first floor of Blocks-209 & 201 and third, second & first floor of Blocks-209 & 210 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on 21st March 5 PM.








FIGURE 181: SHADOW RANGE ON 21st APRIL 5 PM WITHOUT VIADUCT




FIGURE 182: SHADOW RANGE ON 21st APRIL 5 PM WITH VIADUCT

FIGURE 181 represents the shadow caused to the buildings. On the basis of the above image, Block - 195 is casting shadow on the Blocks - 199 to 201. FIGURE 182 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on third floor of Blocks - 195 & 196 and second, first & ground floor of Blocks - 199 to 206 and third, second & first floor of Blocks - 209 & 210 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on 21st April 5 PM.








FIGURE 183: SHADOW RANGE ON 21st MAY 5 PM WITHOUT VIADUCT




FIGURE 184: SHADOW RANGE ON 21st May 5 PM WITH VIADUCT

FIGURE 183 represents the shadow caused to the buildings. On the basis of the above image, Block-195 is casting shadow on the Blocks-199 to 201. FIGURE 184 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on third floor of Blocks-195 & 196 and second, first & ground floor of Blocks-199 to 206 and third, second & first floor of Blocks-209 & 210 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on 21^{st} May 5 PM.








FIGURE 185: SHADOW RANGE ON 21st June 5 PM WITHOUT VIADUCT




FIGURE 186: SHADOW RANGE ON 21st June 5 PM WITH VIADUCT

FIGURE 185 represents the shadow caused to the buildings. On the basis of the above image, Block – 195 is casting shadow on the Blocks – 199 to 201. FIGURE 186 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on third floor of Blocks – 195 & 196 and second, first & ground floor of Blocks – 199 to 206 and third & second floor of Blocks – 209 & 210 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on 21st June 5 PM.








FIGURE 187: SHADOW RANGE ON 21st JULY 5 PM WITHOUT VIADUCT




FIGURE 188: SHADOW RANGE ON 21st July 5 PM WITH VIADUCT

FIGURE 187 represents the shadow caused to the buildings. On the basis of the above image, Block – 195 is casting shadow on the Blocks – 199 to 201. FIGURE 188 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on third floor of Blocks – 195 & 196 and second, first & ground floor of Blocks – 199 to 206 and third, second & first floor of Blocks – 209 & 210 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on 21st July 5 PM.








FIGURE 189: SHADOW RANGE ON 21st AUGUST 5 PM WITHOUT VIADUCT




FIGURE 190: SHADOW RANGE ON 21st AUGUST 5 PM WITH VIADUCT

FIGURE 189 represents the shadow caused to the buildings. On the basis of the above image, Block-195 is casting shadow on the Blocks-199 to 201. FIGURE 190 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on third floor of Blocks-195 & 196 and second, first & ground floor of Blocks-199 to 206 and third, second & first floor of Blocks-209 & 210 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on 21^{st} August 5 PM.








FIGURE 191: SHADOW RANGE ON 21st SEPTEMBER 5 PM WITHOUT VIADUCT




FIGURE 192: SHADOW RANGE ON 21st SEPTEMBER 5 PM WITH VIADUCT

FIGURE 191 represents the shadow caused to the buildings. On the basis of the above image, Block – 195 is casting shadow on the Blocks – 199 to 202. FIGURE 192 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on third floor of Block – 195, third, second, first & ground floor of Block – 196, ground floor of Block – 199, third, second & first floor of Block – 210, second & third floor of Block – 209 and second & first floor of Blocks – 200 to 206 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on 21^{st} September 5 PM.








FIGURE 193: SHADOW RANGE ON 21st OCTOBER 5 PM WITHOUT VIADUCT




FIGURE 194: SHADOW RANGE ON 21st OCTOBER 5 PM WITH VIADUCT

FIGURE 193 represents the shadow caused to the buildings. On the basis of the above image, Block-195 is casting shadow on the Blocks-199 to 204. FIGURE 194 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on second, first & ground floor of Block-195, third & second floor of Blocks-209 & 210, third, second & first floor of Block-200 to 203, 206 and third, second, first & ground floor of Blocks-204 & 205 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on 21st October 5 PM.








FIGURE 195: SHADOW RANGE ON 21st NOVEMBER 5 PM WITHOUT VIADUCT




FIGURE 196: SHADOW RANGE ON 21st NOVEMBER 5 PM WITH VIADUCT

FIGURE 195 represents the shadow caused to the buildings. On the basis of the above image, Block - 195 is casting shadow on the Blocks - 199 to 206. FIGURE 196 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is casting shadow on second, first & ground floor of Block - 195 & 196 and third, second, first & ground floor of Blocks - 209 & 210 thereby obstructing the direct sunlight falling on the façade of the building, which itself is acting as a shade for the façade on 21^{st} November 5 PM.



Environmental Impact Assessment (Final)

PUBLIC

December 2023

India: Delhi–Meerut Regional Rapid Transit System Investment Project

Addendum to Environment Impact Assessment Report–Stabling Yard at Jangpura and Connecting Line from Sarai Kale Khan RRTS station to Stabling yard

Appendixes - Part 14

This Final EIA has been disclosed for the relevant stakeholders. There are ongoing consultations under the ADB Accountability Mechanism, 2012 with some community people who are not in the Corridor of Direct Impact, however, this EIA addresses the impacts associated with sensitive receptors falling within the Corridor of Indirect Impact and has also considered the mitigation measures accordingly in the design.

Prepared by the National Capital Region Transport Corporation for the Asian Development Bank (ADB).

This environmental impact assessment is a document of the borrower. The views expressed herein do not necessarily represent those of ADB's Board of Directors, Management, or Staff, and may be preliminary in nature. Your attention is directed to the "terms of use" section of ADB's website.
In preparing any country program or strategy, financing any project, or by making any designation of or reference to a particular territory or geographic area in this document, ADB does not intend to make any judgments as to the legal or other status of any territory or area.






FIGURE 197: SHADOW RANGE ON 21st DECEMBER 5 PM WITHOUT VIADUCT




FIGURE 198: SHADOW RANGE ON 21st DECEMBER 5 PM WITH VIADUCT

FIGURE 197 represents the shadow caused to the buildings. On the basis of the above image, Block – 195 is casting shadow on the Blocks – 199 to 201 & 210. FIGURE 198 represents shadow caused to the buildings by the proposed RRTS Viaduct. On the basis of the above image, the Viaduct is not casting shadow on the façade of the buildings on 21st December 5 PM.





3.0 Inference - Shadow Analysis

In addition to the above shadow analysis, we have analyzed six months to study the casting of shadow on the surrounding building due to the RRTS viaduct (Design case) and due to the surrounding buildings (Base case) in 15 mins interval. The details of the shadow casted by the RRTS viaduct is mentioned in the below table:

Spring Equinox - 21st March

Summer Solstice - 21st June

Autumn Equinox - 21st September

Winter Solstice - 21st December

January - 21st January

February - 21st February




	i		Spring Equinox – 21st March	ţ	Summ	Summer Solstice – 21st June	a)	Autumn	quinox – 21st Septembe	ber	Winter	Solstice – 21st Decembe	ıber		21st January			21st February	
Vame	Floors	_	With Viaduct Without Viaduct Net hours	Net hours	With Viaduct	With Viaduct Without Viaduct Net hours With Viaduct	Net hours	With Viaduct	Without Viaduct	hours	With Viaduct	Without Viaduct	Net hours	With Viaduct	Without Viaduct	Net hours	With Viaduct	Without Viaduct	Net hours
									Build	ing - A									
	9	0.75	0	0.75	1.25	1.25	0	1.5	0.5	1	0	0	0	0	0	0	0.5	0	0.5
105	щ	0.50	0	0.50	1.5	1	0.5	1.25	0.25	1	0	0	0	0	0	0	0.5	0	0.5
001	S	0.50	0	0.50	1	0	1	1.25	0.25	1	0	0	0	0	0	0	0.5	0	0.5
	⊢	0.50	0	0.50	1.25	0	1.25	7	0	н	0	0	0	0	0	0	0.25	0	0.25
	ŋ	0.75	0.75	0	1.25	1.25	0	0.75	0.75	0	0	0	0	0	0	0	0.5	0.5	0
195	т	0.50	0.50	0	1.5	1.5	0	0.75	0.75	0	0	0	0	0	0	0	0.5	0.5	0
	S	0.50	0.50	0	1	0.75	0.25	П	1	0	0	0	0	0	0	0	0.5	0.5	0
	T	0.50	0.50	0	1.25	1.25	0	1	1	0	0	0	0	0	0	0	0.25	0.25	0
	9	0.25	0.25	0	0.75	0.75	0	0.5	0.5	0	0	0	0	0	0	0	0	0	0
199	ц	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CCT	S	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	L	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	0.25	0.25	0	0.75	0.75	0	0.5	0.5	0	0	0	0	0	0	0	0	0	0
200	ш	0.25	0.25	0	0.5	0.5	0	0.5	0.5	0	0	0	0	0	0	0	0	0	0
3	S	0	0	0	0	0	0	0.25	0.25	0	0	0	0	0	0	0	0	0	0
	_	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	פ	0.25	0.25	0	0.75	0	0.75	0.5	0.5	0	0	0	0	0	0	0	0	0	0
50	ш	0.25	0.25	0	0.5	0.5	0	0.5	0.5	0	0	0	0	0	0	0	0	0	0
707	S	0	0	0	0.25	0.25	0	0.25	0.25	0	0	0	0	0	0	0	0	0	0
	⊢	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	0.25	0.25	0	0.75	0	0.75	0.5	0.5	0	0	0	0	0	0	0	0	0	0
	н	0	0	0	0.5	0	0.5	0.5	0.5	0	0	0	0	0	0	0	0	0	0
707	S	0	0	0	0.25	0	0.25	0.25	0.25	0	0	0	0	0	0	0	0	0	0
	⊢	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	ŋ	0.25	0.25	0	0.75	0	0.75	0.5	0	0.5	0	0	0	0	0	0	0	0	0
203	ш	0	0	0	0.5	0	0.5	0.5	0	0.5	0	0	0	0	0	0	0	0	0
	S	0	0	0	0	0	0	0.25	0.25	0	0	0	0	0	0	0	0	0	0
	ŋ	0.25	0	0.25	0.75	0	0.75	0.5	0	0.5	0	0	0	0	0	0	0	0	0
204	Н	0	0	0	0.5	0	0.5	0.5	0	0.5	0	0	0	0	0	0	0	0	0
.	S	0	0	0	0	0	0	0.25	0	0.25	0	0	0	0	0	0	0	0	0
	⊢	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	g	0.25	0	0.25	0.75	0	0.75	0.5	0	0.5	0	0	0	0	0	0	0	0	0
205	ш	0	0	0	0.25	0	0.25	0.25	0.25	0	0	0	0	0	0	0	0	0	0
	s	0	0	0	0	0	0	0.25	0.25	0	0	0	0	0	0	0	0	0	0
	_	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	י פ	0.25	D (0.25	0.75	0 (0.75	0.5	0 0	d.0	0 0	0 (0 0	0 (o (0 (0	0 (0 (
506	T 0		0	>	0.25	0 0	0.25	0.25	0 0	0.25	-	0	5 C	>	0 0	>	5 C	0 0	o c
	· ⊢	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	g	0.50	0	0.50	1.5	0.75	0.75	т	0.25	0.75	0	0	0	0.25	0	0.25	0.5	0	0.5
9	ш	0.75	0	0.75	1.25	0	1.25	П	0	н	0	0	0	0	0	0	0.25	0	0.25
710	S	0.50	0	0.50	1.25	0	1.25	0.75	0	0.75	0	0	0	0	0	0	0.25	0	0.25
	_	0.25	0	0.25	0.5	0	0.5	0.5	0	0.5	0	0	0	0	0	0	0	0	0
	G	0:20	0.50	0	1.5	0.75	0.75	1	0.25	0.75	0	0	0	0.25	0	0.25	0.5	0	20.5
209	Т	0.75	0.75	0	1.25	1.25	0	0.75	0.75	0	0	0	0	0	0	0	0.25	0.25	0
}	s I	0.50	0.50	0	1.25	1.25	0	0.75	0.75	0	0	0 0	0	0	0 (0	0.25	0.25	ing En
	_	0.25	0.25	0	0.5	0.5	n O	0.5	0.5	n	n	D	n	n	0	n	0	991]	ELLII EL

P. Challana		C	Caring Equipox - 21st March	4	a amin'n	Cummor Coletico - 21st luno	0	ring amilia	Zaninov - 21st Contombor	mhor	Winter	Winter Coletice - 21st December	hor		31ct language			21ct Eobanam	
Bulling	Floors	variety vir.	NO .			Mint The	1	Automit View	damon - 21 Jepte	100	veriet ver dreet	Minter - ZI Decem	100	Variation of the state	Zastanidary		Antida Articularia	After edition	
Name		With Viaduct	Without Viaduct Net hours	Net hours		With Viaduct Without Viaduct Net hours	Net nours	With Viaduct	Without Viaduct	Net hours	With Viaduct	Without Viaduct	Net nours	With Viaduct	Without Viaduct	Net hours	With Viaduct	Without Viaduct	Net hours
									Bui	Building - B									
	g	3.50	1.75	1.75	1.25	0	1.25	4.25	0	4.25	2	0	2	2.25	0.5	1.75	2	2	0
311	ш	4.25	1.00	3.25	0.75	0	0.75	3.75	0	3.75	3.75	0	3.75	4	3.5	0.5	4.75	2.25	2.5
717	s	3.50	0.25	3.25	0	0	0	3.25	0	3.25	4.25	0	4.25	4.25	က	1.25	4.25	1.5	2.75
	F	2.75	0	2.75	0	0	0	2.75	0	2.75	4.75	0	4.75	4.25	2.25	2	3.75	0.75	8
	ŋ	1.75	0	1.75	1.25	0	1.25	2	0	2	2	0	2	2	0	2	2	2	0
213	ш	3.00	3.00	0	0.75	0.75	0	က	က	0	3.75	0	3.75	3.75	1.25	2.5	3.5	0.5	3
717	s	2.75	2.75	0	0	0	0	2.75	2.75	0	4	0	4	4	0.75	3.25	3.75	1.25	2.5
	F	2.50	2.50	0	0	0	0	2.5	2.5	0	4.25	0	4.25	4.5	0	4.5	3.5	2	1.5
	ŋ	1.75	0	1.75	1	0	П	2	0	2	2.5	0.5	2	2.25	0	2.25	2	0	2
313	ц	2.50	0.50	2.00	0.5	0.5	0	2.5	0	2.5	3.5	3.25	0.25	3.75	3.25	0.5	3.25	1.5	1.75
cT7	s	2.25	0	2.25	0	0	0	2.5	0	2.5	3.75	2.5	1.25	4	2.75	1.25	3.5	1	2.5
	F	2.50	0	2.50	0	0	0	2.25	0	2.25	4.5	0.25	4.25	4.5	2.25	2.25	3.75	0.25	3.5
	ŋ	1.75	0	1.75	1	0	1	2.25	0	2.25	2.5	2.5	0	2.75	0.25	2.5	2.25	0	2.25
21.0	ш	1.50	0	1.50	0.25	0.25	0	2.25	0.25	2	8	0.25	2.75	က	0.5	2.5	2.75	0	2.75
517	S	1.50	1.50	0	0	0	0	1.75	1.75	0	2.75	1.25	1.5	2.75	1	1.75	2.75	0	2.75
	F	2.00	2.00	0	0	0	0	1.5	1.5	0	m	0.5	2.5	m	0.25	2.75	2.75	0	2.75
	ŋ	2.00	0	2.00	1	0	1	2	1	1	4	2.25	1.75	ო	1.75	1.25	2.5	0	2.5
7.56	ш	1.75	0.50	1.25	0	0	0	2	0.5	1.5	4.75	3.25	1.5	3.5	1.75	1.75	2.5	1.25	1.25
CT7	s	1.75	0	1.75	0	0	0	1.75	0	1.75	3.75	0.75	က	3.5	0.5	က	2.5	0	2.5
	F	2.00	0	2.00	0	0	0	2	0	2	4.25	0	4.25	က	0	m	3	0	3
	ŋ	2.00	0	2.00	0.75	0.75	0	2	0.25	1.75	3.25	1.5	1.75	2.25	2.25	0	ĸ	0.5	2.5
216	ш	2.50	1.75	0.75	0.25	0.25	0	2.25	2.25	0	5.75	4.75	Н	6.25	6.25	0	4	4	0
017	S	2.75	2.50	0.25	0	0	0	2.25	1.75	0.5	5.25	4.5	0.75	5.5	5.5	0	4.25	4.25	0
	-	2.50	2.50	0	0	0	0	2.5	2.5	0	5.25	4.5	0.75	5.25	5.25	0	3.75	3.75	0
	ŋ	3.00	0.50	2.50	0.75	0	0.75	2.75	0.75	2	2.5	2.25	0.25	3.5	2.5	П	3.5	2.5	1
717	ш	2.75	2.00	0.75	0	0	0	3.75	2	1.75	22	4.5	0.5	4	3.5	0.5	2	4.5	0.5
)	S	2.75	1.50	1.25	0	0	0	1.5	0	1.5	5.25	4.5	0.75	4.25	3.75	0.5	4.75	4.25	0.5
	۰	3.00	1.00	2.00	0	0	0	П	0	Т	5.25	4.5	0.75	2	4.5	0.5	4	3.5	0.5
	g	0.75	0.50	0.25	5.5	3.5	2	4.75	3.25	1.5	1.75	1.25	0.5	1.5	1.5	0	1.25	1.25	0
020	ш	2.00	1.75	0.25	5.25	3.75	1.5	5.25	3.75	1.5	2	2	0	2.5	2.5	0	1.5	1.5	0
777	s	2.50	2.25	0.25	5.25	3.75	1.5	9	4.5	1.5	2.75	2.75	0	3.5	3.5	0	1.75	1.75	0
	۰	3.50	3.50	0	4.5	2.5	2	6.25	4.5	1.75	4	3.25	0.75	4.5	4.5	0	က	m	0
	ט	0.75	0	0.75	1.5	0.5	П	1.5	0.25	1.25	1.25	0	1.25	1	0	1	0.75	0.25	0.5
076	ш	2.00	1.75	0.25	3.5	3.5	0	2.5	2.5	0	1.25	0	1.25	1.25	0	1.25	1.75	0	1.75
617	S	2.75	2.00	0.75	4.25	4.25	0	2.75	2.75	0	1.25	0	1.25	1.5	0	1.5	2.25	0	2.25
	۲	3.25	1.75	1.50	4.5	4.5	0	3.25	3.25	0	2	0	2	2.25	0	2.25	8	0	8

Inference Table – Effective Shading Hours (Considering 50% of Shading due to surrounding trees)

Building Name			spring Equinox - ZI" March	-	Summe	Net hours With Viaduct Without Viaduct N	Net hours With Viaduct M	Autumn Eq	uinox – Z1" Septembel lithout Viaduct Not	mper	Winter Soist	ᇤ			Z1" January	Not hours	With Viaduct	ZI" February	
	Floors	With Via	With Viaduct Without Viaduct	Not hours	With Viaduct					Not hours		Without Viaduct	Not hours	With Viaduct	WITHOUT VISION				Net hours
									Bui	Building - A									
	9	0.75	0.375	0.375	1.25	1.875	NA	1.5	1.25	0.25	0	0	0	0	0	0	0.5	0.25	0.25
106	ш	0.5	0.25	0.25	1.5	1.75	AN	1.25	0.875	0.375	0	0	0	0	0	0	0.5	0.25	0.25
P.	S	0.5	0.25	0.25	1	0.5	0.5	1.25	0.875	0.375	0	0	0	0	0	0	0.5	0.25	0.25
	F	0.5	0.25	0.25	1.25	0.625	0.625	1	0.5	0.5	0	0	0	0	0	0	0.25	0.125	0.125
	ŋ	0.75	1.125	Ā	1.25	1.875	AA	0.75	1.125	NA	0	0	0	0	0	0	9.0	0.75	NA
195	ц.	0.5	0.75	A :	1.5	2.25	A :	0.75	1.125	A :	0	0	0	0	0	0	0.5	0.75	AN :
	ν I	0.5	0.75	A :	1 .	1.25	A :	д,	1.5	ΨZ :	0	0	0 (0 (0 (o (5.0	0.75	NA :
	- (0.5	0.75	¥ :	1.25	1.875	¥ :	1	1.5	A :	0 0	0	0 (0 (0 0	0 0	0.25	0.375	AN 6
	י ט	0.25	0.375	A .	0.75	1.125	A	0.5	0.75	NA .	0	0	0 1	0	0	0	0	0	0
199	ц v	0 0	0 6	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0
	, _⊢	0	0	0	0 0	0	0 0	0	0	0	0 0	0	0	0	0	0	0	0	0
	9	0.25	0.375	AN	0.75	1.125	NA	0.5	0.75	NA	0	0	0	0	0	0	0	0	0
000	ш	0.25	0.375	AN	0.5	0.75	NA	0.5	0.75	NA	0	0	0	0	0	0	0	0	0
707	s	0	0	0	0	0	0	0.25	0.375	NA	0	0	0	0	0	0	0	0	0
	⊢	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	ŋ	0.25	0.375	AN	0.75	0.375	0.375	0.5	0.75	NA	0	0	0	0	0	0	0	0	0
201	ш	0.25	0.375	AN	0.5	0.75	AN	0.5	0.75	NA	0	0	0	0	0	0	0	0	0
ł	s	0	0	0	0.25	0.375	N A	0.25	0.375	NA	0	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	_U	0.25	0.375	A	0.75	0	0.75	0.5	0.75	NA	0	0	0	0	0	0	0	0	0
202	ц (0	0 (0	0.5	0 0	0.5	0.5	0.75	AN :	0 0	0 0	0 0	0 (0 0	0 0	0 (0 (0
	Λ F	0	0	0	0.25	0	0.25	0.25	0.375	δ c	0	0	0	0 0	0	0	5 6	-	0
	- u	0 0 25	0 0 0 0 0	o §	0 75	0 0	0 75	ם כ	0 25	0 25	0 0	0 0	0 0	o c	o c	o c	0	.	o c
203	, ц	333	0.00	<u> </u>	5.0	0 0	0.5	0.5	0.25	0.25	0	0 0	o c	0 0	0	0 0	o c	o c	0 0
	. v	0	0	0	0	0	0	0.25	0.375	NA	0	0	0	0	0	0	0	0	0
	U	0.25	0.125	0.125	0.75	0	0.75	0.5	0.25	0.25	0	0	0	0	0	0	0	0	0
700	L	0	0	0	0.5	0	0.5	0.5	0.25	0.25	0	0	0	0	0	0	0	0	0
5	s	0	0	0	0	0	0	0.25	0.125	0.125	0	0	0	0	0	0	0	0	0
	⊢	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	ŋ	0.25	0.125	0.125	0.75	0	0.75	0.5	0.25	0.25	0	0	0	0	0	0	0	0	0
205	ш	0	0	0	0.25	0	0.25	0.25	0.375	NA	0	0	0	0	0	0	0	0	0
	S	0	0	0	0	0	0	0.25	0.375	NA .	0	0	0	0	0	0	0	0	0
	- c	0 0 0 2 5	0 0 175	0 175	0 75	0 0	0 75 0	0 0	0	0 25	0 0	0 0	5 0	0 0	0	5	o c	o c	0 0
	ш	0	0	0	0.25	0	0.25	0.25	0.125	0.125	0	0	0	0	0	0	0	0	0
506	s	0	0	0	0	0	0	0.25	0.125	0.125	0	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	0.5	0.25	0.25	1.5	1.5	0	1	0.75	0.25	0	0	0	0.25	0.125	0.125	0.5	0.25	0.25
210	ш	0.75	0.375	0.375	1.25	0.625	0.625	1	0.5	0.5	0	0	0	0	0	0	0.25	0.125	0.125
ì	s	0.5	0.25	0.25	1.25	0.625	0.625	0.75	0.375	0.375	0	0	0	0	0	0	0.25	0.125	0.125
	-	0.25	0.125	0.125	0.5	0.25	0.25	0.5	0.25	0.25	0	0	0	0	0	0	0	0	0
	_o	0.5	0.75	Ā	1.5	1.5	0	П	0.75	0.25	0	0	0	0.25	0.125	0.125	0.5	0.25	0.25
209	ш	0.75	1.125	AA	1.25	1.875	AN	0.75	1.125	NA	0	0	0	0	0	0	0.25	0.37570	NA
	s	0.5	0.75	Δ A	1.25	1.875	N A	0.75	1.125	N A	0	0	0	0	0	0	0.25	0.375 11ding	NA
	-	0.25	0.375	AN	0.5	0.75	NA V	0.5	0.75	NA	0	0	0	0	0	0	0	O SO DELL	0 102







Finally, in reference to the above analysis/ study, we are concluding that on an average viaduct is casting shadow for 1.31 hours over the whole six months. In which there are few situations that the shadow casted by the nearby buildings, trees & viaduct. So excluding the building shaded area & trees, the average hours of blocks shaded due to viaduct is only **0.37 hours** (22 Minutes).

The trees surrounded by the buildings (In Park) itself casting shadows on the building façade. Please refer the below attached images. Thereby the shadow casting on the buildings by the viaduct will not affect the building occupant's health & well-being.



FIGURE 199: TREE COVERING - BUILDING - A



FIGURE 200: TREE COVERING - BUILDING - B





4.0 WIND ANALYSIS

4.1 METHODOLOGY

The prime intent of this section is to study the effect of wind caused by the Stabling Yard alignment of Delhi Meerut RRTS Viaduct in the surrounding buildings near Siddharth Extension Pocket – C (Between Sarai Kale Khan Station and Stabling Yard).

The study has been done by comparing the base case and design case. The base case involves the Buildings without RRTS Viaduct and the design case involves the Building with the proposed RRTS Viaduct and analyzing the effect of wind caused by the RRTS Viaduct in the proposed site.

The model has been created in Rhinoceros software and the analysis were performed in Autodesk Flow Design.

The following were the parameters considered during the analysis:

- Average Wind Speed of the location 6.7 miles per hour or 3 meter per second.
- Predominate Wind Direction From West to East
- Weather File New Delhi

Please find the Wind rose diagram for the proposed location:




FIGURE 201: WIND ROSE DRAWING





The above drawing shows the wind direction, Wind Velocity and Frequency of Occurrence along with concurrent average Dry Bulb Temperature and Relative Humidity. The outer ring shows the percentage of hours when the wind comes from each direction. On the next ring the height and color of the bars shows the average temperature of the wind coming from that direction (light blue is in the comfort zone, blue is cool or cold, and red is warm or hot). The next smaller ring shows average humidity (light green is comfortable, yellow is dry, and green is humid). The innermost circle shows the wind velocities that come from each direction; the tallest brown triangle is the maximum velocity for that period, medium brown is the average velocity, and the smallest light brown triangle is the minimum velocity.

4.2 3D VIEWS

Please find the three Dimensional model of the buildings and the proposed viaduct.





FIGURE 202: 3D VIEW WITHOUT VIADUCT







4.3 WIND ANALYSIS




FIGURE 204: WIND ANALYSIS RESULT - WITHOUT VIADUCT




FIGURE 205: WIND ANALYSIS RESULT - WITH VIADUCT

The FIGURE 204 represents the actual condition of the site without the inclusion of Viaduct and FIGURE 205 represents the condition of the site after the inclusion of Viaduct. The above images clearly shows that in between the buildings, the channeled flow effect is occurring where the wind gusts passing, resulting in a "canyoning" effect. But after inclusion of Viaduct, it is clearly visible that the channeled flow effect is much reduced.







5.0 INFERENCE - WIND ANALYSIS

Finally, in reference to the above wind analysis/ study, we are concluding that via duct doesn't cause any negative effect on the wind. Instead, the proposed viaduct is reducing the canyoning effect caused in between the buildings.







ic:	₁₂ .June.2021	passing throu	-C, Siddhartl gh Siddhartl	ang alignment	2
EN.	Name	Designation		•)	
15	Abhishu K Banogiec	220	Mobile No.	P	
100	220 - Erabraborty)	Oconer - Representative	96437	Email Address	
1	Arvird	19612	189141,	abhishek 71212 @ grail. Signature	
10	Toptho	1010	1111132	90	
	CACHIN	19613	566	ortripather e	
17	LAMBA	195-B	9899 40474	June Com Dale	
	CA			hotmail.com 40	
18	RAM	210 D Vice	0.0	hotmail.com beding	
	MENPOTRA	Consider Ratio	771037770	war mel	
-		- 1		Com Va	
19	yc Srivastan	CE/C NCRTC		word in a G	
1.		~ ~ ~ ~ ~		Yogenh-srivastava@norteila & for	
21	Y.P. Saxena	GGM/Finance,			
	1	NERTE		YP. saxena@nerte.in	
22	,		-		
	Dhanesh	GGM/Contracts Dispute Resolution NCKTC		dhanesh.gupta@norte.in	
	Gupta	NCKTC			1
23	Subod ba	CPM Delhi.	1	Subodh. Kumar @nesterin	1
	Kumar	NCRTC			1
24		DGM / Lound,		rk. jala @nerte. in Apolicale.	1
	R. K. Jala	NCRT C		TK. Jack Concre. in poglit	1
A-8		NEXIC			
25	Khusiram	TA civil,		Khusi ram - os@nestein	
	n mai i i i i	NIRTE		- 1	
26		care Inial		vishal singh- os @nertein vished	-
	Vishal Singh	Secretarial Assistant, NCRTC	77		
		NCRTC			
27	H THE THE				
28					
		E SAN EN S			
29					-
		The Paris			

Environmental Impact Assessment (Final)

PUBLIC

December 2023

India: Delhi–Meerut Regional Rapid Transit System Investment Project


Addendum to Environment Impact Assessment Report–Stabling Yard at Jangpura and Connecting Line from Sarai Kale Khan RRTS station to Stabling yard

Appendixes - Part 15

This Final EIA has been disclosed for the relevant stakeholders. There are ongoing consultations under the ADB Accountability Mechanism, 2012 with some community people who are not in the Corridor of Direct Impact, however, this EIA addresses the impacts associated with sensitive receptors falling within the Corridor of Indirect Impact and has also considered the mitigation measures accordingly in the design.

Prepared by the National Capital Region Transport Corporation for the Asian Development Bank (ADB).

This environmental impact assessment is a document of the borrower. The views expressed herein do not necessarily represent those of ADB's Board of Directors, Management, or Staff, and may be preliminary in nature. Your attention is directed to the "terms of use" section of ADB's website.
In preparing any country program or strategy, financing any project, or by making any designation of or reference to a particular territory or geographic area in this document, ADB does not intend to make any judgments as to the legal or other status of any territory or area.



DRAFT MINUTES OF THE MEETING WITH NCRTC OFFICIALS AND MEMBERS OF SIDDARTHA EXTENSION SENIOR CITIZENS' WELFARE FORUM (REGD.) IN REGARD TO THE PROPOSED NCRTC DELHI MEERUT VIADUCT THROUGH A PART OF THE COLONY In continuation to the meeting dated 21.10.2020 another Meeting was held between the officials of NCRTC and Sidhartha Extension Senior Citizens' Welfare Forum(Regd.) & RWA, on 10st November, 2020 at 11.00 AM in Porta Cabin (Near Gate No.3) Sidhartha Extension Pocket 'C', in regard to the proposed NCRTC Delhi Meerut Rapid Metro Viaduct passing through a part of the colony. Following were present: FROM NCRTC 1. Sh. Subodh Kurar, aprifucete Quind 2 AK Jela, DyGmsland Agosle M. 9881347000 Hustinam. TAJCIVIL 1mm (M. 864900063) FROM SESCWF & RWA M.C. Gupte 212-B. + 212-PRESIDENT (M.93/2 229681) 1 quille 3. M.L.Alinia 197-A 2213-A IM 9811207228 IM. 981113 4447) 4. A. S. LAMBA 208-) IM.9818204602) 5. MRS K. KAPUR 212 A (M.999005234)5 210 B. 6. V.H. RAO . (M.9650 855744) 7. V.D. Shorma. 217-A. IM. 9873282447 Smy 1/5mp | SERWA (M. 98786-8498) 8. Shyang Singh 167-1 9. Swint Singh St It was discussed as under:

LIST OF CORRESPONDENCES

Letter Date	From	Concern/Issues	NCRTC Response	Summary of NCRTC Reply	Remarks
10.06.2022	RTI from Shri. M.L.Ahuja	The anticipated increase in noise level, values noted for air pollution, sunlight, effect on health	07.07.2022	Replied suitably	Annexure-2
27.06.2022	Residents	Objection on Resettlement Plan and draft Environmental Impact Assessment (EIA) w.r.t proposed stabling yard at Jungpura including connecting line from Srai Kale Khan RRTS Station	01.09.2022	Issues related to selection of different alignments passing through Siddhartha, loss of green cover, high noise and vibration, a decline in property values, defining corridor of Impact, seismic zone, speed and numbers of train passing through Siddhartha were suitable replied	Annexure-3
29.06.2022	CPGRAM- PMOPG/E/2022/0173 456	Block No 195 & 196. Regarding objections to the draft resettlement plan and draft Environmental Impact Assessment (EIA) report w.r.t proposed stabling yard at Jungpura including connecting line from Sarai kale Khan RRTS Station	01.09.2022	Replied suitably	Annexure-4
07.07.2022	MoHUS	Resident Grievance of Block 209 & 210 against the proposed construction plan of viaduct connecting the RRTS line from Sarai kale Khan to Stabling Yard at Jungpura Via Pocket C, Siddhartha Extension. Infringement of residents right w.r.t Resettlement Plan and Environmental Impact Assessment.	28.09.2022	Issues related to the selection of different alignment passing through Siddhartha, loss of green cover, high noise and vibration, a decline in property values, defining corridor of Impact, seismic zone, speed and numbers of trains passing through Siddhartha were suitable replied	Annexure-5
13.07.2020	CPGRAM- PMOPG/E/2020/0656 078	Public grievance regarding RRTS viaduct passing through dwelling unit in Siddhartha Extension	14.09.2021	Replied suitably	Annexure-6

LIST OF CORRESPONDENCES

Letter Date	From	Concern/Issues	NCRTC Response	Summary of NCRTC Reply	Remarks
24.08.2022	MoHUA	Reassertion of Resident Grievances of Blocks 209 & 210 against Proposed Construction Plan of Viaduct to connect RRTS line from Sarai Kale Khan to Stabling Yard at Jangpura Via Pocket C, Siddhartha Extension. Infringement of residents^ rights w.r.t Resettlement Plan & Environment Impact Assessment	28.09.2022	Issues related to the selection of different alignment passing through Siddhartha, loss of green cover, high noise and vibration, a decline in property values, defining corridor of Impact, seismic zone, speed and numbers of train passing through Siddhartha were suitable replied	Annexure-7
24.08.2022	CPGRAM- DOURD/P/2022/0032 6	Reassertion of Resident Grievances of Blocks 209 & 210 against Proposed Construction Plan of Viaduct to connect RRTS line from Sarai Kale Khan to Stabling Yard at Jangpura Via Pocket C, Siddhartha Extension. Infringement of resident rights w.r.t Resettlement Plan & Environment Impact Assessment	15.09.2022	Replied suitably	Annexure-8
27.08.2022	CPGRAM- PMOPG/E/2020/0226 346	Reassertion of Resident Grievances of Blocks 209 & 210 against Proposed Construction Plan of Viaduct to connect RRTS line from Sarai Kale Khan to Stabling Yard at Jangpura Via Pocket C, Siddhartha Extension. Infringement of resident rights w.r.t Resettlement Plan & Environment Impact Assessment	15.09.2022	Replied suitably	Annexure-9
26.08.2022	RTI from Shri. Arvind Tripathi	Regarding copy of MoM	22.09.2022	Replied suitably	Annexure-10

LIST OF CORRESPONDENCES

Letter Date	From	Concern/Issues	NCRTC	Summary of NCRTC Reply	Remarks
10.00.2022	CDCDAM	Descention of Desident	Response	Deplied suitably	Appayura 11
19.09.2022	CPGRAM- DOURD/P/2022/0035 6	Reassertion of Resident Grievances of Blocks 209 & 210 against Proposed Construction Plan of Viaduct to connect RRTS line from Sarai Kale Khan to Stabling Yard at Jangpura Via Pocket C, Siddhartha Extension. Infringement of resident rights w.r.t Resettlement Plan &	27.09.2022	Replied suitably	Annexure-11
		Environment Impact Assessment			
Email 27.10.2022	Residents of Siddhartha	Objection to the draft Resettlement Plan & draft EIA Report w.r.t. proposed stabling yard at Jangpura including connecting line from Sarai Kale Khan RRTS Station	16.11.2022	Replied suitably	Annexure-12
		Minutes of the Meeting of "Grievance Redressal Committee"- regarding objection received on draft EIA and RP vide letter 27.06.2022 conducted on 29.10.2022	09.11.2022	The inclusion of residents block 195 & 196 as a direct affected person is not admissible	Annexure-13
20.10.2022		Invitation for GRC meeting on 29.10.2022			Annexure-14
17.10.2022		MOM of GRC meeting held on 15.10.2022		Residents of block 195 & 196 did not turn up to attend the meeting to discuss their grievances. Meeting rescheduled on 29.10.2022	Annexure-15
Email 25.07.2022			20.09.2022	Reply to Shri. Kamlesh Raghuvanshi email	Annexure-16
		MOM of Community Interaction Program held on 23.07.2022 at Siddhartha Extn.	30.07.2022		Annexure-17


<u>Aim</u>:- To determine the impact of Rapid Rail Transit System (RRTS) on the cost of Residential properties in Sidhartha Extension Pocket-C.

Price trends of nearby localities of Delhi Metro Line

(i) Kalkaji Mandir-Nehru enclave-Janakpuri West, DMRC Magenta Line Date of Commencement- 28.05.2018

Location-Kalkaji and Vasant King


Month/Year	Location	Average property Rate/Sqft.
July-Sep 2013	Vasant Kung	Rs. 14,200/Sqft
Apr-Jun 2023	Vasant Kung	Rs. 14,550/Sqft
Oct-Dec 2014	Kalkaji	Rs. 10,000/Sqft
Jan-Mar 2023	Kalkaji	Rs. 14,200/Sqft



Source:- https://www.99acres.com/kalkaji-south-delhi-overview-piffid

(iv) Trends for Siddhartha Extension Pocket C

Price trends of Siddhartha Extension



Source:- https://www.magicbricks.com/advice/trends/New-Delhi/siddhartha-extension-pocket-c-prjid-4d4235313733303531?projId=4d4235313733303531

Properties' Snapshot- by magic bricks.com

38% properties for Sale in Sidhartha Extention lie in range of ₹1.2Cr - ₹1.4Cr while 29% properties for Sale lie in range of ₹1Cr - ₹1.2Cr. 2 BHK is the most common room configuration in this locality and accounts for approximate 52% of all the properties for Sale. 100% of the properties in Sidhartha Extention are Multistorey Apartment, and most of these are posted by Agent.

Conclusion

The average price rate of property in the Siddhartha Extension, Pocket C in Feb 2023 was Rs.10,255/Seq. ft and Rs. 11,497/Sqft in June 2023. There is an increase in the average price rate of property by 12.11% in June 2023 over a period of 5 months. Thus the positive impact of RRTS on the property rate can be seen.

Further Jungpura RRTS station has been notified as TOD node. It will also enhance the connectivity of the area with other places. In addition, commercial development associated with this Multi-Model Integration (MMI) will enhance the economic potential of the nearby area including Siddhartha Extension.

Impact Of Metro Rail Prices On The Real Estate Over Indian Cities

(Source https://patnarailmetro.com/impact-of-metro-rail-prices-on-real-estate/)

As we know, properties near the metro networks always attract the population, and people prefer housing complexes and residential societies close to the metro station because it provides them with better connections and communications with other parts of the city.

The metro rail projects have always been very demanding among real estate agents as the prices of these societies are also hampered due to the metro system. However, the prices of these real estate lands also get affected once the construction of a metro begins. The inception of the metro railway in India's metro cities has not only enhanced the standard of living for people but also impacted real estate growth in a big way.

The land value near metro rail corridors or stations has drastically increased, owing to the convenience and reduced commuting costs. Proximity to the Metro system has always attracted home buyers, developers, and investors, and these areas are expected to undergo significant appreciation in the future as well.

How Has Metro Catapulted The Real Estate Scenario Near Metro Corridors?

There has been proper growth in the real estate market along the metro rail corridors because of major developments along metro routes. According to the last five years, the value of land near metro corridors has seen an immense increase of 15% to 20% in different cities of India. For example, in Pune, the upcoming metro corridors are expected to increase the land value by 10% to 15%.

Therefore, commercial and retail store rates along the metro corridors have also witnessed a 20%-25% rise due to the generation of job opportunities, easy accessibility, and affordable travel costs. As the metro is a Mass Rapid Transport System (MRTS), the metro railway significantly reduces road congestion, such as traffic jams, benefiting the projects planned along the metro corridors. Locations at a distance of 4-5 kilometres from the metro stations have also witnessed a surge in land prices and housing demands as the metro covers all the prime places and landmarks, which gives good facilities to its citizens.

Rates Of Appreciation For Plots Before And After The Announcement Of Metro

This portion covers the affection of prices before and after the announcement of metro rail projects in those cities and the areas where they will be implemented. The land value has been observed to rise considerably post metro operations, with an annual increase of 2% to 5% recorded in different locations, as opposed to the planning and construction phases.

However, many cities in India have witnessed a sudden demand, change and rise in land prices once the metro rail project was announced. Some upcoming metro projects in India include Pune Phase-I Line 3, Chennai Metrolite, Nashik Metro Neo, Bangalore Metrolite, Kozhikode Metrolite, and Trivandrum Metro.

Now we will learn and know how pre- and post-metro rail project announcements impacted the land prices in different cities. Here are the different cities of India mentioned below whose price of land has been affected due to metro projects.

(i) Chennai:

Before the construction of the <u>Chennai Metro</u> in 2015, the housing prices were around Rs. 3,600/sqft, which raised to Rs. 7,000/sq ft in areas along the metro corridors, such as Ashok Nagar, Saidapet, Guindy, Washermenpet, Arumbakkam, and Perungudi, the prime areas of Chennai post the commencement of metro operations.

Apart from other factors, easy accessibility offered by the metro played a major role in the price surge. Many areas of Chennai close to the metro stations saw a 15% to 35% increase in land prices post-metro Phase-I which started its operations in 2019. Additionally, the retail and commercial rental prices along the 100 feet road or Jawaharlal Nehru Road witnessed around a 50%-70% increase. Some property rates witnessed even a 100% increase in prices.

The Metro has also improved the popularity of micro markets like Anna Salai and increased real estate prices in various parts of the city.

(ii) Bangalore:

Bangalore's supreme locations, such as Indiranagar, Jayanagar, Malleswaram, Rajajinagar, Yeshwanthpur, CMH Road, and others, have witnessed a price increment of 8% to 10% since then the North-South and East-West metro routes opened for the public.

With the upcoming metro rail projects being announced and the launch of the Mysore Road-Kengeri Route, nearby land prices are expected to witness substantial appreciation. Post the launch of the <u>Bengaluru Metro</u>, within 12-18 months, a price surge of around 25% was witnessed in these areas near the metro corridors.

(iii) Mumbai:

Goregaon East's locality is between Andheri and Borivali, close to the Mumbai airport, film city, IT hubs, schools, restaurants, and hospitals. Therefore the property prices in this locality stand up at Rs. 17,250/sqft.

However, Metro Line 2A is expected to be fully operational by January 2022, post which the appreciation rate would be approximately 10-15%.

The Versova–Andheri–Ghatkopar metro line was inaugurated in 2014, and since then, it has been actively covering prime parts of Mumbai. Also, these areas have witnessed a 10%-20% appreciation in land value.

In Malad (West), the ongoing metro construction is slated to increase commercial and residential demands and land prices after the project's completion in 2021. The land prices at Kanjurmarg are also expected to increase by 10% to 12% post the completion of the metro route.

(iv) Gurgaon:

<u>Gurgaon's Rapid Metro</u> offers connectivity between HUDA City Centre, Cyber City, and the remote corners of Gurgaon, which also provides a connection between Delhi and Gurgaon (now Gurugram), including Sectors 55 and 56, Golf Course Road, and so on. This has positively impacted the surrounding areas, and land values have risen considerably along the metro routes.

Currently, the average prices of plots in areas near the metro are between Rs. 6,000/sq ft and Rs. 10,000/sqft. Experts predict that with the upcoming expansion plans of the Rapid Metro, land prices might see a 10%-15% appreciation shortly.

(v) Delhi:

Delhi Metro has been operational for over 15 years and is India's second-oldest and largest metro network. As the <u>Delhi metro</u> is the busiest and most popular, people prefer residences near metro stations for more connectivity to other parts of the capital city of India. Significantly impacting the real estate market prices in the region.

In 2009, the average property rate in Dwarka Sectors was Rs. 5,000/sqft. The prices appreciated in the subsequent years and rose to Rs. 9,500/sqft in 2018, owing to its proximity to metro stations.

The Nirman Vihar Metro network in Delhi started operations in 2010. Along this route, the metro witnessed a significant surge in land prices (a 15% to 20% surge) from Rs. 16,667/sq ft to as high as Rs. 22,222/sq ft – Rs. 22,778/sq ft.

(vi) Hyderabad:

Land prices in localities of Hyderabad, like Kukatpally, LB Nagar, and Miyapur along the metro line stretch, were around Rs. 2,433/sq ft before 2017. The <u>metro operations in Hyderabad</u> began in 2017, after which the costs in these areas increased to approximately Rs. 6,753/sq ft. However, the small market areas of Corridor-I and Corridor-III saw substantial price growth of about 15% to 20% from 2018 to 2021.

Factors Other Than Metro Connectivity Influencing Popularity Of Plots:

The ongoing and upcoming metro projects in India have caused housing demands and property prices to increase tremendously. Apart from the convenience and benefits offered by the Metro projects, additional factors that affect the popularity of plots include are mentioned below:

- Infrastructure development
- Existing and upcoming amenities
- Proximity to IT parks and offices
- Ease of commuting
- Proximity to recreational centres and markets
- Clean environment
- Lesser traffic and noise
- Good civic amenities
- Proximity to hospitals, parks, and shops

These are the influencing factors that are positively impacting the properties near the metro rail projects.

Conclusively, the Metro Rail network is a boon to these metro cities of India that suffers from road congestion issues like road accidents and traffic jams as well as to tier 2 cities in terms of their growth. With the announcement of upcoming metro services, cities witness a growing demand for mixed-use land in and around the metro corridors. It leads to a good percentage of appreciation of land rates, thus boosting the growth of the real estate sector in the city.

Thus it is true that metro rail projects greatly impact the prices of real estate which are close to these metro projects in Indian cities.

APPENDIX 17: SDMC LETTER

DELHI DEVELOMENT AUTHORITY INSTITUTIONAL LAND BRANCH A-216, Vikas Sadan INA, New Delhi-110023

5 729 5

F.32 (78)19/IL/ 170

Dated: 06/02/2020

To

Chief Project Manager (Delhi)
National Capital Region Transport Corporation (NCRTC)
7/6, Siri Fort Institutional Area, August Kranti Marg
New Delhi -110049

for taking the porc mother with SDMC

Sub: Implementation of Delhi-Ghaziabad-Meerut Regional Rapid Transit System Corridor in NCRTC.

-RoW through Sidharth Extension for RRTS alignment

- RoW at park between Railway land and HPL for RRTS alignment.

Sir.

This is in reference to your letter D.O. No. NCRTC/CPM/D/Land-Stabling Yard/2019/101 dated 12.09.2019 regarding RoW through Sidharth Extension for RRTS alignment.

In this regard, matter has been examined by Planning Deptt. ,DDA and it is clarified that RRTS alignment from Sarai Kale Khan to Stabling Yard at Jangpura is passing through Siddharth Extension, a colony of DDA at RRTS alignment chainage 1450m to 1575m and through the Park of DDA at RRTS alignment chainage 1680m to 1725m location of which are marked in the drawing No: NCRTC/CPM-D/CE/DM -00/SPS/GAD/PLD/247 dated 12.09.2019 (Copy enclosed)

Further, the said reference was sent to Land Management. HUPW, Landscape, UTTIPEC by Planning Wing, DDA. The examination is as follows:

 With respect to the Park from which the RRTS alignment is proposed, Land management department has clarified that the area is under jurisdiction of South Delhi Municipal Corporation (SDMC). In the Park, the sign board of SDMC is installed.

With respect to the proposed alignment passing through Siddharth Extension. it is to mention that HUPW, DDA has clarified that the layout Plan of Siddharth Extension was approved in the year 1982 and the area concerned stands transferred to MCD. Therefore NOC may also be procured from SDMC.

In view of the above NCRTC may take necessary approval from SDMC.

(Sada Shiv) Dy. Director (IL)





SOUTH DELHI MUNICIPAL CORPORATION
LAND & ESTATE DEPARTMENT
7TH FLOOR, E-1 WING, Dr. SPM CIVIC CENTRE
J.L. NEHRU MARG, NEW DELHI - 110 002
landestatesdmo@gmail.com

No. AO/L&E/SDMC/2021-22/D-379

Dated : 12/10/2021

To

Sh. Vinay Kumar Singh, Managing Director, National Capital Region Transport corporation (NCRTC), 7/6, Sri Fort Institutional Area, August Kranti Marg, New Delbi-110049.



Subject:- Regarding Issue of No Objection (NOC) for implementation of Delhi-Ghaziabad-Meerut Regional Rapid Transit System Corridor in NCR: Regarding Right of Way for elevated sections i.e. main alignment viaduct and stabling yard alignment viaduct passing through Barapullah and Sidharth Extr. SDMC areas.

Kindly refer to your letter No. NCRTC/CPM/D/SDMC/2018/20 dated 14.03.2020 and letter No. NCRTC/CPM/D/SDMC/2018/20/1618 dated 10.03.2021 on the subject cited above. In this regard I am directed to say that Corporation /SDMC vide Item No. 26 and Resolution No. 77 has accord the approval for grant No Obhjection/permission on the basis of the request of NCRTC vide their letters 14.03.2020 and 10.03.2021 seeking permission of right of way for elevated sections i.e. main alignment viaduct and stabling yard alignment viaduct passing through Barapullah and Sidharth Extn. at the following area of SDMC.

S. No	Requirement by NCRTC for RRTS Corridor		I THE POLE BY LINE INC.
Case-I	Right of way of alignment from Sarai Kale Khan to stabling yard at Jangpura.	drawing at page 58/C for stabling yard alignment viaduct submitted vide NCRTC/ CPM/D/SDMC/2018/20/1618 dated 10.03.2021.	desired for the NOC of the ROW for construction of stabling yard with 8 nos. piers of 2 mtr. dia meter. EE [M]-I, Central Zone has proposed the following conditions for issue of

ROW



		 i) Elevated viaduct
1		= 200.00 x 10.50
	-	= 2100 sqm x 8000/sqm = 1,68,00,000/-
		ii) Piers
		P53=1x3.14x1.00x1.00=3.14 sqm
		P54-1x3.14x1.25x1.25=4.90sqm
		P56=1x3.14x1.35x1.35=5.72sqm
		P57=1x3.14x1.35x1.35=5.72sqm
		P57A&B=2x3.14x1.00x1.00
		=6.28sqm
		Total 25.76x8000/-sqm
		= 2,06,080/-
		 (i) + (ii) = 1,70,06,080/- (B)

(Total way leave charges = A+B=Rs. 1,79,98,880 + 1,70,06,080 = 3,50,04,960/-)

The aforesaid permission shall be allowed on the following terms and conditions in addition to the conditions as mentioned against the each ROW above table:-

- (a) The allottee (NCRTC) shall pay the land cost as detailed above for permanent transfer and 5% of land cost per annum for temporary transfer as provisional rates worked out on the basis of rates charged by L&DO/DDA in advance, subject to time to time revision.
- (b) The NCRTC shall submit an undertaking to the effect that (i) it shall pay the difference in premium of land and ground rent chargeable in case of revision in rates with retrospective effect and (ii) that it shall fulfill the conditions it had agreed to with the zonal authorities/departments at the time of survey.
- (c) The allottee, NCRTC shall get the construction plan approved from the local municipal authorities and there shall be no violation of building by-laws and deviation in any manner whatsoever for the use of land allotted for specific purpose. In case of any violation of terms and conditions, the SDMC shall have the right to resume possession of the pocket of land in respect of which working permission has been granted.
- (d) The NCRTC shall not use the allotted area for any commercial purpose without taking prior approval of the Corporation in writing or otherwise; it shall be liable to pay incidental commercial charges to SDMC along with penalty to be decided by the Corporation, notwithstanding the right of Corporation of resume the possession of land pocket in question.
- (e) The land allotted to NCRTC shall not be sublet/transferred or mortgaged wholly or in part to any person or institution without prior approval of the Corporation in writing.
- (f) In respect of the building structures, if any, situated on the land, NCRTC shall pay current cost of construction to the agency owning the building structures.
- (g) The removal of structures or encroachments, if any, on the allotted land shall be the responsibility of the allottee.
- (h) . The allotment of the land shall be affected from the date of issuance of the allotment letter.
- The allottee shall be required to construct the building in conformity with the architectural surroundings of the area, after taking due clearance from the concerned authorities.
- (j) The trees, if any, standing on the plot shall remain as government property and shall not be removed or otherwise disposed of without obtaining the prior permission of concerned authority.



5. The NOC for the said stretch of nallah may be issued to the NCRTC and the maintenance of nallah including the side berms shall be the responsibility of NCRTC. The desilting of nallah during the period of construction shall also be the responsibility of NCRTC. Any serviceable item(s) dismantled during the course of construction shall be handed over to SDMC at the JE store. 6. After the completion of the work, NCRTC shall be responsible to hand over the area back to the South Delhi Municipal Corporation in the serviceable condition as on where basis or in improved condition. 7. NCRTC will have to take undertaking that there would be no commercial activities other than the construction work during this period. 8. No blockage of the nallah on account of C&D Waste shall be allowed. All the C&D Waste generated during the course of construction shall be cleared by the NCRTC. 9. Since, the elevated road is passing through the Barapulla drain so NOC in this regard from PWD be also obtained which is in the jurisdiction of PWD, GNCTD. 10. The permission for the said proposal may be issue to NCRTC subject to payment of applicable charges for construction of stabling yard with piers. The way leave charges are as under: i) Elevated viaduct 211.88 x 10.50 x 8000/sqm = 1,77,97,920/ii) For piers of dia 2.00 mtr. = 8 x 3.14 x 1.00 x 1.00 = 25.12 sqm x 8000/sqm = 2,00,960/-(i) + (ii) = 1,79,98,880/- (A). Case RRTS As per the enclosed Chief Project Manager, NCRTC has alignment from drawing at page desired for the NOC of the ROW for Sarai Kalakhan 59/C for construction of main alignment viaduct with 06 nos of piers of main to Khichriplur alignment viaduct submitted vide different cross sections NCRTC/ CPM/ D/SDMC/2018/20 The conditions mentioned above of /1618 Case I from S.No. 1 to 9 will also be dated 10.03.2021. applicable in this case. 10. The permission for the said proposal may be issue to NCRTC subject to payment of applicable charges for construction of stabling yard with piers. The way leave charges are as under:

revision in rates with retrospective effect and (ii) that it shall fulfill the conditions it had agreed to with the zonal authorities/departments at the time of survey.

- (c) The allottee, NCRTC shall get the construction plan approved from the local municipal authorities and there shall be no violation of building by-laws and deviation in any manner whatsoever for the use of land allotted for specific purpose. In case of any violation of terms and conditions, the SDMC shall have the right to resume possession of the pocket of land in respect of which working permission has been granted.
- (d) The NCRTC shall not use the allotted area for any commercial purpose without taking prior approval of the Corporation in writing or otherwise; it shall be liable to pay incidental commercial charges to SDMC along with penalty to be decided by the Corporation, notwithstanding the right of Corporation of resume the possession of land pocket in question.
- (c) The land allotted to NCRTC shall not be subjet/transferred or mortgaged wholly or in part to any person or institution without prior approval of the Corporation in writing.
- (f) In respect of the building structures, if any, situated on the land, NCRTC shall pay current cost of construction to the agency owning the building structures.
- (g) The removal of structures or encroachments, if any, on the allotted land shall be the responsibility of the allottee.
- (h) The allotment of the land shall be affected from the date of issuance of the allotment letter.
- (i) The allottee shall be required to construct the building in conformity with the architectural surroundings of the area, after taking due clearance from the concerned authorities.
- (i) The trees, if any, standing on the plot shall remain as government property and shall not be removed or otherwise disposed of without obtaining the prior permission of concerned authority.
- (k) In the event of dissolution of The National Capital Region Transport Corporation the land allotted and the assets created thereon shall be transferred to an institution having the similar aims and objectives with prior approval of the government as such compensation that may be determined by the SDMC at its absolution discretion.
- (l) The Commissioner or his nominee may at any time inspect the site or cause to be inspected the sit (land) and the premises thereon with or without any prior notice to The National Capital Region Transport Corporation. Refusal to allow inspection of the site and the premises hall amount to violation of the terms calling for suitable action including resuming possession of the land pocket.
- (m) Acceptance of premium of land during the existence of unauthorized construction or misuse of the premises shall not be considered as a waiver.
- (n) The allotment of land shall be further subject to the terms and conditions of the Memorandum of Agreement and the lease Deed to be executed between the Corporation and NCRTC.
- (o) It shall not lease/sub-lease/concession the land for property development or any other activity or revenue generating purpose(s).
- (p) NCRTC shall bear the cost of shifting, relocating tehbazaris, stalls, kiosks or any other structure such as school building, dispensary, etc. coming in the way of the project.
- (q) NCRTC shall ensure that no damage is done to the statues installed in parks and shall safely relocate them after completion of the project.

160

(r) NCRTC shall restore atructures wherever they are coming in the way of the project after completion of the project.

(s) NCRTC shall in co-ordination with the officials of L&E Dept., zonal officials and officials of other concerned departments of SDMC carry out photography and videography of the sites before commencing work.

(t) In the event of failure to comply any of the covenants/conditions contained herein above by MCRTC, it shall amount to violation of the agreement and action as per law shall be initiated.

In view of the above, the land is allotted on permanent basis and on Thirty Six Thousand Three Hundred Eight only) in the form of Demand Draft in favour Commissioner, SDMC.

Administrative Officer SMGS/Inemiraged States

Copy to:-

A&C (I/C L&E/SDMC.
 Deputy Commissioner, L&E

- Copy for kind information to Commissioner/SDMC.







SOUTH DELHI MUNICIPAL CORPORATION LAND & ESTATE DEPARTMENT 7TH FLOOR, E-1 WING, Dr. SPM CIVIC CENTRE J.L. NEHRU MARG, NEW DELHI – 110002 landestatesdmc@gmail.com

No. AO/L&E/SDMC/2021/D- 497-

Dated: 30 .11.2021

To

Sh. Vinay Kumar Singh, Managing Director, National Capital Region Transport Corporation (NCRTC), Gati Shakti Bhawan INA, New Delhi -110023.

Subject:-Allotment of land to NCRT Corporation on permanent and temporary basis on way leave charges

May please refer to your letter of NCRTC dated 31.03.2021 requesting therein for allotment of land on temporary and permanent basis at ROW for stabling yard alignment through SDMC parks inside and adjacent to Sidhartha extension pocket-C of size measuring 12.56 sqm. on permanent basis and 919.8 sqm. elevated on way leave charges.

In this regard I am directed to say that Corporation, SDMC vide Resolution No. 119 dated 29.09.2021 has accorded the approval for allotment of land size measuring 12.56 sqm. on permanent basis and 919.8 sqm. elevated on way leave charges to NCRTC at the following locations on institutional rates (No profit/No Loss).

I. No	Location of Land & Purpose	Area (in Sqm.)	Rates	Amount Chargeable on)
1.	Construction for 4 piers (Dia for 1 pier- 2m and area required for 1 pier- 3.14sqm(Permanent)		Rs. 573.22 Lacs/Acre Rs. 14164.59 sqm. (No profit No Loss)	12.56X14164.59 = Rs. 1,77, 908/-
2.	Elevated area	919.8 Way Leave	Way leave Rs. 8,000/- sqm	919.8x8000= Rs.73,58,400/-
Total The total amount recently to				Rs. 75,36,308/-

The total amount recoverable towards the above permission of land on permanent and elevated on way leave charges are Rs75,36,308/-.

5. The aforesaid land has been allotted on the following terms and conditions:

(a) The allottee (NCRTC) shall pay the land cost as detailed above for permanent transfer and 5% of land cost per annum for temporary transfer as provisional rates worked out on the basis of rates charged by L&DO/DDA in advance, subject to time to time revision.

(b) The NCRTC shall submit an undertaking to the effect that - (i) it shall pay the difference in premium of land and ground rent chargeable in case of

pay th

having the similar sime and objectives with prior approval of the government as such compensation that may be determined by the SDMC at its absolution discretion. the land allotted and the assets created thereon shall be transferred to an institution in the event of dissolution of The Vanonal Capital Region Transport Corporation

including resuming possession of the land pocket. The National Capital Region Transport Corporation. Refusal to allow inspection of the said the premises hall amount to violation of the terms calling for suitable action be inspected the sit (land) and the premises thereon with or without any prior notice to The Commissioner or his nominee may at any time inspect the site or cause to

(m) Acceptance of premium of land during the existence of unauthorized construction or misuse of the premises shall not be considered as a waiver.

Memorsudum of Agreement and the lease Deed to be executed between the Corporation and NCRTC. The allotment of land shall be further subject to the terms and conditions of the

any other activity or revenue generating purpose(s). It shall not lease/sub-lease/concession the land for property development or

any other structure such as school building, dispensary, etc. coming in the way of the MCRIC shall bear the cost of shifting, relocating tehbasaris, stalls, kiosks or

and shall safely relocate them after completion of the project. NCRTC shall ensure that no damage is done to the statues installed in parks

NCETC shall restore structures wherever they are coming in the way of the project after completion of the project.

officials of other concerned departments of SDMC carry out photography and videography of the sites before commencing work NCRTC shall in co-ordination with the officials of L&E Dept., zonal officials and

herein above by NCRTC, it shall amount to violation of the agreement and action as In the event of failure to comply any of the covenants/conditions contained

in the form of Demand Draft in favour Commissioner, SDMC. In view of the above, permission/NOC is granted subject to payment of Rs. 3,50,04,960/- (Rs. Three Crores Fifty Laids Four Thousand Nine Hundred Sixty Only)

Jones & Estate Department/SOMCE

Cons to:-

2. Deputy Commissioner, L&E I. A&C (I/C L&E/SDMC.

Copy for ldnd information to Commissioner/SDMC.